



Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

**State of West Virginia
Solicitation Response**

Proc Folder: 1921544
Solicitation Description: Addendum 01: Parts Washer Cleaning Service - District Nine
Proc Type: Agency Master Agreement

Solicitation Closes	Solicitation Response	Version
2026-03-31 10:30	SR 0803 ESR03312600000006563	1

VENDOR
000000183200
SAFETY KLEEN SYSTEMS INC

Solicitation Number: ARFQ 0803 DOT2600000077
Total Bid: 14932
Response Date: 2026-03-31
Response Time: 10:05:54
Comments:

FOR INFORMATION CONTACT THE BUYER

James F Moffatt
304-414-0815
james.f.moffatt@wv.gov

Vendor Signature X	FEIN#	DATE
-----------------------	-------	------

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	15 Gallon Parts Washer	75.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
76121600			

Commodity Line Comments:

Extended Description:

15 Gallon Parts Washer

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	15 Gallon Parts Washer Cleaning Service	75.00000	EA	175.000000	13125.00

Comm Code	Manufacturer	Specification	Model #
76121600			

Commodity Line Comments:

Extended Description:

15 Gallon Parts Washer Cleaning Service

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	Paint Gun Cleaner	5.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
76121900			

Commodity Line Comments:

Extended Description:

Paint Gun Cleaner

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
4	Paint Gun/Paint Thinner Cleaning Service	5.00000	EA	350.000000	1750.00

Comm Code	Manufacturer	Specification	Model #
76121900			

Commodity Line Comments:

Extended Description:

Paint Gun/Paint Thinner Cleaning Service

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
5	Fuel Surcharge	0.00000	MILE	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
78121603			

Commodity Line Comments:

Extended Description:

Fuel Surcharge

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
6	Credit Card Fee - not to exceed 4%				0.00

Comm Code	Manufacturer	Specification	Model #
84141602			

Commodity Line Comments: Credit Card fee will not be applicable

Extended Description:

Credit Card Fee - not to exceed 4%

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
7	Hazardous waste fee				27.00

Comm Code	Manufacturer	Specification	Model #
76122404			

Commodity Line Comments: Only on Hazardous Waste Manifest

Extended Description:

Hazardous waste fee

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
8	Recovery Fee				30.00

Comm Code	Manufacturer	Specification	Model #
93151510			

Commodity Line Comments:

Extended Description:

Recovery Fee



**State of West Virginia
Agency Request for Quote
Highways**

Proc Folder: 1921544		Reason for Modification:	
Doc Description: Addendum 01: Parts Washer Cleaning Service - District Nine		Addendum 01: To attach vendor questions and responses.	
Proc Type: Agency Master Agreement			
Date Issued	Solicitation Closes	Solicitation No	Version
2026-03-26	2026-03-31 10:30	ARFQ 0803 DOT2600000077	2

BID RECEIVING LOCATION

PROCUREMENT DIVISION
 DIVISION OF HIGHWAYS
 BLDG 6 RM 340A
 1900 KANAWHA BLVD E
 CHARLESTON WV 25305
 US

VENDOR

Vendor Customer Code: VS00000183200
Vendor Name : Safety-Kleen Systems, Inc
Address : 42 Longwater Dr.
Street :
City : Norwell
State : Massachusetts **Country :** US **Zip :** 02061
Principal Contact : Kendrick Harrison
Vendor Contact Phone: 312-550-2820 **Extension:**

FOR INFORMATION CONTACT THE BUYER

James F Moffatt
 304-414-0815
 james.f.moffatt@wv.gov

Vendor Signature X *Kendrick Harrison* **FEIN#** 39-6090019 **DATE** 03-27-2026

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

ADDENDUM 1 IS ISSUED FOR THE FOLLOWING REASONS:

- 1. TO ATTACH VENDOR QUESTIONS AND RESPONSES.

NO OTHER CHANGES

INVOICE TO		SHIP TO	
DIVISION OF HIGHWAYS DISTRICT NINE 146 STONEHOUSE RD LEWISBURG WV US		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER No City WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	15 Gallon Parts Washer	75.00000	EA	\$ 0.00	\$ 0.00

Comm Code	Manufacturer	Specification	Model #
76121600			

Extended Description:
15 Gallon Parts Washer

INVOICE TO		SHIP TO	
DIVISION OF HIGHWAYS DISTRICT NINE 146 STONEHOUSE RD LEWISBURG WV US		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER No City WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	15 Gallon Parts Washer Cleaning Service	75.00000	EA	\$ 175.00	\$ 13,125.00

Comm Code	Manufacturer	Specification	Model #
76121600	Safety-Kleen Systems, Inc		Model 30

Extended Description:
15 Gallon Parts Washer Cleaning Service

INVOICE TO		SHIP TO	
DIVISION OF HIGHWAYS DISTRICT NINE 146 STONEHOUSE RD LEWISBURG WV US		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER No City WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	Paint Gun Cleaner	5.00000	EA	\$ 0.00	\$ 0.00

Comm Code	Manufacturer	Specification	Model #
76121900	Safety-Kleen Systems, Inc		Model 1077

Extended Description:
Paint Gun Cleaner

INVOICE TO		SHIP TO	
DIVISION OF HIGHWAYS DISTRICT NINE 146 STONEHOUSE RD LEWISBURG WV US		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER No City WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
4	Paint Gun/Paint Thinner Cleaning Service	5.00000	EA	\$ 350.00	\$ 1,750.00

Comm Code	Manufacturer	Specification	Model #
76121900	Safety-Kleen Systems, Inc		Model 1077

Extended Description:
Paint Gun/Paint Thinner Cleaning Service

INVOICE TO			SHIP TO		
DIVISION OF HIGHWAYS DISTRICT NINE 146 STONEHOUSE RD LEWISBURG WV US			STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER No City WV US		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
5	Fuel Surcharge	0.00000	MILE	\$ 0.00	\$ 0.00

Comm Code	Manufacturer	Specification	Model #
78121603	Safety-Kleen Systems, Inc		

Extended Description:
Fuel Surcharge

INVOICE TO			SHIP TO		
DIVISION OF HIGHWAYS DISTRICT NINE 146 STONEHOUSE RD LEWISBURG WV US			STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER No City WV US		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
6	Credit Card Fee - not to exceed 4%			Not Applicable	

Comm Code	Manufacturer	Specification	Model #
84141602			

Extended Description:
Credit Card Fee - not to exceed 4%

INVOICE TO		SHIP TO	
DIVISION OF HIGHWAYS DISTRICT NINE 146 STONEHOUSE RD LEWISBURG WV US		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER No City WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
7	Hazardous waste fee		Per Manifest	\$ 27.00	\$ 135.00

Comm Code	Manufacturer	Specification	Model #
76122404	Safety-Kleen Systems, Inc	Only on Hazardous Waste Manifest	

Extended Description:
Hazardous waste fee

INVOICE TO		SHIP TO	
DIVISION OF HIGHWAYS DISTRICT NINE 146 STONEHOUSE RD LEWISBURG WV US		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER No City WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
8	Recovery Fee			\$ 30.00	\$ 2,250.00

Comm Code	Manufacturer	Specification	Model #
93151510	Safety-Kleen Systems, Inc		

Extended Description:
Recovery Fee

SCHEDULE OF EVENTS

Line	Event	Event Date
1	TECHNICAL QUESTION DUE BY 10AM EST	2026-03-25

	Document Phase	Document Description	Page
DOT2600000077	Final	Addendum 01: Parts Washer Cleaning Service - District Nine	6

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions

**INSTRUCTIONS TO VENDORS SUBMITTING BIDS
(Agency Delegated Procurements Only)**

1. REVIEW DOCUMENTS THOROUGHLY: The attached documents contain a solicitation for bids. Please read these instructions and all documents attached in their entirety. These instructions provide critical information about requirements that if overlooked could lead to disqualification of a Vendor's bid. All bids must be submitted in accordance with the provisions contained in these instructions and the Solicitation. Failure to do so may result in disqualification of Vendor's bid.

2. MANDATORY TERMS: The Solicitation may contain mandatory provisions identified by the use of the words "must," "will," and "shall." Failure to comply with a mandatory term in the Solicitation will result in bid disqualification.

2A. PREBID MEETING: The item identified below shall apply to this Solicitation.

A pre-bid meeting will not be held prior to bid opening

A MANDATORY PRE-BID meeting will be held at the following place and time:

All Vendors submitting a bid must attend the mandatory pre-bid meeting. Failure to attend the mandatory pre-bid meeting shall result in disqualification of the Vendor's bid. No one individual is permitted to represent more than one vendor at the pre-bid meeting. Any individual that does attempt to represent two or more vendors will be required to select one vendor to which the individual's attendance will be attributed. The vendors not selected will be deemed to have not attended the pre-bid meeting unless another individual attended on their behalf. The required attribution of attendance to a single vendor should be addressed during the pre-bid but may occur at any time deemed appropriate by the Purchasing Division.

An attendance sheet provided at the pre-bid meeting shall serve as the official document verifying attendance. Any person attending the pre-bid meeting on behalf of a Vendor must list on the attendance sheet his or her name and the name of the Vendor he or she is representing.

Additionally, the person attending the pre-bid meeting should include the Vendor's E-Mail address, phone number, and Fax number on the attendance sheet. It is the Vendor's responsibility to locate the attendance sheet and provide the required information. Failure to complete the attendance sheet as required may result in disqualification of Vendor's bid.

All Vendors should arrive prior to the starting time for the pre-bid. Vendors who arrive after the starting time but prior to the end of the pre-bid will be permitted to sign in, but are charged with knowing all matters discussed at the pre-bid.

Questions submitted at least five business days prior to a scheduled pre-bid will be discussed at the pre-bid meeting if possible. Any discussions or answers to questions at the pre-bid meeting are preliminary in nature and are non-binding. Official and binding answers to questions will be published in a written addendum to the Solicitation prior to bid opening.

3. VENDOR QUESTION DEADLINE: Vendors may submit questions relating to this Solicitation to the Agency Contact. Questions must be submitted in writing. All questions must be submitted on or before the date listed below and to the address listed below to be considered. A written response will be published in a Solicitation addendum if a response is possible and appropriate. Non-written discussions, conversations, or questions and answers regarding this Solicitation are preliminary in nature and are nonbinding.

Submitted emails should have the solicitation number in the subject line.

Question Submission Deadline:

Submit Questions to:

Email:

4. BID SUBMISSION: All bids must be submitted electronically through wvOASIS or signed and delivered by the Vendor to the Agency on or before the date and time of the bid opening. Any bid received by the Agency staff is considered to be in the possession of the Agency and will not be returned for any reason.

4A. BID SUBMISSION

A bid that is not submitted electronically through wvOASIS should contain the information listed below on the face of the envelope or the bid may be rejected by the Agency.

SEALED BID:

BUYER:

SOLICITATION NO.:

BID OPENING DATE:

BID OPENING TIME:

FAX NUMBER:

5. ADDENDUM ACKNOWLEDGEMENT: Changes or revisions to this Solicitation will be made by an official addendum issued by the Agency. Vendor should acknowledge receipt of all addenda issued with this Solicitation by completing an Addendum Acknowledgment Form, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

6. BID FORMATTING: Vendor should type or electronically enter the information onto its bid to prevent errors in the evaluation. Failure to type or electronically enter the information may result in bid disqualification.

7. ALTERNATE MODEL OR BRAND: Unless the box below is checked, any model, brand, or specification listed in this Solicitation establishes the acceptable level of quality only and is not intended to reflect a preference for, or in any way favor, a particular brand or vendor. Vendors may bid alternates to a listed model or brand provided that the alternate is at least equal to the model or brand and complies with the required specifications. The equality of any alternate being bid shall be determined by the State at its sole discretion. Any Vendor bidding an alternate model or brand should clearly identify the alternate items in its bid and should include manufacturer's specifications, industry literature, and/or any other relevant documentation demonstrating the equality of the alternate items. Failure to provide information for alternate items may be grounds for rejection of a Vendor's bid.

[] This Solicitation is based upon a standardized commodity established under West Virginia Code § 5A-3-61. Vendors are expected to bid the standardized commodity identified. Failure to bid the standardized commodity will result in your firm's bid being rejected.

8. EXCEPTIONS AND CLARIFICATIONS: The Solicitation contains the specifications that shall form the basis of a contractual agreement. Vendor shall clearly mark any exceptions, clarifications, or other proposed modifications in its bid. Exceptions to, clarifications of, or modifications of a requirement or term and condition of the Solicitation may result in bid disqualification.

9. REGISTRATION: Prior to Contract award, the apparent successful Vendor must be properly registered with the West Virginia Purchasing Division and must have paid the \$125 fee, if applicable.

10. UNIT PRICE: Unit prices shall prevail in cases of a discrepancy in the Vendor's bid.

11. PREFERENCE: Vendor Preference may be requested in purchases of motor vehicles or construction and maintenance equipment and machinery used in highway and other infrastructure projects. Any request for preference must be submitted in writing with the bid, must specifically identify the preference requested with reference to the applicable subsection of West Virginia Code § 5A-3-37, and must include with the bid any information necessary to evaluate and confirm the applicability of the requested preference. A request form to help facilitate the request can be found at: <http://www.state.wv.us/admin/purchase/vrc/Venpref.pdf>.

11A. RECIPROCAL PREFERENCE: The State of West Virginia applies a reciprocal preference to all solicitations for commodities and printing in accordance with W. Va. Code § 5A-3-37(b). In effect, if reciprocal preference is requested by a West Virginia resident vendor, non-resident vendors receiving a preference in their home states, will see that same preference granted to West Virginia resident vendors bidding against them in West Virginia. Any request for reciprocal preference must include with the bid any information necessary to evaluate and confirm the applicability of the preference. A request form to help facilitate the request can be found at: <http://www.state.wv.us/admin/purchase/vrc/Venpref.pdf>.

12. SMALL, WOMEN-OWNED, OR MINORITY-OWNED BUSINESSES: For any solicitations publicly advertised for bid, in accordance with West Virginia Code §5A-3-37 and W. Va. CSR § 148-22-9, any non-resident vendor certified as a small, women-owned, or minority-owned business under W. Va. CSR § 148-22-9 shall be provided the same preference made available to any resident vendor. Any non-resident small, women-owned, or minority-owned business must identify itself as such in writing, must submit that writing to the Purchasing Division with its bid, and must be properly certified under W. Va. CSR § 148-22-9 prior to contract award to receive the preferences made available to resident vendors. Preference for a non-resident small, women-owned, or minority owned business shall be applied in accordance with W. Va. CSR § 148-22-9.

13. ELECTRONIC FILE ACCESS RESTRICTIONS: Vendor must ensure that its submission in wvOASIS can be accessed and viewed by the Agency staff immediately upon bid opening. The Agency will consider any file that cannot be immediately access and viewed at the time of the bid opening (such as, encrypted files, password protected files, or incompatible files) to be blank or incomplete as context requires, and therefore unacceptable. A vendor will not be permitted to unencrypt files, remove password protections, or resubmit documents after bid opening to make a file viewable if those documents are required with the bid. A Vendor may be required to provide document passwords or removed access restrictions to allow the Agency to print or electronically save documents provided that those documents are viewable by the Agency prior to obtaining the password or removing the access restriction.

14. NON-RESPONSIBLE: The Purchasing Division Director reserves the right to reject the bid of any vendor as Non-Responsible in accordance with W. Va. Code of State Rules § 148-1-5.3, when the Director determines that the vendor submitting the bid does not have the capability to fully perform, or lacks the integrity and reliability to assure good-faith performance.”

15. ACCEPTANCE/REJECTION: The State may accept or reject any bid in whole, or in part in accordance with W. Va. Code of State Rules § 148-1-4.5. and § 148-1-6.4.b.”

16. YOUR SUBMISSION IS A PUBLIC DOCUMENT: Vendor’s entire response to the Solicitation and the resulting Contract are public documents. As public documents, they will be disclosed to the public following the bid/proposal opening or award of the contract, as required by the competitive bidding laws of West Virginia Code §§ 5A-3-1 et seq., 5-22-1 et seq., 5G-1-1 et seq. and the Freedom of Information Act in West Virginia Code §§ 29B-1-1 et seq.

DO NOT SUBMIT MATERIAL YOU CONSIDER TO BE CONFIDENTIAL, A TRADE SECRET, OR OTHERWISE NOT SUBJECT TO PUBLIC DISCLOSURE.

Submission of any bid, proposal, or other document to the Purchasing Division constitutes your explicit consent to the subsequent public disclosure of the bid, proposal, or document. The Purchasing Division will disclose any document labeled “confidential,” “proprietary,” “trade secret,” “private,” or labeled with any other claim against public disclosure of the documents, to include any “trade secrets” as defined by West Virginia Code § 47-22-1 et seq. All submissions are subject to public disclosure without notice.

**GENERAL TERMS AND CONDITIONS:
(Agency Delegated Procurements Only)**

1. CONTRACTUAL AGREEMENT: Issuance of an Award Document signed by the Agency and approved as to form by the Attorney General's office, if required, constitutes acceptance by the State of this Contract made by and between the State of West Virginia and the Vendor. Vendor's signature on its bid, or on the Contract if the Contract is not the result of a bid solicitation, signifies Vendor's agreement to be bound by and accept the terms and conditions contained in this Contract.

2. DEFINITIONS: As used in this Solicitation/Contract, the following terms shall have the meanings attributed to them below. Additional definitions may be found in the specifications included with this Solicitation/Contract.

2.1. "Agency" or "Agencies" means the agency, board, commission, or other entity of the State of West Virginia that is identified on the first page of the Solicitation or any other public entity seeking to procure goods or services under this Contract.

2.2. "Bid" or "Proposal" means the vendors submitted response to this solicitation.

2.3. "Contract" means the binding agreement that is entered into between the State and the Vendor to provide the goods or services requested in the Solicitation.

2.4. "Director" means the Director of the West Virginia Department of Administration, Purchasing Division.

2.5. "Purchasing Division" means the West Virginia Department of Administration, Purchasing Division.

2.6. "Award Document" means the document signed by the Agency that identifies the Vendor as the contract holder.

2.7. "Solicitation" means the official notice of an opportunity to supply the State with goods or services.

2.8. "State" means the State of West Virginia and/or any of its agencies, commissions, boards, etc. as context requires.

2.9. "Vendor" or "Vendors" means any entity submitting a bid in response to the Solicitation, the entity that has been selected as the lowest responsible bidder, or the entity that has been awarded the Contract as context requires.

3. CONTRACT TERM; RENEWAL; EXTENSION: The term of this Contract shall be determined in accordance with the category that has been identified as applicable to this Contract below:

Term Contract

Initial Contract Term: This Contract becomes effective on _____ and the initial contract term extends until _____.

Renewal Term: This Contract may be renewed upon the mutual written consent of the Agency, and the Vendor. Any request for renewal should be delivered to the Agency thirty (30) days prior to the expiration date of the initial contract term or appropriate renewal term. A Contract renewal shall be in accordance with the terms and conditions of the original contract. Unless otherwise specified below, renewal of this Contract is limited to _____ successive one (1) year periods or multiple renewal periods of less than one year, provided that the multiple renewal periods do not exceed the total number of months available in all renewal years combined. Automatic renewal of this Contract is prohibited.

Alternate Renewal Term – This contract may be renewed for _____ successive _____ year periods or shorter periods provided that they do not exceed the total number of months contained in all available renewals. Automatic renewal of this Contract is prohibited. Renewals must be approved by the Vendor and Agency.

Delivery Order Limitations: In the event that this contract permits delivery orders, a delivery order may only be issued during the time this Contract is in effect. Any delivery order issued within one year of the expiration of this Contract shall be effective for one year from the date the delivery order is issued. No delivery order may be extended beyond one year after this Contract has expired.

Fixed Period Contract: This Contract becomes effective upon Vendor's receipt of the notice to proceed and must be completed within _____ days.

Fixed Period Contract with Renewals: This Contract becomes effective upon Vendor's receipt of the notice to proceed and part of the Contract more fully described in the attached specifications must be completed within _____ days. Upon completion of the work covered by the preceding sentence, the vendor agrees that maintenance, monitoring, or warranty services will be provided for _____ year(s) thereafter.

One Time Purchase: The term of this Contract shall run from the issuance of the Award Document until all of the goods contracted for have been delivered, but in no event will this Contract extend for more than one fiscal year.

Construction/Project Oversight: This Contract becomes effective on the effective start date listed on the first page of this Contract, identified as the State of West Virginia contract cover page containing the signatures of the State Agency (or another page identified as _____), and continues until the project for which the vendor is providing oversight is complete.

Other: See attached.

4. AUTHORITY TO PROCEED: Vendor is authorized to begin performance of this contract on the date of encumbrance listed on the front page of the Award Document unless either the box for “Fixed Period Contract” or “Fixed Period Contract with Renewals” has been checked in Section 3 above. If either “Fixed Period Contract” or “Fixed Period Contract with Renewals” has been checked, Vendor must not begin work until it receives a separate notice to proceed from the State. The notice to proceed will then be incorporated into the Contract via change order to memorialize the official date that work commenced.

5. QUANTITIES: The quantities required under this Contract shall be determined in accordance with the category that has been identified as applicable to this Contract below.

Open End Contract: Quantities listed in this Solicitation/Award Document are approximations only, based on estimates supplied by the Agency. It is understood and agreed that the Contract shall cover the quantities actually ordered for delivery during the term of the Contract, whether more or less than the quantities shown.

Service: The scope of the service to be provided will be more clearly defined in the specifications included herewith.

Combined Service and Goods: The scope of the service and deliverable goods to be provided will be more clearly defined in the specifications included herewith.

One Time Purchase: This Contract is for the purchase of a set quantity of goods that are identified in the specifications included herewith. Once those items have been delivered, no additional goods may be procured under this Contract without an appropriate change order approved by the Vendor, Agency, Purchasing Division, and Attorney General’s office.

Construction: This Contract is for construction activity more fully defined in the specifications.

6. EMERGENCY PURCHASES: The Purchasing Division Director may authorize the Agency to purchase goods or services in the open market that Vendor would otherwise provide under this Contract if those goods or services are for immediate or expedited delivery in an emergency. Emergencies shall include, but are not limited to, delays in transportation or an unanticipated increase in the volume of work. An emergency purchase in the open market, approved by the Purchasing Division Director, shall not constitute of breach of this Contract and shall not entitle the Vendor to any form of compensation or damages. This provision does not excuse the State from fulfilling its obligations under a One Time Purchase contract.

7. REQUIRED DOCUMENTS: All of the items checked below must be provided to the Agency by the Vendor as specified below.

LICENSE(S) / CERTIFICATIONS / PERMITS: In addition to anything required under the Section of the General Terms and Conditions entitled Licensing, the apparent successful Vendor shall furnish proof of the following licenses, certifications, and/or permits upon request and in a form acceptable to the State. The request may be prior to or after contract award at the State's sole discretion.

The apparent successful Vendor shall also furnish proof of any additional licenses or certifications contained in the specifications regardless of whether or not that requirement is listed above.

8. INSURANCE: The apparent successful Vendor shall furnish proof of the insurance identified by a checkmark below on each policy prior to Contract award. The insurance coverages identified below must be maintained throughout the life of this contract. Thirty (30) days prior to the expiration of the insurance policies Vendor shall provide the Agency with proof that the insurance

mandated herein has been continued. Vendor must also provide Agency with immediate notice of any changes in its insurance policies, including but not limited to, policy cancelation, policy reduction, or change in insurers. The apparent successful Vendor shall also furnish proof of any additional insurance requirements contained in the specifications prior to Contract award regardless of whether or not that insurance requirement is listed in this section.

Vendor must maintain:

Commercial General Liability Insurance in at least an amount of:
_____ per occurrence.

Automobile Liability Insurance in at least an amount of: _____ per occurrence.

Professional/Malpractice/Errors and Omission Insurance in at least an amount of:
_____ per occurrence. Notwithstanding the forgoing, Vendor's are not required to list the State as an additional insured for this type of policy.

Commercial Crime and Third Party Fidelity Insurance in an amount of:
_____ per occurrence.

Cyber Liability Insurance in an amount of: _____ per occurrence.

Builders Risk Insurance in an amount equal to 100% of the amount of the Contract.

Pollution Insurance in an amount of: _____ per occurrence.

Aircraft Liability in an amount of: _____ per occurrence.

9. WORKERS' COMPENSATION INSURANCE: Vendor shall comply with laws relating to workers compensation, shall maintain workers' compensation insurance when required, and shall furnish proof of workers' compensation insurance upon request.

10. LIQUIDATED DAMAGES: This clause shall in no way be considered exclusive and shall not limit the State or Agency's right to pursue any other available remedy. Vendor shall pay liquidated damages in the amount specified below or as described in the specifications:

_____ for _____

Liquidated Damages Contained in the Specifications.

Liquidated Damages Are Not Included in this Contract.

11. ACCEPTANCE: Vendor's signature on its bid, or on the certification and signature page, constitutes an offer to the State that cannot be unilaterally withdrawn, signifies that the product or service proposed by vendor meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise indicated, and signifies acceptance of the terms and conditions contained in the Solicitation unless otherwise indicated.

12. PRICING: The pricing set forth herein is firm for the life of the Contract, unless specified elsewhere within this Solicitation/Contract by the State. A Vendor's inclusion of price adjustment provisions in its bid, without an express authorization from the State in the Solicitation to do so, may result in bid disqualification. Notwithstanding the foregoing, Vendor must extend any publicly advertised sale price to the State and invoice at the lower of the contract price or the publicly advertised sale price.

13. PAYMENT IN ARREARS: Payments for goods/services will be made in arrears only upon receipt of a proper invoice, detailing the goods/services provided or receipt of the goods/services, whichever is later. Notwithstanding the foregoing, payments for software licenses, subscriptions, or maintenance may be paid annually in advance.

14. PAYMENT METHODS: Vendor must accept payment by electronic funds transfer or P-Card. (The State of West Virginia's Purchasing Card program, administered under contract by a banking institution, processes payment for goods and services through state designated credit cards.)

15. ADDITIONAL FEES: Vendor is not permitted to charge additional fees or assess additional charges that were not either expressly provided for in the solicitation published by the State of West Virginia, included in the Contract, or included in the unit price or lump sum bid amount that Vendor is required by the solicitation to provide. Including such fees or charges as notes to the solicitation may result in rejection of vendor's bid. Requesting such fees or charges be paid after the contract has been awarded may result in cancellation of the contract.

16. TAXES: The Vendor shall pay any applicable sales, use, personal property or any other taxes arising out of this Contract and the transactions contemplated thereby. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.

17. FUNDING: This Contract shall continue for the term stated herein, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise made available, this Contract becomes void and of no effect beginning on July 1 of the fiscal year for which funding has not been appropriated or otherwise made available. If that occurs, the State may notify the Vendor that an alternative source of funding has been obtained and thereby avoid the automatic termination. Non-appropriation or non-funding shall not be considered an event of default.

18. CANCELLATION: The State reserves the right to cancel this Contract immediately upon written notice to the vendor if the materials or workmanship supplied do not conform to the specifications contained in the Contract. The Agency may also cancel any purchase or Contract upon 30 days written notice to the Vendor in accordance with West Virginia Code of State Rules § 148-1-5.2.b.

19. TIME: Time is of the essence with regard to all matters of time and performance in this Contract.

20. APPLICABLE LAW: This Contract is governed by and interpreted under West Virginia law without giving effect to its choice of law principles. Any information provided in specification manuals, or any other source, verbal or written, which contradicts or violates the West Virginia Constitution, West Virginia Code or West Virginia Code of State Rules is void and of no effect.

20A. VENUE: All legal actions for damages brought by Vendor against the State shall be brought in the West Virginia Claims Commission. Other causes of action must be brought in the West Virginia court authorized by statute to exercise jurisdiction over it.

21. COMPLIANCE WITH LAWS: Vendor shall comply with all applicable federal, state, and local laws, regulations and ordinances. By submitting a bid, Vendor acknowledges that it has reviewed, understands, and will comply with all applicable laws, regulations, and ordinances. Vendor shall notify all subcontractors providing commodities or services related to this Contract that as subcontractors, they too are required to comply with all applicable laws, regulations, and ordinances.

22. ARBITRATION: Any references made to arbitration contained in this Contract, Vendor's bid, or in any American Institute of Architects documents pertaining to this Contract are hereby deleted, void, and of no effect.

23. MODIFICATIONS: This writing is the parties' final expression of intent. Notwithstanding anything contained in this Contract to the contrary, no modification of this Contract shall be binding without mutual written consent of the Agency, and the Vendor.

24. WAIVER: The failure of either party to insist upon a strict performance of any of the terms or provision of this Contract, or to exercise any option, right, or remedy herein contained, shall not be construed as a waiver or a relinquishment for the future of such term, provision, option, right, or remedy, but the same shall continue in full force and effect. Any waiver must be expressly stated in writing and signed by the waiving party.

25. SUBSEQUENT FORMS: The terms and conditions contained in this Contract shall supersede any and all subsequent terms and conditions which may appear on any form documents submitted by Vendor to the Agency or Purchasing Division such as price lists, order forms, invoices, sales agreements, or maintenance agreements, and includes internet websites or other electronic documents. Acceptance or use of Vendor's forms does not constitute acceptance of the terms and conditions contained thereon.

26. ASSIGNMENT: Neither this Contract nor any monies due, or to become due hereunder, may be assigned by the Vendor without the express written consent of the Agency and any other government agency or office that may be required to approve such assignments.

27. WARRANTY: The Vendor expressly warrants that the goods and/or services covered by this Contract will: (a) conform to the specifications, drawings, samples, or other description furnished or specified by the Agency; (b) be merchantable and fit for the purpose intended; and (c) be free from defect in material and workmanship.

28. STATE EMPLOYEES: State employees are not permitted to utilize this Contract for personal use and the Vendor is prohibited from permitting or facilitating the same.

29. PRIVACY, SECURITY, AND CONFIDENTIALITY: The Vendor agrees that it will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the Agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the Agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in www.state.wv.us/admin/purchase/privacy.

30. YOUR SUBMISSION IS A PUBLIC DOCUMENT: Vendor's entire response to the Solicitation and the resulting Contract are public documents. As public documents, they will be disclosed to the public following the bid/proposal opening or award of the contract, as required by the competitive bidding laws of West Virginia Code §§ 5A-3-1 et seq., 5-22-1 et seq., and 5G-1-1 et seq. and the Freedom of Information Act West Virginia Code §§ 29B-1-1 et seq.

DO NOT SUBMIT MATERIAL YOU CONSIDER TO BE CONFIDENTIAL, A TRADE SECRET, OR OTHERWISE NOT SUBJECT TO PUBLIC DISCLOSURE.

Submission of any bid, proposal, or other document to the Purchasing Division constitutes your explicit consent to the subsequent public disclosure of the bid, proposal, or document. The Purchasing Division will disclose any document labeled "confidential," "proprietary," "trade secret," "private," or labeled with any other claim against public disclosure of the documents, to include any "trade secrets" as defined by West Virginia Code § 47-22-1 et seq. All submissions are subject to public disclosure without notice.

31. LICENSING: In accordance with West Virginia Code of State Rules § 148-1-6.1.e, Vendor must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agency or political subdivision. Obligations related to political subdivisions may include, but are not limited to, business licensing, business and occupation taxes, inspection compliance, permitting, etc. Upon request, the Vendor must provide all necessary releases to obtain information to enable the Purchasing Division Director or the Agency to verify that the Vendor is licensed and in good standing with the above entities. Vendor shall notify all subcontractors providing commodities or services related to this Contract that as subcontractors, they too are required to be licensed, in good standing, and up-to-date on all state and local obligations as described in this section.

32. ANTITRUST: In submitting a bid to, signing a contract with, or accepting an Award Document from any agency of the State of West Virginia, the Vendor agrees to convey, sell, assign, or transfer to the State of West Virginia all rights, title, and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to Vendor.

33. VENDOR NON-CONFLICT: Neither Vendor nor its representatives are permitted to have any interest, nor shall they acquire any interest, direct or indirect, which would compromise the performance of its services hereunder. Any such interests shall be promptly presented in detail to the Agency.

34. VENDOR RELATIONSHIP: The relationship of the Vendor to the State shall be that of an independent contractor and no principal-agent relationship or employer-employee relationship is contemplated or created by this Contract. The Vendor as an independent contractor is solely liable for the acts and omissions of its employees and agents. Vendor shall be responsible for selecting, supervising, and compensating any and all individuals employed pursuant to the terms of this Solicitation and resulting contract. Neither the Vendor, nor any employees or subcontractors of the Vendor, shall be deemed to be employees of the State for any purpose whatsoever. Vendor shall be exclusively responsible for payment of employees and contractors for all wages and salaries, taxes, withholding payments, penalties, fees, fringe benefits, professional liability insurance premiums, contributions to insurance and pension, or other deferred compensation plans, including but not limited to, Workers' Compensation and Social Security obligations, licensing fees, etc. and the filing of all necessary documents, forms, and returns pertinent to all of the foregoing. Vendor shall hold harmless the State, and shall provide the State and Agency with a defense against any and all claims including, but not limited to, the foregoing payments, withholdings, contributions, taxes, Social Security taxes, and employer income tax returns.

35. INDEMNIFICATION: The Vendor agrees to indemnify, defend, and hold harmless the State and the Agency, their officers, and employees from and against: (1) Any claims or losses for services rendered by any subcontractor, person, or firm performing or supplying services, materials, or supplies in connection with the performance of the Contract; (2) Any claims or losses resulting to any person or entity injured or damaged by the Vendor, its officers, employees, or subcontractors by the publication, translation, reproduction, delivery, performance, use, or disposition of any data used under the Contract in a manner not authorized by the Contract, or by Federal or State statutes or regulations; and (3) Any failure of the Vendor, its officers, employees, or subcontractors to observe State and Federal laws including, but not limited to, labor and wage and hour laws.

36. NO DEBT CERTIFICATION: In accordance with West Virginia Code §§ 5A-3-10a and 5-22-1(i), the State is prohibited from awarding a contract to any bidder that owes a debt to the State or a political subdivision of the State. By submitting a bid, or entering into a contract with the State, Vendor is affirming that (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither Vendor nor any related party are in employer default as defined in the statute cited above unless the debt or employer default is permitted under the statute.

37. CONFLICT OF INTEREST: Vendor, its officers or members or employees, shall not presently have or acquire an interest, direct or indirect, which would conflict with or compromise the performance of its obligations hereunder. Vendor shall periodically inquire of its officers, members and employees to ensure that a conflict of interest does not arise. Any conflict of interest discovered shall be promptly presented in detail to the Agency.

38. REPORTS: Vendor shall provide the Agency and/or the Purchasing Division with the following reports identified by a checked box below:

Such reports as the Agency and/or the Purchasing Division may request. Requested reports may include, but are not limited to, quantities purchased, agencies utilizing the contract, total contract expenditures by agency, etc.

Quarterly reports detailing the total quantity of purchases in units and dollars, along with a listing of purchases by agency. Quarterly reports should be delivered to the Purchasing Division via email at purchasing.division@wv.gov.

39. BACKGROUND CHECK: In accordance with W. Va. Code § 15-2D-3, the State reserves the right to prohibit a service provider's employees from accessing sensitive or critical information or to be present at the Capitol complex based upon results addressed from a criminal background check. Service providers should contact the West Virginia Division of Protective Services by phone at (304) 558-9911 for more information.

40. PREFERENCE FOR USE OF DOMESTIC STEEL PRODUCTS: Except when authorized by the Director of the Purchasing Division pursuant to W. Va. Code § 5A-3-56, no contractor may use or supply steel products for a State Contract Project other than those steel products made in the United States. A contractor who uses steel products in violation of this section may be subject to civil penalties pursuant to W. Va. Code § 5A-3-56. As used in this section:

a. “State Contract Project” means any erection or construction of, or any addition to, alteration of or other improvement to any building or structure, including, but not limited to, roads or highways, or the installation of any heating or cooling or ventilating plants or other equipment, or the supply of and materials for such projects, pursuant to a contract with the State of West Virginia for which bids were solicited on or after June 6, 2001.

b. “Steel Products” means products rolled, formed, shaped, drawn, extruded, forged, cast, fabricated or otherwise similarly processed, or processed by a combination of two or more or such operations, from steel made by the open hearth, basic oxygen, electric furnace, Bessemer or other steel making process. The Purchasing Division Director may, in writing, authorize the use of foreign steel products if:

c. The cost for each contract item used does not exceed one tenth of one percent (.1%) of the total contract cost or two thousand five hundred dollars (\$2,500.00), whichever is greater. For the purposes of this section, the cost is the value of the steel product as delivered to the project; or

d. The Director of the Purchasing Division determines that specified steel materials are not produced in the United States in sufficient quantity or otherwise are not reasonably available to meet contract requirements.

41. PREFERENCE FOR USE OF DOMESTIC ALUMINUM, GLASS, AND STEEL: In Accordance with W. Va. Code § 5-19-1 et seq., and W. Va. CSR § 148-10-1 et seq., for every contract or subcontract, subject to the limitations contained herein, for the construction, reconstruction, alteration, repair, improvement or maintenance of public works or for the purchase of any item of machinery or equipment to be used at sites of public works, only domestic aluminum, glass or steel products shall be supplied unless the spending officer determines, in writing, after the receipt of offers or bids, (1) that the cost of domestic aluminum, glass or steel products is unreasonable or inconsistent with the public interest of the State of West Virginia, (2) that domestic aluminum, glass or steel products are not produced in sufficient quantities to meet the contract requirements, or (3) the available domestic aluminum, glass, or steel do not meet the contract specifications. This provision only applies to public works contracts awarded in an amount more than fifty thousand dollars (\$50,000) or public works contracts that require more than ten thousand pounds of steel products.

The cost of domestic aluminum, glass, or steel products may be unreasonable if the cost is more than twenty percent (20%) of the bid or offered price for foreign made aluminum, glass, or steel products. If the domestic aluminum, glass or steel products to be supplied or produced in a “substantial labor surplus area”, as defined by the United States Department of Labor, the cost of domestic aluminum, glass, or steel products may be unreasonable if the cost is more than thirty percent (30%) of the bid or offered price for foreign made aluminum, glass, or steel products. This preference shall be applied to an item of machinery or equipment, as indicated above, when the

item is a single unit of equipment or machinery manufactured primarily of aluminum, glass or steel, is part of a public works contract and has the sole purpose or of being a permanent part of a single public works project. This provision does not apply to equipment or machinery purchased by a spending unit for use by that spending unit and not as part of a single public works project.

All bids and offers including domestic aluminum, glass or steel products that exceed bid or offer prices including foreign aluminum, glass or steel products after application of the preferences provided in this provision may be reduced to a price equal to or lower than the lowest bid or offer price for foreign aluminum, glass or steel products plus the applicable preference. If the reduced bid or offer prices are made in writing and supersede the prior bid or offer prices, all bids or offers, including the reduced bid or offer prices, will be reevaluated in accordance with this rule.

42. PROHIBITION AGAINST USED OR REFURBISHED: Unless expressly permitted in the solicitation published by the State, Vendor must provide new, unused commodities, and is prohibited from supplying used or refurbished commodities, in fulfilling its responsibilities under this Contract.

43. VOID CONTRACT CLAUSES – This Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law.

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

(Printed Name and Title)

(Address)

(Phone Number) / (Fax Number)

(E-mail address)

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; ; that this bid or offer was made without prior understanding, agreement, or connection with any entity submitting a bid or offer for the same material, supplies, equipment or services; that this bid or offer is in all respects fair and without collusion or fraud; that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; that I am authorized by the Vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on Vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the Vendor has properly registered with any State agency that may require registration.

By signing below, I further certify that I understand this Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law.

(Company)



(Signature of Authorized Representative)

(Printed Name and Title of Authorized Representative)

(Date)

(Phone Number) (Fax Number)

Revised 8/24/2023

REQUEST FOR QUOTATION
Parts Washer Cleaning Service – District Nine

SPECIFICATIONS

1. PURPOSE AND SCOPE: The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Division of Highways, District Nine to establish a contract for Parts Washer Cleaning Services.

2. DEFINITIONS: The terms listed below shall have the meanings assigned to them below. Additional definitions can be found in section 2 of the General Terms and Conditions.

2.1 “Contract Item” or “Contract Items” means the list of items identified in Section 3.1 below and on the Pricing Pages.

2.2 “Pricing Pages” means the schedule of prices, estimated order quantity, and totals contained in wvOASIS or attached hereto as Exhibit A, and used to evaluate the Solicitation responses.

2.3 “Solicitation” means the official notice of an opportunity to supply the State with goods or services that is published by the Purchasing Division.

3. GENERAL REQUIREMENTS:

3.1 Contract Items and Mandatory Requirements: Vendor shall provide Agency with the Contract Items listed below on an open-end and continuing basis. Contract Items must meet or exceed the mandatory requirements as shown below.

3.1.1 Parts Washer

3.1.1.1 Vendor must be able to provide 15 gallon parts washers

3.1.1.2 See Delivery Locations listed below for specific location needs:

Facility	Physical Location	Product/Service needs
Fayette County Headquarters	3121 Main Street East, Oak Hill, WV 25901	15 gallon parts washer
Lookout Substation	4064 Clifftop Road, Lookout, WV 25868	15 gallon parts washer
Falls View Substation	5727 Midland Trail (US 60), Charlton Heights, WV 25040	15 gallon parts washer

REQUEST FOR QUOTATION
Parts Washer Cleaning Service – District Nine

Greenbrier County Headquarters	700 N. Jefferson Street, Lewisburg, WV 24901	15 gallon parts washer
District Nine Equipment Shop	704 N. Jefferson Street, Lewisburg, WV 24901 (2 parts washers)	15 gallon parts washer
Crawley Substation	14971 Midland Trail West, Crawley, WV 24931	15 gallon parts washer
Interstate 64- Harts Run	297 John H. Bowling Jr. Lane, White Sulphur Springs, WV 24986	15 gallon parts washer
District Body Shop	297 John H. Bowling Jr. Lane, White Sulphur Springs, WV 24986	15 gallon parts washer
Monroe County Headquarters	875 Sweet Springs Valley Road, Union, WV 24983	15 gallon parts washer
Peterstown Substation	511 Ballard-Red Sulphur Parkway, Peterstown, WV 24963	15 gallon parts washer
Nicholas County Headquarters	777 Turnpike Road, Summersville, WV 26651	15 gallon parts washer
Curtin Substation	5498 Richwood Road, Richwood, WV 26261	15 gallon parts washer
US 19, Muddlety APD	50 State Garage Road, Summersville, WV 26651	15 gallon parts washer
Summers County Headquarters	20414 State Route 12, Hinton, WV 25951	15 gallon parts washer

3.1.2 Parts Washer Services

3.1.2.1 Vendor must be able to provide cleaning service for 15 gallon parts washers

3.1.2.2 Service will be **on 12 week rotations**, unless contacted earlier by a location

3.1.2.3 See pricing page for specific location needs.

3.1.3 Paint Gun Cleaner & Services

3.1.3.1 Vendor must be able to provide a Paint Gun Cleaner

3.1.3.2 Vendor must be able to provide Paint Gun/Paint Thinner Cleaner services (Hazardous Waste)

Interstate 64- Harts Run	297 John H. Bowling Jr. Lane, White Sulphur Springs, WV 24986	Paint Gun/Paint Thinner Cleaner
--------------------------	---	---------------------------------

3.1.4 Gun Wash Exchange

3.1.4.1 Vendor must be able to provide Gun Wash Exchange service

3.1.4.2 Service will be **on 12 week rotations**, unless contacted earlier by a location

REQUEST FOR QUOTATION
Parts Washer Cleaning Service – District Nine

3.1.5 Fees

3.1.5.1 All Fees must be reported on the Pricing Page

3.1.5.1.1 Credit Card Fees Must Not Exceed 4%

3.1.5.1.2 Fuel Surcharge will be reported in Price Per Mile

3.1.5.1.3 Fuel Surcharge fees shall be calculated and paid one-way only, by the WVDOH, from the Vendor's storage location to the WVDOH location. The WVDOH will calculate the in-state delivery route mileage from the vendor's location to the WVDOH offices using the WVDOH Straight Line Diagrams. The WVDOH will determine the route to be taken due to bridge and/or road restrictions. Out-of-state delivery route mileage will be calculated by the WVDOH using "google maps" or a similar source for routing from the vendor's location to the WV state line, at which time, the Straight Line Diagrams will be sourced to the WVDOH location.

3.1.5.1.4 Recovery Fees Shall be reported as a single price to cover all locations. Recovery fees must not vary by location.

3.1.5.1.5 Hazardous Waste Fees Shall be reported as a single price to cover all locations. Hazardous Waste Fees must not vary by location.

4. CONTRACT AWARD:

4.1 Contract Award: The Contract is intended to provide Agencies with a purchase price on all Contract Items. The Contract shall be awarded to the Vendor that provides the Contract Items meeting the required specifications for the lowest overall total cost as shown on the Pricing Pages.

4.2 Pricing Pages: Vendor should complete the Pricing Pages by filling in a bid price for each requested item. Vendor should complete the Pricing

REQUEST FOR QUOTATION
Parts Washer Cleaning Service – District Nine

Pages in their entirety as failure to do so may result in Vendor's bids being disqualified.

Vendor should electronically enter the information into the Pricing Pages through wvOASIS, if available, or as an electronic document. In most cases, the Vendor can request an electronic copy of the Pricing Pages for bid purposes by sending an email request to the following address: dotprocurement@wv.gov

5. ORDERING AND PAYMENT:

5.1 Ordering: Vendor shall accept orders through wvOASIS, regular mail, facsimile, e-mail, or any other written form of communication. Vendor may, but is not required to, accept on-line orders through a secure internet ordering portal/website. If Vendor has the ability to accept on-line orders, it should include in its response a brief description of how Agencies may utilize the on-line ordering system. Vendor shall ensure that its on-line ordering system is properly secured prior to processing Agency orders on-line.

5.2 Payment: Vendor shall accept payment in accordance with the payment procedures of the State of West Virginia.

6. DELIVERY AND RETURN:

6.1 Delivery Time: Vendor shall deliver standard orders on an 12-week rotation. Vendor shall deliver emergency orders within 24 hours after orders are received. Vendor shall ship all orders in accordance with the above schedule and shall not hold orders until a minimum delivery quantity is met.

6.2 Late Delivery: The Agency placing the order under this Contract must be notified in writing if orders will be delayed for any reason. Any delay in delivery that could cause harm to an Agency will be grounds for cancellation of the delayed order, and/or obtaining the items ordered from a third party.

Any Agency seeking to obtain items from a third party under this provision must first obtain approval of the Purchasing Division.

6.3 Delivery Payment/Risk of Loss: Standard order delivery shall be F.O.B. destination to the Agency's location. Vendor shall include the cost of standard order delivery charges in its bid pricing/discount and is not permitted to charge the Agency separately for such delivery. The Agency will pay delivery charges on all emergency orders provided that Vendor invoices those delivery costs as a separate charge with

REQUEST FOR QUOTATION
Parts Washer Cleaning Service – District Nine

the original freight bill attached to the invoice.

- 6.4 Return of Unacceptable Items:** If the Agency deems the Contract Items to be unacceptable, the Contract Items shall be returned to Vendor at Vendor's expense and with no restocking charge. Vendor shall either make arrangements for the return within five (5) days of being notified that items are unacceptable, or permit the Agency to arrange for the return and reimburse Agency for delivery expenses. If the original packaging cannot be utilized for the return, Vendor will supply the Agency with appropriate return packaging upon request. All returns of unacceptable items shall be F.O.B. the Agency's location. The returned product shall either be replaced, or the Agency shall receive a full credit or refund for the purchase price, at the Agency's discretion.
- 6.5 Return Due to Agency Error:** Items ordered in error by the Agency will be returned for credit within 30 days of receipt, F.O.B. Vendor's location. Vendor shall not charge a restocking fee if returned products are in a resalable condition. Items shall be deemed to be in a resalable condition if they are unused and in the original packaging. Any restocking fee for items not in a resalable condition shall be the lower of the Vendor's customary restocking fee or 5% of the total invoiced value of the returned items.

7. VENDOR DEFAULT:

7.1 The following shall be considered a vendor default under this Contract.

- 7.1.1 Failure to provide Contract Items in accordance with the requirements contained herein.
- 7.1.2 Failure to comply with other specifications and requirements contained herein.
- 7.1.3 Failure to comply with any laws, rules, and ordinances applicable to the Contract Services provided under this Contract.
- 7.1.4 Failure to remedy deficient performance upon request.

REQUEST FOR QUOTATION
Parts Washer Cleaning Service – District Nine

7.2 The following remedies shall be available to Agency upon default.

7.2.1 Immediate cancellation of the Contract.

7.2.2 Immediate cancellation of one or more release orders issued under this Contract.

7.2.3 Any other remedies available in law or equity.

8. MISCELLANEOUS:

8.1 No Substitutions: Vendor shall supply only Contract Items submitted in response to the Solicitation unless a contract modification is approved in accordance with the provisions contained in this Contract.

8.2 Vendor Supply: Vendor must carry sufficient inventory of the Contract Items being offered to fulfill its obligations under this Contract. By signing its bid, Vendor certifies that it can supply the Contract Items contained in its bid response.

8.3 Reports: Vendor shall provide quarterly reports and annual summaries to the Agency showing the Agency's items purchased, quantities of items purchased, and total dollar value of the items purchased. Vendor shall also provide reports, upon request, showing the items purchased during the term of this Contract, the quantity purchased for each of those items, and the total value of purchases for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.

8.4 Contract Manager: During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract manager and his or her contact information below.

Contract Manager: Joey Coulter | Branch Manager

Telephone Number: (304) 741 – 0072

Fax Number: _____

Email Address: joey.coulter@safety-kleen.com

Pricing Page

District Nine

Parts Washer_ Cleaning Service

Item Number	Quantity	Unit of Measure	Description	Locations for Service	Unit Price
1	15	EA	15 GALLON PARTS WASHER	3121 Main Street, Oak Hill 25901	\$ 0.00 -
				5727 Midland Trail, Charlton Heights, WV 25040	\$ 0.00 -
				4064 Clifftop Road, Lookout, WV 25868	\$ 0.00 -
				704 N. Jefferson Street, Lewisburg, WV 24901 (2 washers)	\$ 0.00 -
				700 N. Jefferson Street, Lewisburg, WV 24901	\$ 0.00 -
				14971 Midland Trail West Crawley, WV 24931	\$ 0.00 -
				297 John H. Bowling Jr. Lane White Sulphur Springs, WV 24986 (2 washers)	\$ 0.00 -
				875 Sweet Springs Valley Road, Union, WV 24983	\$ 0.00 -
				511 Ballard-Red Sulphur Parkway, Peterstown, WV 24963	\$ 0.00 -
				777 Turnpike Road, Summersville, WV 26651	\$ 0.00 -
				50 State Garage Road, Summersville, WV 26651	\$ 0.00 -
				5498 Richwood Road, Richwood, WV 26261	\$ 0.00 -
				20414 State Route 12, Hinton, WV 25951	\$ 0.00 -
2	15	EA	15 GALLON PARTS WASHER CLEANING SERVICE	3121 Main Street, Oak Hill 25901	\$ 175.00 -
				5727 Midland Trail, Charlton Heights, WV 25040	\$ 175.00 -
				4064 Clifftop Road, Lookout, WV 25868	\$ 175.00 -
				704 N. Jefferson Street, Lewisburg, WV 24901 (2 washers)	\$ 175.00 -
				700 N. Jefferson Street, Lewisburg, WV 24901	\$ 175.00 -
				14971 Midland Trail West Crawley, WV 24931	\$ 175.00 -
				297 John H. Bowling Jr. Lane White Sulphur Springs, WV 24986 (2 washers)	\$ 175.00 -
				875 Sweet Springs Valley Road, Union, WV 24983	\$ 175.00 -
				511 Ballard-Red Sulphur Parkway, Peterstown, WV 24963	\$ 0.00 -
				777 Turnpike Road, Summersville, WV 26651	\$ 175.00 -
				50 State Garage Road, Summersville, WV 26651	\$ 175.00 -
				5498 Richwood Road, Richwood, WV 26261	\$ 175.00 -
				20414 State Route 12, Hinton, WV 25951	\$ 175.00 -
3	1	EA	PAINT GUN CLEANER	297 John H. Bowling Jr. Lane White Sulphur Springs, WV 24986	\$ 0.00 -
4	1	EA	PAINT GUN/PAINT THINNER CLEANING SERVICE (HAZARDOUS WASTE)	297 John H. Bowling Jr. Lane White Sulphur Springs, WV 24986	\$ 305.00 -
5	17	EA	Fuel Surcharge, per mile	All Locations	\$ 0.00 -
6	17	EA	Credit Card Fee - not to exceed 4%	All Locations	\$ -

7	17	EA	Hazardous Waste Fee	All Locations	\$ 27.00	-
8	17	EA	Recovery Fee	All Locations	\$ 30.00	-
Grand Total					\$	-

Request for Taxpayer Identification Number and Certification

Go to www.irs.gov/FormW9 for instructions and the latest information.

**Give form to the
 requester. Do not
 send to the IRS.**

Before you begin. For guidance related to the purpose of Form W-9, see *Purpose of Form*, below.

Print or type. See <i>Specific Instructions</i> on page 3.	<p>1 Name of entity/individual. An entry is required. (For a sole proprietor or disregarded entity, enter the owner's name on line 1, and enter the business/disregarded entity's name on line 2.)</p> <p>SAFETY-KLEEN SYSTEMS, INC.</p>	
	<p>2 Business name/disregarded entity name, if different from above.</p>	
	<p>3a Check the appropriate box for federal tax classification of the entity/individual whose name is entered on line 1. Check only one of the following seven boxes.</p> <p> <input type="checkbox"/> Individual/sole proprietor <input checked="" type="checkbox"/> C corporation <input type="checkbox"/> S corporation <input type="checkbox"/> Partnership <input type="checkbox"/> Trust/estate <input type="checkbox"/> LLC. Enter the tax classification (C = C corporation, S = S corporation, P = Partnership) _____ <i>Note:</i> Check the "LLC" box above and, in the entry space, enter the appropriate code (C, S, or P) for the tax classification of the LLC, unless it is a disregarded entity. A disregarded entity should instead check the appropriate box for the tax classification of its owner. <input type="checkbox"/> Other (see instructions) _____ </p>	<p>4 Exemptions (codes apply only to certain entities, not individuals; see Instructions on page 3):</p> <p>Exempt payee code (if any) <u>5</u></p> <p>Exemption from Foreign Account Tax Compliance Act (FATCA) reporting code (if any) <u>E</u></p> <p><i>(Applies to accounts maintained outside the United States.)</i></p>
	<p>3b If on line 3a you checked "Partnership" or "Trust/estate," or checked "LLC" and entered "P" as its tax classification, and you are providing this form to a partnership, trust, or estate in which you have an ownership interest, check this box if you have any foreign partners, owners, or beneficiaries. See instructions <input type="checkbox"/></p>	
	<p>5 Address (number, street, and apt. or suite no.). See instructions.</p> <p>42 LONGWATER DRIVE</p>	<p>Requester's name and address (optional)</p>
	<p>6 City, state, and ZIP code</p> <p>NORWELL, MA 02061-1216</p>	
	<p>7 List account number(s) here (optional)</p>	

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the instructions for Part I, later. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN*, later.

Social security number									
			-			-			
or									
Employer identification number									
3	9	-	6	0	9	0	0	1	9

Note: If the account is in more than one name, see the instructions for line 1. See also *What Name and Number To Give the Requester* for guidelines on whose number to enter.

Part II Certification

Under penalties of perjury, I certify that:

1. The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
2. I am not subject to backup withholding because (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
3. I am a U.S. citizen or other U.S. person (defined below); and
4. The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and, generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions for Part II, later.

Sign Here	Signature of U.S. person	Date <u>1/05/2026</u>
------------------	--------------------------	-----------------------

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. For the latest information about developments related to Form W-9 and its instructions, such as legislation enacted after they were published, go to www.irs.gov/FormW9.

What's New

Line 3a has been modified to clarify how a disregarded entity completes this line. An LLC that is a disregarded entity should check the appropriate box for the tax classification of its owner. Otherwise, it should check the "LLC" box and enter its appropriate tax classification.

New line 3b has been added to this form. A flow-through entity is required to complete this line to indicate that it has direct or indirect foreign partners, owners, or beneficiaries when it provides the Form W-9 to another flow-through entity in which it has an ownership interest. This change is intended to provide a flow-through entity with information regarding the status of its indirect foreign partners, owners, or beneficiaries, so that it can satisfy any applicable reporting requirements. For example, a partnership that has any indirect foreign partners may be required to complete Schedules K-2 and K-3. See the Partnership Instructions for Schedules K-2 and K-3 (Form 1065).


Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS is giving you this form because they



safety-kleen®
A Clean Harbors Company

**STATE OF WEST VIRGINIA
ARFQ 0803 DOT260000077 - Parts Washer Cleaning Service -
District Nine**



Safety-Kleen System's Inc. | 42, Longwater Drive, Norwell, MA 02061 |
Tax ID: 39-6090019 | GSA Contract # 47QSMS24D0024 | DUNS: 53976551 | SAM EUI:
PMW5K97W55P7 | CAGE Code: 1NLB2

COVER LETTER

**State of West Virginia
Procurement Division
Kanawha Blvd E
Charleston, WV, 25305**

**Re: ARFQ 0803 DOT2600000077 - Parts Washer Cleaning Service -
District Nine**

Hello James Moffatt,

Since 1963, Safety-Kleen Systems Inc has grown to be North America's largest and most trusted provider of environmental services by working together with customers, solving problems, and satisfying needs. Our goal continues to focus on customer needs and top-quality services.

Safety-Kleen Systems Inc will provide turn-key services to the city. These services will include parts washer servicing, maintenance, repairing, transport, and disposal/recycling. Safety-Kleen can assist the State of West Virginia in obtaining EPA ID numbers and provide guidance to city employees on the proper waste management procedures.

Safety-Kleen offers a wide range of cleaning equipment and chemistries with unmatched quality and performance. Our sales and service representatives are equipped to work with you to develop the right parts cleaning equipment, chemistries, and associated service to meet your cleaning and environmental service needs. Our parts washers are the only ones to earn NASCAR PERFORMANCE designation. Safety-Kleen's parts washers give you all the cleaning power of solvent with cleaning solutions that are safe and biodegradable. These parts washers are available in automatic, manual or both, with features such as programmable solution temperatures and flexible metal lamps and spigots.

Sincerely,

Safety-Kleen Systems Inc

Kendrick Harrison, CLH Proposal Manager

 (312) – 550 – 2820 |  kendrick.harrison@safety-kleen.com

EXPERIENCE AND COMPANY PROFILE

Safety-Kleen is North America's leading provider of environmental and industrial services. The Company serves a diverse customer base, including a majority of Fortune 500 companies. Its customer base spans a number of industries, including chemical, and manufacturing, as well as numerous government agencies. These customers rely on Safety-Kleen to deliver a broad range of services such as end-to-end hazardous waste management, emergency spill response, industrial cleaning and maintenance, and recycling services. Through its Safety-Kleen subsidiary, Safety-Kleen also is North America's largest re-refiner and recycler of used oil and a leading provider of parts washers and environmental services to commercial, industrial and automotive customers. Founded in 1954 and based in Wisconsin, Safety-Kleen operates throughout the United States, Canada, Mexico and Puerto Rico.

Safety is more than just part of our name – It is our focus, Our brand and Our passion.

Safety is at the core of our business and central to every service we perform. Thousands of dedicated, compliance-focused employees add value to our company by making a safe work environment for our employees, contractors, communities and customers' operations. We strive to deliver the highest level of safe, compliant environmental services using the most talented health and safety resources in the industry.

We also provide Environmental, Health and Safety (EHS) resources as a service to our customers. We can enhance your current EHS programs through our staff of the industry's most talented DOT, SDS, and EHS professionals, including state EHS experts.

History

Since its inception, Safety-Kleen has become the leading environmental and industrial service provider and largest hazardous waste disposal company in North America. Since 1970s, field service centers have been strategically located across North America to provide emergency response services and perform planned work on customer locations. Safety-Kleen is a recognized leader in environmental emergency response services.

In 1954, Ben Palmer invented the Parts Washer. Deemed the "Safety-Kleen" washer, it was a success from the start. Palmer believed that spelling the name as "Kleen" instead of "Clean" would garner attention and that it did. Palmer

decided in early 1960's not to sell his machine, but rather to lease it to the customer and provide services such as removing and replenishing the used solvent. This practice is still maintained today through the Safety-Kleen service structure. In 1963, Safety-Kleen became officially incorporated and Palmer worked at growing the business in three cities of the country. In 1968, Safety-Kleen was sold to Chicago Rawhide which would forever change the path of the company. They bought an old oil plant in Chicago and opened it as a recycling or "reclamation" plant which became a tool for increasing volumes of used solvent generated in the Midwest.

In 1972, Safety-Kleen launched its first allied product, the oil filter, and their first major advertising campaign targeting service stations and garages. Also, in 1972 they sold their 100,000th parts washer marking a huge company milestone.

In 1974, Safety-Kleen spun off from Chicago Rawhide becoming an independent company. And as the EPA era began, Safety-Kleen was the largest solvent recycler processing more than 25 million gallons a year.

In 1982, Safety-Kleen became listed on the New York Stock Exchange and by the end of the year held more than 9.1 million shares, grew to a company worth a billion dollars and employed nearly 5,000.

In 1987, Safety-Kleen began its oil recovery business, which reclaimed used oil and re-refined it through their first re-refinery in Breslau, Ontario Canada.

In 1998, Safety-Kleen merged with Laidlaw Environmental. Unfortunately, the success of the merger was short-lived, and Safety-Kleen filed for bankruptcy in 2000.

After successfully emerging from bankruptcy and relocating to Texas, a new turnaround strategy was implemented. In 2005, after sustained revenue and EBITDA growth, Safety-Kleen obtained new financing. The company refinanced its debt and received new, improved financial ratings from S&P (BB-) and Moody's (B1).

In 2008, Safety-Kleen introduced EcoPower recycled motor oil to consumers. The oil is re-refined at our two North American re-refineries and entered back into the marketplace.

In December 2012, Safety-Kleen was purchased by Clean Harbors, Inc., forming the largest environmental services company in North America, approaching \$4 billion in annual revenue.

Commitment to ongoing safety improvements

Safety-Kleen has implemented many initiatives to facilitate the advancement of safety, including such things as:

- A comprehensive Awareness Program to improve the company's safety culture.
- Every meeting at Safety-Kleen begins with safety, establishing it is an integral part of what we do.
- Monthly Performance Updates are ongoing communications to the field recognizing good practices and trends.
- Service-a-longs are routinely held. These behaviour observations put managers in the field, on route trucks, to experience first-hand that safety practices are being followed.
- Heat Map Task Forces are specialized audit teams dispatched to sites requiring focused support and additional program safety certification.

SAFETY KLEEN SERVICES – PART WASHER

PART WASHER SERVICES

Choosing the right parts cleaning service can be a challenging exercise but is critical to the success of your business and to the protection of the environment. Our signature red parts cleaners are a familiar sight in facilities everywhere. Safety-Kleen has the most comprehensive selection of parts cleaning equipment and solutions in the industry. We feature world-class equipment, products, customer specific service offers, ownership choices and support to solve even the toughest parts cleaning challenges.

COOLANT FILTRATION SERVICES

Historically, on-machine filtration, while great in concept, has failed to deliver due to expensive equipment utilizing poor technology. Today, our proprietary systems provide the most reliable, cost effective on-machine filtration the industry has ever seen. Our simple-to-operate Fluid Kleen II and III will increase productivity, reduce costs, improve your health & safety and your machined parts will look better than ever before.

Increases Productivity

- Reduce the number of costly full fluid exchanges
- Decrease wear on tools for more effective machining

Improves Working Environment

- Constant agitation reduces odor-causing bacteria
- Reduced bacteria decreases risk of dermatitis

Reduces Costs

- Constant filtration increases coolant life by up to two times
- Cleaner coolant reduces need for costly milling rework
- Longer fluid life reduces the number of required full coolant exchanges
- Fewer particulates in the coolant extends tool life

Unmatched Service and Support

- The FluidKleen is available for both purchase and lease with flexible waste disposal options. Our service team, made up of the most experienced and well-trained experts in the industry, will perform regular machine inspections and maintenance. Your Safety-Kleen Sales representative will work with you to select the optimum service term while helping you remain in compliance with all local, state, and federal regulations.

Satisfaction Guarantee

- We are so confident that FluidKleen will increase your productivity and reduce your costs that we are offering a 45-day money back guarantee.

AQUEOUS PART WASHERS

Safety-Kleen's aqueous parts washers give you all the cleaning power of solvent with cleaning solutions that are safe and biodegradable. These aqueous parts washers are available in automatic, manual or both, with features such as programmable solution temperatures and flexible metal lamps and spigots. Our aqueous parts washers are the only ones to earn NASCAR PERFORMANCE designation.

Safety-Kleen Service Offerings:

- Full-service support for your equipment
- Regularly scheduled service you can rely on
- Cleaning and maintenance at the time of service
- Collection and responsible management of the used solutions, in accordance with local, state and federal regulations
- On-site recycling technology with almost any parts washer a customer has — whether it's a Safety-Kleen machine or not

Unmatched in aqueous cleaning performance

Only Safety-Kleen uses an aqueous parts washer cleaning chemistry that's safe for workers, safe for the environment and unmatched in aqueous cleaning performance.

- No VOC permit required (most locations)
- Non-hazardous chemistries (MPC, MM-Dip)
- Non-toxic
- Non-flammable
- Biodegradable
- Effectively cleans a variety of soils, oils and greases
- Safe on all metal and most plastic surfaces
- Rust and corrosion inhibiting ingredients
- Oil splitting and recyclable formulations
- Long solution life

SOLVENTS PART WASHERS

Safety-Kleen offers a wide range of cleaning equipment and chemistries with unmatched quality and performance. Our sales and service representatives are equipped to work with you to develop the right parts cleaning equipment, chemistries, and associated service to meet your cleaning and environmental service needs. Our parts washers are the only ones to earn NASCAR PERFORMANCE designation.

PAINT GUN CLEANING SERVICES

Safety-Kleen continuously develops new paint gun cleaning technologies and services that not only protect your painters and your workplace, but also your investment in expensive paint gun equipment, ultimately affecting the quality and integrity of the finish you lay down. That's why more than 8,000 paint shops rely on us for cleaning equipment and environmental services.

Safety-Kleen's high-performance paint gun cleaner features a stand-mounted cleaning basin with two air-operated spigots, providing two phases of cleaning to clean paint spray gun assemblies and other related equipment. With features like the Venturi Ventilation System, unique spray nozzles and circulating pumps, these paint gun systems are safer and more efficient than ever before.

AQUEOUS CHEMISTRIES

Safety-Kleen has partnered with Church & Dwight, the makers of Arm & Hammer® brand products, to form the ArmaKleen™ Company, together we have developed and produced the most environmentally sensible and productivity-boosting aqueous cleaners in the industry.

ArmaKleen formulates and supplies Safety-Kleen with only the highest quality aqueous cleaners. These innovative, patented cleaners are rigorously tested and designed specifically for use in Safety-Kleen parts washers (but suitable for use in almost all commercial or industrial parts washing equipment). With more and more companies actively looking for ways to protect their workers, meet environmental regulations and preserve the planet, ArmaKleen aqueous cleaners offer the ideal solution—a versatile, proven product line that is both earth-friendly and more economical, and with the introduction of Bio24™, our new bio certified aqueous chemistry, we are now taking aqueous cleaning to an even higher level.

4INONE
AQUEOUS SOLUTION

Bio24™
AQUEOUS PARTS WASHING SOLUTION

SOLVENT CHEMISTRIES

Safety-Kleen is also the largest collector and recycler of used solvent in North America. We process over 11 million gallons of cleaning solvent annually. Safety-Kleen also offers a wide array of cleaning solvents to meet industry-specific regulations and specifications to give you superior cleaning performance.



SAFETY-KLEEN PREMIUM SOLVENT

A special blend of hydrocarbons formulated to effectively remove oils and greases from a variety of substrates.

- Flash Point > 140°F – eliminating the need to manage spent solvent as an RCRA hazardous ignitable waste.
- Low Vapor Pressure – In order to improve air quality and reduce the formation of ground level ozone (smog), some states and municipalities have imposed vapor pressure restrictions (i.e., how quickly a solvent evaporates) on solvents used in parts washers. Premium Solvent has a low vapor pressure, allowing you to meet cold-cleaning regulations that require a vapor pressure of < 1.0 mmHg at 20°C.

PARTS WASHER LEASING PROGRAM

Leasing a parts washer from Safety-Kleen means you get all the benefits of the parts washer plus 60 years of industry-proven parts cleaning technologies and know-how. We'll provide support in the installation, set-up, operation and service of the parts washer you lease from us, so you can start using it right away.

Financial Flexibility

Whether your company is starting or expanding, we can help you avoid fluctuating capital expenses or any complicated purchasing processes.

Stress-Free Updates

Enjoy the freedom to easily change your equipment and cleaning processes as new regulations or safety protocols are introduced.

Assured Compatibility

Our solvents and aqueous chemistries are all thoroughly tested with our equipment to ensure compatibility, compliance and optimum cleaning.

Safety & Compliance

Our machines meet all local, state and federal regulations, as well as OSHA and Canadian safety standards.

Reliable Services

Our national network of specialists are trained to specifically service, maintain and repair your leased equipment.

Tech Upgrades

Upgrade your parts washer as business needs change or as new technologies become available.

LEASING MAKES IT EASY



Life-of-the-Lease Lifetime Warranty

For as long as you remain on our EAC subscription service program, we will repair or replace your parts washer for free. There's no need to inventory spare parts, incur costly repairs or purchase new equipment when the machine hits end-of-life.

Services Include:

- Rental of the compliant parts cleaning equipment; all Safety-Kleen owned parts cleaners are certified to meet OSHA-approved safety and electrical standards

- Safe installation, set-up and training for parts-cleaning equipment
- Inspection of equipment for safety and intended operation
- Safe removal of any accumulated debris and cleaning the exterior of the parts cleaner
- Safe removal of used cleaning solutions and the replacement of used cleaning solutions with fresh solutions
- Compliant packaging, labeling, transportation and disposition of used cleaning solutions
- Safe repair or replacement of Safety-Kleen owned parts cleaners that no longer work properly

PART WASHER OFFERED

MODEL 16/30

Safety-Kleen's Model 16(C) and Model 30(C), Manual Sink & Drum Parts Washers are classified as remote reservoir cold cleaners according to Federal/State/Provincial solvent degreasing regulations. The Model 30's sink is the larger of the two sinks and sits atop a 30 gallon steel drum containing Safety-Kleen solvent. The Model 16 sits atop a 16 gallon steel drum of solvent. In addition to the sink and drum, other similar components include the fusible link, pump, hose/brush and lamp assemblies. The Model 16C and 30C are designed for Canadian use.

	Model 16*	Model 30**
Chemistry	Premium Solvent, QSOL 220/300, PD 680 Type II, PRF 680 Type II, Odorless Solvent	Premium Solvent, QSOL 220/300, PD 680 Type II, PRF 680 Type II, PRF 680 Type III, Odorless Solvent
Operation Type	Manual	Manual
Floor Space		
Height	53" (134.7 cm)	60" (152.4 cm)
Width	16" (40.7 cm)	19.5" (49.6 cm)
Sink Size		
Height	7.5" (19.1 cm)	8" (20.4 cm)
Width	27.5" (69.9 cm)	33.25" (84.5 cm)
Depth (front to back)	16.25" (41.3 cm)	22.25" (56.6 cm)
Electric Power	115 VAC, 60 Hz, 1.4 A	115 VAC, 60 Hz, 1.4 A
Standard Fill	8 gal. (30.2 L)	Max Fill: 15 gal. (56.8 L)
Operating Temp	Ambient	Ambient
Material	Steel	Steel
Machine Color	Red	Red
Max Workload	25 lbs. (11.3 kg)	25 lbs. (11.3 kg)
Shipping Weight	57 lbs. (25.9 kg)	62 lbs. (28.1 kg)
Max Filled Weight	111 lbs. (50.3 kg)	162 lbs. (73.5 kg)
Listing	cETLus	cETLus

*Certified reconditioned equipment. Local regulations may cause variations in requirements. Drum and chemistry sold separately.

Solvent Information

- Only use the provided solvent such as Safety-Kleen's Premium Solvent or other solvents offered by Safety-Kleen Systems. Do not add water, or foreign solvents or chemicals to the solvent. The use of other chemicals may cause a hazardous condition. Do NOT remove solvent from the equipment.
- This equipment has only been investigated for use with hydrocarbon-based solvents (e.g., mineral spirits, petroleum distillates) with a flash point $\geq 105^{\circ}\text{F}$ and an auto-ignition temperature $\geq 410^{\circ}\text{F}$.

Pre-Installation

- Confirm the M16(C) or M30(C) will be located } on a level surface } within 6 feet of a grounded, dedicated electrical outlet.
- Use an outlet tester to verify that the power outlet meets the required specifications: 115V, 60hz, 1.4A.
- Position either a 30 gallon or 16 gallon drum of solvent at the work site and remove the lid.
- Continue to pump installation.

Installation

- Caution: To provide continued protection against risk of electric shock, fire, and explosion, connect to properly grounded outlets only.
- Warning Risk of explosion. This equipment has internal arcing or sparking parts, which should not be exposed to flammable vapors. The product should not be located in a recessed floor area or below floor level

The Model 16(C) and Model 30(C) follow the same installation process. The first step involves the pump/sink assembly placement, followed by the lamp and fusible link assembly installations.

Each model includes one of two unique sink/ pump assemblies, either the split basket or full basket sink/pump assembly.

- The Split Basket Sink/Pump Assembly
- The Full Basket Sink/Pump Assembly
- The Nozzle Assembly
- The Lamp Assembly



- The Fusible Link Assembly
- The Bracket Fusible Link Assembly
- J-Hook/Standpipe Fusible Link Assembly The Standpipe
- The J-Hook

Operation

M16(C) M30(C) Operation

- Ensure the parts washer is connected to a functioning 115V, 60Hz electrical outlet.
- Put on protective eyewear, gloves, clothing, and shoes before operating equipment.
- Raise the lid and engage the fusible link assembly to secure the lid in an open position.
- Direct the spigot downward into the sink basin.
- Drain and remove excess debris from dirty parts before placing them in the equipment for cleaning. The debris should be deposited into an appropriate waste container, not in the equipment.
- Toggle the lamp assembly's power switch to turn on the lamp and start the pump.
- Position part under solvent stream and begin cleaning.
- Clean all parts in the sink area. Avoid splashing outside of the sink area.
- Once the cleaning operation is complete, shut down the pump and lamp assemblies, and allow the clean parts to drain completely before removing them from the sink.
- Keep the lid closed when not in use.

Troubleshooting

Problem	Possible Solution
No Power	<ul style="list-style-type: none">• Check power cord connection to a dedicated, grounded and working electrical outlet with sufficient voltage (110V to 125 V).• Check that the pump connection to the lamp assembly is secure.
Lamp Doesn't Work	<ul style="list-style-type: none">• Check power cord connection to a dedicated, grounded and working electrical outlet with sufficient voltage (110V to 125 V).• Check that the LAMP power switch is in the ON position.• Replace the bulb (40 watt maximum).
Pump Pulsates	<ul style="list-style-type: none">• Check that the pump connection to the lamp assembly is secure.• Check the hose for blockages or crimps.• Remove the sink's crumb cup and/or strainer basket, and check that the pump is fully submerged in solvent in the drum below. If not, contact your Safety-Kleen representative.
Drainage Issue	<ul style="list-style-type: none">• Remove debris from the sink's crumb cup and/or strainer basket and dispose of according to local regulations. Do NOT dump debris into the solvent drum as it will clog the pump assembly.• Ensure the equipment is placed on level ground.

Service And Repair

In accordance with your Safety-Kleen service agreement, a Safety-Kleen service representative will:

- Install and set up the Safety-Kleen equipment
- Be your primary contact with Safety-Kleen
- Put the name and phone number of the nearest Safety-Kleen branch on the equipment and/or on the inside cover of this booklet
- Provide information about your service contract with Safety-Kleen
- Explain what solvent is provided with the equipment, provide SDS's and answer any questions about the solvent This equipment is to be serviced only by authorized Safety-Kleen personnel using an approved solvent.

If you have any questions, require repairs, or need early service, contact your local branch or Safety-Kleen at 1-800-669-5740. Additional assistance can be found at www.safety-kleen.com.

MODEL 1077

Safety-Kleen's high-performance paint gun cleaner features a stand-mounted cleaning basin with two air-operated spigots, providing two phases of cleaning to clean paint spray gun assemblies and other related equipment. With features like the Venturi Ventilation System, unique spray nozzles and circulating pumps, these paint gun systems are safer and more efficient than ever before. Safety-Kleen's Model 1077 is a paint gun cleaner that provides manual cleaning with thinner.

Model 1077*

Chemistry

Heavy Duty Thinner, Premium Lacquer Thinner, Clear Choice (100% VOC Exempt Acetone)

Operation Type

Manual

Floor Space

Width

36" (91.44 cm)

Height

71" (180.34 cm)

Sink Size

Width

19.25" (48.89 cm)

Height

9" (22.86 cm)

Depth

20" (50.8 cm)

Air Power

85-175 psi, 10 scfm

Material

Steel

Machine Color

Red, black and gray

Maximum Workload

25 lbs. (11.4 kg)

Shipping Weight

70 lbs. (31.8 kg)

Listing

cETLus

Ventilation

Built-in vapor exhaust



*Certified reconditioned equipment. Safety-Kleen units are fully compliant with 40 CFR Part 63 Subpart HHHHHH regulations.

SAFETY DATA SHEET

Section 1 - PRODUCT AND COMPANY IDENTIFICATION**Material Name**

SAFETY-KLEEN PREMIUM SOLVENT (VIRGIN AND RECYCLED)

Synonyms

Safety-Kleen Premium Gold Solvent; Safety-Kleen Continued Use Product Solvent (CUP); High Flash Degreasing Solvent; Parts Washer Solvent; Petroleum Distillates; Petroleum Naphtha; Naphtha, Solvent; Mineral Spirits

Product Use

Cleaning and degreasing metal parts. If this product is used in combination with other products, refer to the Safety Data Sheets for those products.

Restrictions on Use

None known.

MANUFACTURERSafety-Kleen Systems, Inc.
42 Longwater Drive
Norwell, MA 02061-9149
U.S.A.**SUPPLIER (in Canada)**Safety-Kleen Canada, Inc.
25 Regan Road
Brampton, Ontario L1A 1B2
Canadawww.safety-kleen.com

Phone: 1-800-669-5740

Emergency Phone #: 1-800-468-1760**Issue Date**

October 29, 2019

Supersedes Issue Date

September 30, 2016

Original Issue Date

January 26, 1995

Section 2 - HAZARDS IDENTIFICATION**Classification in accordance with paragraph (d) of 29 CFR 1910.1200.**

Flammable Liquids - Category 4

Aspiration Hazard - Category 1

Specific Target Organ Toxicity - Single Exposure - Category 3 (central nervous system)

GHS Label Elements**Symbol(s)****Signal Word**

Danger

Safety Data Sheet

Material Name: SAFETY-KLEEN PREMIUM SOLVENT (VIRGIN AND RECYCLED)

SDS ID: 82658

Hazard Statement(s)

Combustible liquid.
May be fatal if swallowed and enters airways.
May cause drowsiness or dizziness.

Precautionary Statement(s)

Prevention

Keep away from heat, sparks, open flame, and hot surfaces - No smoking. Use only outdoors or in a well-ventilated area. Wear protective gloves and eye protection/face protection. Avoid breathing vapor or mist.

Response

In case of fire: Use Class B/C or Class A/B/C fire extinguisher, carbon dioxide, regular foam, dry chemical, water spray, or water fog for extinction. IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell. IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting.

Storage

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other Hazards

None known.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
64742-47-8	Petroleum distillates, hydrotreated light	100

Section 4 - FIRST AID MEASURES

Inhalation

IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin

IF ON SKIN: Wash with plenty of soap and water. Remove contaminated clothing and wash it before reuse. Get medical attention if irritation develops or persists.

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops or persists.

Ingestion

Aspiration hazard. IF SWALLOWED: Do NOT induce vomiting. If vomiting occurs, keep head lower than hips to help prevent aspiration. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms/Effects

Acute

May be fatal if swallowed and enters airways. May cause drowsiness or dizziness.

Delayed

May cause damage to central nervous system.

Indication of any immediate medical attention and special treatment needed

IF exposed: Immediately call a POISON CENTER or doctor/physician. Treat symptomatically and supportively. Treatment may vary with condition of victim and specifics of incident. Call 1-800-468-1760 for additional information.

Safety Data Sheet

Material Name: SAFETY-KLEEN PREMIUM SOLVENT (VIRGIN AND RECYCLED)

SDS ID: 82658

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Media to use includes Class B/C or Class A/B/C fire extinguisher, carbon dioxide, regular dry chemical, foam, water spray, and water fog.

Unsuitable Extinguishing Media

Do not use high-pressure water streams.

Special Hazards Arising from the Chemical

Combustible liquid and vapor. The vapor is heavier than air. Vapors or gases may ignite at distant ignition sources and flash back. Do not allow run-off from fire-fighting to enter drains or water courses. Closed containers may rupture violently when heated. Empty containers may retain product residue including flammable/explosive vapors. Take precautionary measures against static discharge: May cause fire or explosion.

Hazardous Combustion Products

Decomposition and combustion materials may be toxic. Burning may produce carbon monoxide and other organic compounds.

Advice for firefighters

Wear full protective firefighting gear including self-contained breathing apparatus (SCBA) for protection against possible exposure.

Fire Fighting Measures

Keep away from ignition sources - No smoking. Keep unnecessary people away, isolate hazard area and deny entry. Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible withdraw from area and let fire burn. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. Stay away from the ends of tanks. For tank, rail car or tank truck, evacuation radius: 800 meters (1/2 mile). Stay upwind and keep out of low areas. Dike for later disposal.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Methods and Materials for Containment and Cleaning Up

Remove all sources of ignition. Do not touch or walk through spilled material. Stop leak if safe to do so. Wear personal protective clothing and equipment. Appropriate engineering controls: Keep unnecessary people away, isolate hazard area and deny entry. Ventilate the area. Avoid breathing vapor or mist. Use foam on spills to minimize vapors. Keep out of water supplies and sewers. Absorb with earth, sand or other non-combustible material and transfer to container. Use non-sparking tools. Large spills: Reduce vapors with water spray. Dike for later disposal.

Environmental Precautions

Avoid release to the environment.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Keep away from heat, sparks and flame. Use personal protective equipment as required. When transferring product, trucks and tank cars should be grounded and bonded. Do not breathe vapor or mist. Use only outdoors or in a well-ventilated area. Avoid contact with eyes, skin and clothing. Do not eat, drink or smoke when using this product.

Safety Data Sheet

Material Name: SAFETY-KLEEN PREMIUM SOLVENT (VIRGIN AND RECYCLED)

SDS ID: 82658

Conditions for Safe Storage, Including any Incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Keep away from heat and ignition sources. Do not cut, puncture, or weld on or near this container. Empty containers may contain product residue.

Incompatible Materials

Avoid acids, alkalis, oxidizing agents, reducing agents, halogens.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

Petroleum distillates, hydrotreated light	64742-47-8
ACGIH:	100 ppm TWA (related to Stoddard solvent)
NIOSH:	350 mg/m ³ TWA (related to Stoddard solvent) ; 1800 mg/m ³ Ceiling (15 minutes)
OSHA (US):	500 ppm TWA ; 2900 mg/m ³ TWA (Related to Stoddard solvent) 100 ppm TWA (Related to Stoddard solvent) ; 525 mg/m ³ TWA (OSHA (Vacated))
British Columbia	200 mg/m ³ TWA (application restricted to conditions in which there are negligible aerosol exposures) as total Hydrocarbon vapor Skin notation

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Provide general ventilation needed to maintain concentration of vapor or mist below applicable exposure limits. Where adequate general ventilation is unavailable, use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below applicable exposure limits.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Wear safety glasses. Additional protection like goggles, face shields, or respirators may be needed dependent upon anticipated use and concentrations of mists or vapors. Eye wash fountain and emergency showers are recommended. Contact lens use is not recommended.

Respiratory Protection

Use NIOSH-certified P- or R- series particulate filter and organic vapor cartridges when concentration of vapor or mist exceeds applicable exposure limits. Protection provided by air purifying respirators is limited. Do not use N-rated respirators. Selection and use of respiratory protective equipment should be in accordance in the USA with OSHA General Industry Standard 29 CFR 1910.134; or in Canada with CSA Standard Z94.4.

Glove Recommendations

Wear appropriate chemical resistant gloves. In case of skin contact: neoprene, nitrile, as well as similar materials in protection gloves; do not use natural rubber.

Protective Materials

Personal protective equipment should be selected based upon the conditions under which this material is used. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to regulatory requirements. The following PPE should be considered the minimum required: Safety glasses, gloves, and lab coat or apron.

Safety Data Sheet

Material Name: SAFETY-KLEEN PREMIUM SOLVENT (VIRGIN AND RECYCLED)

SDS ID: 82658

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear liquid	Physical State	Liquid
Odor	Mild ,hydrocarbon odor	Color	Colorless to pale yellow
Odor Threshold	30 ppm (based on Stoddard Solvent)	pH	Not applicable
Melting Point	-45 F (-43 C)	Boiling Point	350 F (177 C)
Boiling Point Range	Not available	Freezing point	Not available
Evaporation Rate	<0.1 (butyl acetate = 1)	Flammability (solid, gas)	Not available
Autoignition Temperature	480 F (249 C)(minimum)	Flash Point	148 F (64 C)
Lower Explosive Limit	0.7 VOL%	Decomposition temperature	Not available
Upper Explosive Limit	5 VOL%	Vapor Pressure	0.2 mm Hg (at 68 F)
Vapor Density (air=1)	5 (air = 1) (approximately)	Specific Gravity (water=1)	0.77 - 0.82 (at 60 F)
Water Solubility	Insoluble	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Solubility (Other)	Not available
Density	6.4 - 6.7 lb/US gal	VOC	100 WT%; 6.4 to 6.7 LB/US gal; 770 to 800 g/l; As per 40 CFR Part 51.100(s); VOC Vapor Pressure: <1.0 mmHg @ 20°C; Product may or may not be considered photochemically reactive (100% by weight); Consult your state or local air district regulations for location specific information.
Molecular Weight	Not available		
Other Information	No additional information is available.		

Section 10 - STABILITY AND REACTIVITY
--

Reactivity

No reactivity hazard is expected.

Chemical Stability

Stable at normal temperatures and pressure.

Possibility of Hazardous Reactions

Will not polymerize under normal temperature and pressure conditions.

Safety Data Sheet

Material Name: SAFETY-KLEEN PREMIUM SOLVENT (VIRGIN AND RECYCLED)

SDS ID: 82658

Conditions to Avoid

Avoid heat, flames, sparks and other sources of ignition. Avoid contact with incompatible materials.

Incompatible Materials

Avoid acids, alkalis, oxidizing agents, reducing agents, halogens.

Hazardous decomposition products

Not applicable under normal conditions of use and storage. Reference to other sections: Section 5.

Thermal decomposition products

Burning may produce carbon monoxide and other organic compounds.

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation

May cause respiratory irritation, nausea, loss of appetite, headache, drowsiness, dizziness, disorientation, tremors, lung damage, convulsions, coma.

Skin Contact

May cause skin irritation.

Eye Contact

No information on significant adverse effects.

Ingestion

May cause drowsiness or dizziness, headache, loss of coordination, aspiration hazard.

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Petroleum distillates, hydrotreated light (64742-47-8)

Oral LD50 Rat >5000 mg/kg; Dermal LD50 Rabbit >2000 mg/kg; Inhalation LC50 Rat >5.2 mg/L 4 h

Immediate Effects

May cause central nervous system depression. Aspiration may result in lung damage, respiratory tract irritation, May cause skin irritation.

Delayed Effects

May cause damage to central nervous system.

Irritation/Corrosivity Data

May cause respiratory tract irritation and skin irritation.

Respiratory Sensitization

No information available for the product.

Dermal Sensitization

No information available for the product.

Component Carcinogenicity

Petroleum distillates, hydrotreated light	64742-47-8
DFG:	Category 3B (could be carcinogenic for man)

Germ Cell Mutagenicity

No information available for the product.

Tumorigenic Data

No data available

Reproductive Toxicity

No information available for the product.

Specific Target Organ Toxicity - Single Exposure

May cause central nervous system depression.

Safety Data Sheet

Material Name: SAFETY-KLEEN PREMIUM SOLVENT (VIRGIN AND RECYCLED)

SDS ID: 82658

Specific Target Organ Toxicity - Repeated Exposure

May cause damage to central nervous system.

Aspiration hazard

May be fatal if swallowed and enters airways. May cause lung damage.

Medical Conditions Aggravated by Exposure

Individuals with pre-existing respiratory tract (nose, throat, and lungs), central nervous system, kidneys, and eye and/or skin disorders may have increased susceptibility to the effects of exposure.

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

According to the California Code of Regulations, a toxicity to aquatic life, specifically fish, is determined using an acute 96 hour bioassay. A material is non-hazardous if the LC50 is >500 mg/L. This product passed the bioassay and is considered non-hazardous.

Persistence and Degradability

No information available for the product.

Bioaccumulative Potential

This material is believed not to bioaccumulate.

Mobility

Expected to have high mobility in soil.

Other Toxicity

No additional information is available.

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of in accordance with all applicable federal, state and local regulations. Regulations may also apply to empty containers. The responsibility for proper waste disposal lies with the owner of the waste. Contact Safety-Kleen regarding proper recycling or disposal. This product, if discarded, is not expected to be a characteristic or listed hazardous waste. Processing, use, or contamination by the user may change the waste code(s) applicable to the disposal of this product.

Section 14 - TRANSPORT INFORMATION

US DOT Information:

Non-Bulk Packages (less than or equal to 119 gallons): Not regulated. Shipping Name: Cleaning compounds (Petroleum naphtha) (Not US DOT regulated)

Bulk Packages

Shipping Name: COMBUSTIBLE LIQUID, N.O.S., (Petroleum naphtha)

Hazard Class: 3 **UN/NA #:** NA1993 **Packing Group:** III **Required Label(s):** 3

IATA Information:

UN#: Not regulated as a dangerous good

TDG Information:

UN#: Not regulated as a dangerous good

Additional information

Emergency Response Guide Number: 128: Reference: North American Emergency Response Guide Book.

Safety Data Sheet

Material Name: SAFETY-KLEEN PREMIUM SOLVENT (VIRGIN AND RECYCLED)

SDS ID: 82658

Section 15 - REGULATORY INFORMATION

Canada Regulations

CEPA - Priority Substances List

None of this product's components are on the list.

Ozone Depleting Substances

None of this product's components are on the list.

Council of Ministers of the Environment - Soil Quality Guidelines

None of this product's components are on the list.

Council of Ministers of the Environment - Water Quality Guidelines

None of this product's components are on the list.

Further information

This product has been classified in accordance with the criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR.

U.S. Federal Regulations

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C) 2016 reporting categories

Acute Health: yes **Chronic Health:** yes **Fire:** yes **Pressure:** no **Reactivity:** no

U.S. State Regulations

None of this product's components are listed on the state lists from MA, MN, NJ or PA

WARNING! This product can expose you to chemicals including benzene, dichlorobenzene, ethylbenzene, and naphthalene which are known to the State of California to cause cancer and benzene and toluene which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.gov.

Component Analysis - Inventory

Petroleum distillates, hydrotreated light (64742-47-8)

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
Yes	DSL	Yes	Yes	EIN	No	No	Yes	No
KR - REACH CCA		MX	NZ	PH	TH-TECI	TW	VN (Draft)	
No		Yes	Yes	Yes	No	Yes	Yes	

U.S. Inventory (TSCA)

TSCA: All the components of this substance are listed on or are exempt from the inventory.

Section 16 - OTHER INFORMATION

NFPA Ratings

Health: 1 Fire: 2 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes

Regulatory review and update.

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CFR - Code of Federal Regulations (US); CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP -

Safety Data Sheet

Material Name: SAFETY-KLEEN PREMIUM SOLVENT (VIRGIN AND RECYCLED)

SDS ID: 82658

Classification, Labelling, and Packaging; CPR - Controlled Products Regulations; DOT - Department of Transportation; DSL - Domestic Substances List; EPA - Environmental Protection Agency; F - Fahrenheit; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NDSL - Non-Domestic Substance List (Canada); NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; OSHA - Occupational Safety and Health Administration; PEL - Permissible Exposure Limit; RCRA - Resource Conservation and Recovery Act; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; WHMIS - Workplace Hazardous Materials Information System (Canada).

Other Information

Disclaimer:

Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental, consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights.

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: PREMIUM LACQUER THINNER

Product Code: None

Synonyms: None

SDS No.: 82688

1.2. Intended Use of the Product

Lacquer thinner. This product is not for sale or use in the state of California.

1.3. Name, Address, and Telephone of the Responsible Party

Manufacturer

Safety-Kleen Canada, Inc.
25 Regan Road
Brampton, Ontario L7A 1B2
Canada
1-800-669-5740
www.safety-kleen.com

Supplier (U.S.A.)

Safety-Kleen Systems, Inc.
42 Longwater Drive
Norwell, MA 02061-9149
U.S.A.
1-800-669-5740
www.safety-kleen.com

1.4. Emergency Telephone Number

Emergency Number : 1-800-468-1760

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

GHS-US/CA Classification

Flam. Liq. 2	H225
Acute Tox. 4 (Oral)	H302
Acute Tox. 3 (Inhalation:vapor)	H331
Skin Irrit. 2	H315
Eye Irrit. 2	H319
Repr. 2	H361
STOT SE 1	H370
STOT SE 3	H336
STOT RE 2	H373
Asp. Tox. 1	H304
HNOC 1	Static accumulating flammable liquids

Full text of hazard classes and H-statements : see section 16

2.2. Label Elements

GHS-US/CA Labeling

Hazard Pictograms (GHS-US/CA)



Signal Word (GHS-US/CA)

: Danger

Hazard Statements (GHS-US/CA)

: H225 - Highly flammable liquid and vapor.
H302 - Harmful if swallowed.
H304 - May be fatal if swallowed and enters airways.
H315 - Causes skin irritation.
H319 - Causes serious eye irritation.
H331 - Toxic if inhaled.
H336 - May cause drowsiness or dizziness.

PREMIUM LACQUER THINNER

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

H361 - Suspected of damaging fertility or the unborn child (Unborn Child) (Inhalation).
H370 - Causes damage to organs (central nervous system, optic nerve).
H373 - May cause damage to organs (central nervous system) through prolonged or repeated exposure (Inhalation).

Precautionary Statements (GHS-US/CA) : P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P240 - Ground/bond container and receiving equipment.
P241 - Use explosion-proof electrical, ventilating, and lighting equipment.
P242 - Use only non-sparking tools.
P243 - Take action to prevent static discharges.
P260 - Do not breathe vapors, mist, or spray.
P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P271 - Use only outdoors or in a well-ventilated area.
P273 - Avoid release to the environment.
P280 - Wear protective gloves, protective clothing, and eye protection.
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P311 - If exposed or concerned: Call a POISON CENTER or doctor.
P308+P313 - If exposed or concerned: Get medical advice/attention.
P312 - Call a POISON CENTER or doctor if you feel unwell.
P314 - Get medical advice/attention if you feel unwell.
P321 - Specific treatment (see section 4 on this SDS).
P330 - Rinse mouth.
P331 - Do NOT induce vomiting.
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P370+P378 - In case of fire: Use appropriate media (see section 5) to extinguish.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P403+P235 - Store in a well-ventilated place. Keep cool.
P405 - Store locked up.
P501 - Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US/CA)

No additional information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Synonyms	Product Identifier	% *	GHS Ingredient Classification
Toluene**	Benzene, methyl- / Methylbenzene / Phenylmethane / TOLUENE	(CAS-No.) 108-88-3	65-85	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation:vapor), H332 Skin Irrit. 2, H315

PREMIUM LACQUER THINNER

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

				Repr. 2, H361 STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304
Methanol**	Methyl alcohol / Carbinol / Methyl hydroxide / Wood alcohol / METHYL ALCOHOL	(CAS-No.) 67-56-1	7-13	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370 STOT SE 3, H336
Acetone**	Dimethyl ketone / 2-Propanone / ACETONE / Propan-2-one / Propanone	(CAS-No.) 67-64-1	7-13	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of H-statements: see section 16

*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

**The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2015-17 and 29 CFR 1910.1200.

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: First, take proper precautions to ensure your own safety before attempting rescue (e.g. wear appropriate respiratory protective equipment, use the buddy system), then remove the exposed person to fresh air. Keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.

Skin Contact: Immediately remove contaminated clothing. Immediately drench affected area with soap and water for at least 15 minutes. If exposed or concerned: Get medical advice/attention.

Eye Contact: Immediately rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion: Do NOT induce vomiting. Place affected person on their side. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

General: Toxic if inhaled. Causes damage to organs (central nervous system, optic nerve). Harmful if swallowed. May be fatal if swallowed and enters airways. Causes serious eye irritation. Causes skin irritation. May cause damage to organs through prolonged or repeated exposure. (Central nervous system) (Inhalation). Suspected of damaging the unborn child. (Inhalation). May cause drowsiness and dizziness.

Inhalation: Inhalation of this material can cause serious health effects in small amounts, leading to unconsciousness and death. High concentrations may cause central nervous system depression such as dizziness, vomiting, numbness, drowsiness, headache, and similar narcotic symptoms.

Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva.

Ingestion: This material is harmful orally and can cause adverse health effects or death in significant amounts. Aspiration into the lungs can occur during ingestion or vomiting and may cause lung injury. This material contains methanol, which, when ingested, may cause acidosis and ocular toxicity ranging from diminished visual capacity to complete blindness, and possible death.

Chronic Symptoms: Suspected of damaging the unborn child (inhalation). May cause damage to organs through prolonged or repeated exposure (Central nervous system) (Inhalation).

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂). Water may be ineffective but water should be used to keep fire-exposed container cool.

Unsuitable Extinguishing Media: Do not use a heavy water stream. A heavy water stream may spread burning liquid.

PREMIUM LACQUER THINNER

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Highly flammable liquid and vapor. Vapors are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapors.

Explosion Hazard: May form flammable or explosive vapor-air mixture.

Reactivity: Reacts violently with strong oxidizers. Increased risk of fire or explosion.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂).

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

5.4. Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Use special care to avoid static electric charges. Use only non-sparking tools.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel. Stop leak if safe to do so.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Eliminate ignition sources first, then ventilate the area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: As an immediate precautionary measure, isolate spill or leak area in all directions. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Ventilate area.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Use only non-sparking tools. Absorb and/or contain spill with inert material. Do not take up in combustible material such as: saw dust or cellulosic material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: Vapors are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapors. Handle empty containers with care because residual vapors are flammable.

Precautions for Safe Handling: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Do not breathe mist, spray, vapors. Do not get in eyes, on skin, or on clothing. Take precautionary measures against static discharge. Use only non-sparking tools. Handle empty containers with care because they may still present a hazard. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Use explosion-proof electrical, ventilating, and lighting equipment. Take action to prevent static discharges. Ground and bond container and receiving equipment. Comply with applicable regulations.

Storage Conditions: Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store in a well-ventilated place. Keep container tightly closed. Store locked up/in a secure area. Keep in fireproof place.

PREMIUM LACQUER THINNER

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Incompatible Materials: Strong acids, strong bases, strong oxidizers. Halogenated compounds.

7.3. Specific End Use(s)

Lacquer thinner. This product is not for sale or use in the state of California.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

Toluene (108-88-3)		
USA ACGIH	ACGIH OEL TWA [ppm]	20 ppm
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA ACGIH	BEI (BLV)	0.02 mg/l Parameter: Toluene - Medium: blood - Sampling time: prior to last shift of workweek 0.03 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift 0.3 mg/g Kreatinin Parameter: o-Cresol with hydrolysis - Medium: urine - Sampling time: end of shift (background)
USA OSHA	OSHA PEL (TWA) [2]	200 ppm
USA OSHA	OSHA PEL C [ppm]	300 ppm
USA OSHA	Acceptable Maximum Peak Above The Acceptable Ceiling Concentration For An 8-Hr Shift	500 ppm Peak (10 minutes)
USA NIOSH	NIOSH REL (TWA)	375 mg/m ³
USA NIOSH	NIOSH REL TWA [ppm]	100 ppm
USA NIOSH	NIOSH REL (STEL)	560 mg/m ³
USA NIOSH	NIOSH REL STEL [ppm]	150 ppm
USA IDLH	IDLH [ppm]	500 ppm
Alberta	OEL TWA	188 mg/m ³
Alberta	OEL TWA [ppm]	50 ppm
British Columbia	OEL TWA [ppm]	20 ppm
Manitoba	OEL TWA [ppm]	20 ppm
New Brunswick	OEL TWA	188 mg/m ³
New Brunswick	OEL TWA [ppm]	50 ppm
Newfoundland & Labrador	OEL TWA [ppm]	20 ppm
Nova Scotia	OEL TWA [ppm]	20 ppm
Nunavut	OEL STEL [ppm]	60 ppm
Nunavut	OEL TWA [ppm]	50 ppm
Northwest Territories	OEL STEL [ppm]	60 ppm
Northwest Territories	OEL TWA [ppm]	50 ppm
Ontario	OEL TWA [ppm]	20 ppm
Prince Edward Island	OEL TWA [ppm]	20 ppm
Québec	VEMP (OEL TWA)	188 mg/m ³
Québec	VEMP (OEL TWA) [ppm]	50 ppm
Saskatchewan	OEL STEL [ppm]	60 ppm
Saskatchewan	OEL TWA [ppm]	50 ppm
Yukon	OEL STEL	560 mg/m ³
Yukon	OEL STEL [ppm]	150 ppm
Yukon	OEL TWA	375 mg/m ³
Yukon	OEL TWA [ppm]	100 ppm
Methanol (67-56-1)		
USA ACGIH	ACGIH OEL TWA [ppm]	200 ppm

PREMIUM LACQUER THINNER

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

USA ACGIH	ACGIH OEL STEL [ppm]	250 ppm
USA ACGIH	ACGIH chemical category	Skin - potential significant contribution to overall exposure by the cutaneous route
USA ACGIH	BEI (BLV)	15 mg/l Parameter: Methanol - Medium: urine - Sampling time: end of shift (background, nonspecific)
USA OSHA	OSHA PEL (TWA) [1]	260 mg/m ³
USA OSHA	OSHA PEL (TWA) [2]	200 ppm
USA NIOSH	NIOSH REL (TWA)	260 mg/m ³
USA NIOSH	NIOSH REL TWA [ppm]	200 ppm
USA NIOSH	NIOSH REL (STEL)	325 mg/m ³
USA NIOSH	NIOSH REL STEL [ppm]	250 ppm
USA IDLH	IDLH [ppm]	6000 ppm
Alberta	OEL STEL	328 mg/m ³
Alberta	OEL STEL [ppm]	250 ppm
Alberta	OEL TWA	262 mg/m ³
Alberta	OEL TWA [ppm]	200 ppm
British Columbia	OEL STEL [ppm]	250 ppm
British Columbia	OEL TWA [ppm]	200 ppm
Manitoba	OEL STEL [ppm]	250 ppm
Manitoba	OEL TWA [ppm]	200 ppm
New Brunswick	OEL STEL	328 mg/m ³
New Brunswick	OEL STEL [ppm]	250 ppm
New Brunswick	OEL TWA	262 mg/m ³
New Brunswick	OEL TWA [ppm]	200 ppm
Newfoundland & Labrador	OEL STEL [ppm]	250 ppm
Newfoundland & Labrador	OEL TWA [ppm]	200 ppm
Nova Scotia	OEL STEL [ppm]	250 ppm
Nova Scotia	OEL TWA [ppm]	200 ppm
Nunavut	OEL STEL [ppm]	250 ppm
Nunavut	OEL TWA [ppm]	200 ppm
Northwest Territories	OEL STEL [ppm]	250 ppm
Northwest Territories	OEL TWA [ppm]	200 ppm
Ontario	OEL STEL [ppm]	250 ppm
Ontario	OEL TWA [ppm]	200 ppm
Prince Edward Island	OEL STEL [ppm]	250 ppm
Prince Edward Island	OEL TWA [ppm]	200 ppm
Québec	VECD (OEL STEL)	328 mg/m ³
Québec	VECD (OEL STEL) [ppm]	250 ppm
Québec	VEMP (OEL TWA)	262 mg/m ³
Québec	VEMP (OEL TWA) [ppm]	200 ppm
Saskatchewan	OEL STEL [ppm]	250 ppm
Saskatchewan	OEL TWA [ppm]	200 ppm
Yukon	OEL STEL	310 mg/m ³
Yukon	OEL STEL [ppm]	250 ppm
Yukon	OEL TWA	260 mg/m ³
Yukon	OEL TWA [ppm]	200 ppm
Acetone (67-64-1)		
USA ACGIH	ACGIH OEL TWA [ppm]	250 ppm
USA ACGIH	ACGIH OEL STEL [ppm]	500 ppm
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA ACGIH	BEI (BLV)	25 mg/l Parameter: Acetone - Medium: urine - Sampling time: end of shift (nonspecific)

PREMIUM LACQUER THINNER

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

USA OSHA	OSHA PEL (TWA) [1]	2400 mg/m ³
USA OSHA	OSHA PEL (TWA) [2]	1000 ppm
USA NIOSH	NIOSH REL (TWA)	590 mg/m ³
USA NIOSH	NIOSH REL TWA [ppm]	250 ppm
USA IDLH	IDLH [ppm]	2500 ppm (10% LEL)
Alberta	OEL STEL	1800 mg/m ³
Alberta	OEL STEL [ppm]	750 ppm
Alberta	OEL TWA	1200 mg/m ³
Alberta	OEL TWA [ppm]	500 ppm
British Columbia	OEL STEL [ppm]	500 ppm
British Columbia	OEL TWA [ppm]	250 ppm
Manitoba	OEL STEL [ppm]	500 ppm
Manitoba	OEL TWA [ppm]	250 ppm
New Brunswick	OEL STEL	1782 mg/m ³
New Brunswick	OEL STEL [ppm]	750 ppm
New Brunswick	OEL TWA	1188 mg/m ³
New Brunswick	OEL TWA [ppm]	500 ppm
Newfoundland & Labrador	OEL STEL [ppm]	500 ppm
Newfoundland & Labrador	OEL TWA [ppm]	250 ppm
Nova Scotia	OEL STEL [ppm]	500 ppm
Nova Scotia	OEL TWA [ppm]	250 ppm
Nunavut	OEL STEL [ppm]	750 ppm
Nunavut	OEL TWA [ppm]	500 ppm
Northwest Territories	OEL STEL [ppm]	750 ppm
Northwest Territories	OEL TWA [ppm]	500 ppm
Ontario	OEL STEL [ppm]	500 ppm
Ontario	OEL TWA [ppm]	250 ppm
Prince Edward Island	OEL STEL [ppm]	500 ppm
Prince Edward Island	OEL TWA [ppm]	250 ppm
Québec	VECD (OEL STEL)	2380 mg/m ³
Québec	VECD (OEL STEL) [ppm]	1000 ppm
Québec	VEMP (OEL TWA)	1190 mg/m ³
Québec	VEMP (OEL TWA) [ppm]	500 ppm
Saskatchewan	OEL STEL [ppm]	750 ppm
Saskatchewan	OEL TWA [ppm]	500 ppm
Yukon	OEL STEL	3000 mg/m ³
Yukon	OEL STEL [ppm]	1250 ppm
Yukon	OEL TWA	2400 mg/m ³
Yukon	OEL TWA [ppm]	1000 ppm

8.2. Exposure Controls

Appropriate Engineering Controls: Ensure adequate ventilation, especially in confined areas. Use explosion-proof equipment.

Proper grounding procedures to avoid static electricity should be followed. Gas detectors should be used when flammable gases or vapors may be released. Gas detectors should be used when toxic gases may be released. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

Personal Protective Equipment: Gloves. Protective clothing. Safety glasses with side-shields. Insufficient ventilation: wear respiratory protection.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear protective gloves.

PREMIUM LACQUER THINNER

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Eye and Face Protection: Safety glasses with side-shields. Faceshield as determined by task.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: Clear and Colorless
Odor	: Solvent
Odor Threshold	: ≥ 10 ppm
pH	: No data available
Evaporation Rate	: ≤ 6 (Butyl acetate = 1)
Melting Point	: ≤ -94 °C (-137 °F)
Freezing Point	: No data available
Boiling Point	: 56 – 111 °C (133 - 232 °F)
Flash Point	: -17 °C (1 °F) (1.4 °F)
Auto-ignition Temperature	: ≥ 385 °C (725 °F) (725 °F)
Decomposition Temperature	: No data available
Flammability (solid, gas)	: Not applicable
Lower Flammable Limit	: 1.2 %
Upper Flammable Limit	: 36 %
Vapor Pressure	: ≈ 68 mm Hg @ 20° C (68° F)
Relative Vapor Density at 20°C	: 3.14 (Air=1)
Relative Density	: 0.847 (Water=1)
Density	: 7.1 lb/gal (0.85 g/ml)
Specific Gravity	: No data available
Solubility	: No data available
Partition Coefficient: N-Octanol/Water	: 2.7
Viscosity	: No data available
Volatile Organic Compounds (As Regulated)	: 77-99 WT%; 5.5-7.0 lb/US gal; 652-839 g/L (As per 40- CFR Part 51.100(s) Contains photochemically reactive solvent; VOC VP= 60 mmHg @ 20°C (approx.) Consult your state or local air district regulations for location specific information

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity:

Reacts violently with strong oxidizers. Increased risk of fire or explosion.

10.2. Chemical Stability:

Highly flammable liquid and vapor. May form flammable or explosive vapor-air mixture.

10.3. Possibility of Hazardous Reactions:

Hazardous polymerization will not occur.

10.4. Conditions to Avoid:

Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.

10.5. Incompatible Materials:

Strong acids, strong bases, strong oxidizers. Halogenated compounds.

10.6. Hazardous Decomposition Products:

Thermal decomposition may produce: Carbon oxides (CO, CO₂).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects - Product

Acute Toxicity (Oral): Harmful if swallowed.

Acute Toxicity (Dermal): Not classified

PREMIUM LACQUER THINNER

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Acute Toxicity (Inhalation): Toxic if inhaled.

LD50 and LC50 Data:

PREMIUM LACQUER THINNER	
ATE US/CA (oral)	631.07 mg/kg body weight
ATE US/CA (vapors)	9.75 mg/l/4h

Skin Corrosion/Irritation: Causes skin irritation.

Eye Damage/Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): May cause damage to organs (central nervous system) through prolonged or repeated exposure (Inhalation).

Reproductive Toxicity: Unborn child (Inhalation).

Specific Target Organ Toxicity (Single Exposure): Causes damage to organs (central nervous system, optic nerve). May cause drowsiness or dizziness.

Aspiration Hazard: May be fatal if swallowed and enters airways.

Symptoms/Injuries After Inhalation: High concentrations may cause central nervous system depression such as dizziness, vomiting, numbness, drowsiness, headache, and similar narcotic symptoms. Inhalation of this material can cause serious health effects in small amounts, leading to unconsciousness and death.

Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Symptoms/Injuries After Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva.

Symptoms/Injuries After Ingestion: This material is harmful orally and can cause adverse health effects or death in significant amounts. Aspiration into the lungs can occur during ingestion or vomiting and may cause lung injury. This material contains methanol, which, when ingested, may cause acidosis and ocular toxicity ranging from diminished visual capacity to complete blindness, and possible death.

Chronic Symptoms: Suspected of damaging the unborn child (Inhalation). May cause damage to organs (central nervous system) through prolonged or repeated exposure (Inhalation).

Potential Adverse human health effects and symptoms: Harmful if swallowed. Toxic if inhaled.

11.2. Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Toluene (108-88-3)	
LD50 Oral Rat	2600 mg/kg
LD50 Dermal Rabbit	12000 mg/kg
LC50 Inhalation Rat	12.5 mg/l/4h

Methanol (67-56-1)	
LD50 Oral Rat	6200 mg/kg
LD50 Dermal Rabbit	15840 mg/kg
LC50 Inhalation Rat	22500 ppm (Exposure time: 8 h)

Acetone (67-64-1)	
LD50 Oral Rat	5800 mg/kg
LD50 Dermal Rabbit	> 15700 mg/kg
LC50 Inhalation Rat	50100 mg/m ³ (Exposure time: 8 h)

Toluene (108-88-3)	
IARC Group	3

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General: Toxic to aquatic life. May cause long lasting harmful effects to aquatic life.

Toluene (108-88-3)	
LC50 Fish 1	15.22 – 19.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 - Crustacea [1]	5.46 – 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 Fish 2	12.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

PREMIUM LACQUER THINNER

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

EC50 - Crustacea [2]	11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna)
NOEC Chronic Fish	1.4 mg/l
Methanol (67-56-1)	
LC50 Fish 1	28200 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 Fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
Acetone (67-64-1)	
LC50 Fish 1	4.74 – 6.33 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
EC50 - Crustacea [1]	10294 – 17704 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 Fish 2	6210 – 8120 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [2]	12600 – 12700 mg/l (Exposure time: 48 h - Species: Daphnia magna)

12.2. Persistence and Degradability

PREMIUM LACQUER THINNER	
Persistence and Degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative Potential

PREMIUM LACQUER THINNER	
Bioaccumulative Potential	Not established.
Toluene (108-88-3)	
Partition coefficient n-octanol/water (Log Pow)	2.7
Methanol (67-56-1)	
BCF Fish 1	< 10
Partition coefficient n-octanol/water (Log Pow)	-0.77
Acetone (67-64-1)	
BCF Fish 1	0.69
Partition coefficient n-octanol/water (Log Pow)	-0.24

12.4. Mobility in Soil

No additional information available

12.5. Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Treatment Methods: Consult supplier for specific recommendations.

Sewage Disposal Recommendations: Do not dispose of waste into sewer.

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Additional Information: Handle empty containers with care because residual vapors are flammable.

Ecology - Waste Materials: Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT

Proper Shipping Name	: FLAMMABLE LIQUIDS, TOXIC, N.O.S. (TOLUENE, METHANOL)
Hazard Class	: 3
Identification Number	: UN1992
Label Codes	: 3, 6.1
Packing Group	: II
ERG Number	: 131



PREMIUM LACQUER THINNER

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

14.2. In Accordance with IMDG

Proper Shipping Name : FLAMMABLE LIQUID, TOXIC, N.O.S. (TOLUENE, METHANOL)
Hazard Class : 3 (6.1)
Identification Number : UN1992
Label Codes : 3, 6.1
Packing Group : II
EmS-No. (Fire) : F-E
EmS-No. (Spillage) : S-D



14.3. In Accordance with IATA

Proper Shipping Name : FLAMMABLE LIQUID, TOXIC, N.O.S. (TOLUENE, METHANOL)
Hazard Class : 3 (6.1)
Identification Number : UN1992
Label Codes : 3, 6.1
Packing Group : II
ERG Code (IATA) : 3HP



14.4. In Accordance with TDG

Proper Shipping Name : FLAMMABLE LIQUID, TOXIC, N.O.S. (TOLUENE, METHANOL)
Hazard Class : 3
Identification Number : UN1992
Label Codes : 3, 6.1
Packing Group : II



SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

PREMIUM LACQUER THINNER		
SARA Section 311/312 Hazard Classes	Health hazard - Specific target organ toxicity (single or repeated exposure) Health hazard - Reproductive toxicity Health hazard - Skin corrosion or Irritation Physical hazard - Flammable (gases, aerosols, liquids, or solids) Health hazard - Serious eye damage or eye irritation Health hazard - Acute toxicity (any route of exposure) Health hazard - Aspiration hazard	
Toluene (108-88-3)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active		
Subject to reporting requirements of United States SARA Section 313		
CERCLA RQ	1000 lb	
SARA Section 313 - Emission Reporting	1 %	
Methanol (67-56-1)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active		
Subject to reporting requirements of United States SARA Section 313		
CERCLA RQ	5000 lb	
SARA Section 313 - Emission Reporting	1 %	
Acetone (67-64-1)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active		
CERCLA RQ	5000 lb	
Chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.		
CAS-No.	Name	Percent by Weight
108-88-3	Toluene	65-85
67-56-1	Methanol	7-13

PREMIUM LACQUER THINNER

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

15.2. US State Regulations

California Proposition 65



WARNING: This product can expose you to Toluene and Methanol, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Chemical Name (CAS No.)	Carcinogenicity	Developmental Toxicity	Female Reproductive Toxicity	Male Reproductive Toxicity
Toluene (108-88-3)		X		
Methanol (67-56-1)		X		

Toluene (108-88-3)

U.S. - New Jersey - Right to Know Hazardous Substance List
 U.S. - Pennsylvania - RTK (Right to Know) List
 U.S. - Massachusetts - Right To Know List
 U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

Methanol (67-56-1)

U.S. - New Jersey - Right to Know Hazardous Substance List
 U.S. - Pennsylvania - RTK (Right to Know) List
 U.S. - Massachusetts - Right To Know List
 U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

Acetone (67-64-1)

U.S. - New Jersey - Right to Know Hazardous Substance List
 U.S. - Pennsylvania - RTK (Right to Know) List
 U.S. - Massachusetts - Right To Know List
 U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

15.3. Canadian Regulations

Toluene (108-88-3)

Listed on the Canadian DSL (Domestic Substances List)

Methanol (67-56-1)

Listed on the Canadian DSL (Domestic Substances List)

Acetone (67-64-1)

Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 07/07/2022

Revision

Indication of Changes : Review of data. Language modified.

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

GHS Full Text Phrases:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
Acute Tox. 3 (Inhalation:vapor)	Acute toxicity (inhalation:vapor) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Inhalation:vapor)	Acute toxicity (inhalation:vapor) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Asp. Tox. 1	Aspiration hazard Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 2	Flammable liquids Category 2
Repr. 2	Reproductive toxicity Category 2


PREMIUM LACQUER THINNER

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 1	Specific target organ toxicity (single exposure) Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapor
H301	Toxic if swallowed
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness
H361	Suspected of damaging fertility or the unborn child
H370	Causes damage to organs
H373	May cause damage to organs through prolonged or repeated exposure

- NFPA Health Hazard : 3 - Materials that, under emergency conditions, can cause serious or permanent injury.
- NFPA Fire Hazard : 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.
- NFPA Reactivity Hazard : 0 - Material that in themselves are normally stable, even under fire conditions.



The information contained herein is correct to the best of our knowledge, information, and belief and is designed only as guidance for the handling, use, processing, storage, transportation, disposal, and release of the product. User assumes all risks incident to use of this product and shall determine the quality and suitability of the product for its use. Supplier offers no warranty, express or implied, whatsoever, including warranties of merchantability or fitness for a particular purpose or otherwise, and specifically disclaims any and all liability for incidental, consequential, or other damages arising out the use or misuse of the product. The information provided relates only to the specific material provided and may not be valid if used in combination with any other materials or process, unless specified herein.

NA GHS SDS 2015 (Can, US)

POINT OF CONTACT

PRIMARY CONTACT

Name: Kendrick Harrison

Title: CLH Proposal Manager

Contact No: (312) 550 – 2820

E-mail Address : govtcontractadmin@safety-kleen.com

Address: 42, Longwater Drive, Norwell, MA 02061

CONTRACT MANGAGER

Name: Joey Coulter

Title: Branch Manager SK Poca

Contact No: (304) 741 – 0072

E-mail Address: joey.coulter@safety-kleen.com

Address: 42, Longwater Drive, Norwell, MA 02061

REFERENCES

Reference 1.

Company name: Cameron Surface Systems	
Name of Contact:	Brandy Day / Eric Sense
Email:	bday@premiertruck.com / esense@premiertruck.com
Phone Number:	405-917-2035 / (405) – 917 - 2046
Address:	5301 I-40 West Oklahoma City, OK 73128
Description of Services Provided:	Parts Washers, Used Oil Disposal, Waste Water disposal
Dates of Service:	2015 – On going

Reference 2.

Company name: Premier Truck Group	
Name of Contact:	Richard Perkins
Email:	rperkins@fielddaero.com
Phone Number:	405-219-3468
Address:	6015 S Portland Ave Oklahoma City, OK 73159
Description of Services Provided:	Hazardous Waste disposal, replacement drum drop-off
Dates of Service:	2018 - ongoing

Reference 3.

Company name: Field Aerospace	
Name of Contact:	James Harris
Email:	james.harris3@halliburton.com
Phone Number:	405-388-6342
Address:	6917 S Air Depot Oklahoma City, OK 73135
Description of Services Provided:	Parts washers, Hazardous waste disposal services
Dates of Service:	2020 and on going

Reference 4.

Empire Buick GMC of White Plains	
Contact Person	Patricia McKeown
Email	pmckeown@platinumcargroup.com
Phone number	914-761-5000
Address	358 Central Ave, White Plains, NY 10606-0000, US
Services Performed	Part Washer, Drain Pallet, Spill Kit Supply, Oil Filter, Drum Supplies and Services

Reference 5.

Scarsdale Ford (#3)	
Contact Person	Joe Robusteli
Email	joer@scarsdaleford.com
Phone number	914-472-9685
Address	1015 Saw Mil River Road, Building 5A Yonkers, Ny 10710 -0000 US
Services Performed	Parts washers, Hazardous waste disposal services, Antifreeze, Ice Breaker supply

Reference 6.

Frito Lay Middletown	
Contact Person	Jessica Bullock
Email	jessica.bullock@pepsico.com
Phone number	570-242-9824
Address	79 Industrial PI Middletown Ny10940-0000 US
Services Performed	Part washer, Drain Pallet, Spill Kit Supply

LICENSING & CERTIFICATIONS

➤ WEST VIRGINIA SECRETARY OF STATE

State of West Virginia



Certificate

I, Kris Warner, Secretary of State of the State of West Virginia, hereby certify that

SAFETY-KLEEN SYSTEMS, INC.

a corporation formed under the laws of Wisconsin filed an application to be registered as a foreign corporation authorizing it to transact business in West Virginia. The application was found to conform to law and a "Certificate of Authority" was issued by the West Virginia Secretary of State on October 27, 1971.

I further certify that the corporation has not been revoked by the State of West Virginia nor has a Certificate of Withdrawal been issued to the corporation by the West Virginia Secretary of State.

Accordingly, I hereby issue this Certificate of Authorization

CERTIFICATE OF AUTHORIZATION

Validation ID:2WV4X_D4X3Q



*Given under my hand and the
Great Seal of the State of
West Virginia on this day of
March 26, 2026*



Secretary of State

Notice: A certificate issued electronically from the West Virginia Secretary of State's Web site is fully and immediately valid and effective. However, as an option, the issuance and validity of a certificate obtained electronically may be established by visiting the Certificate Validation Page of the Secretary of State's Web site, <https://apps.wv.gov/sos/businesscertificates/search/validate.aspx> entering the validation ID displayed on the certificate, and following the instructions displayed. Confirming the issuance of a certificate is merely optional and is not necessary to the valid and effective issuance of a certificate.

➤ EPA – HAZARDOUS WASTE TRANSPORTER



**ACKNOWLEDGEMENT OF NOTIFICATION
OF HAZARDOUS WASTE ACTIVITY**

This is to acknowledge that you have filed a Notification of Hazardous Waste Activity for the installation located at the address shown in the box below to comply with Section 3010 of the Resource Conservation and Recovery Act (RCRA). Your EPA Identification Number for that installation appears in the box below. The EPA Identification Number must be included on all shipping manifests for transporting hazardous wastes; on all Annual Reports that generators of hazardous waste, and owners and operators of hazardous waste treatment, storage and disposal facilities must file with EPA; on all applications for a Federal Hazardous Waste Permit; and other hazardous waste management reports and documents required under Subtitle C of RCRA.

EPA I.D. NUMBER ➤

MAD039322250

Clean Harbors Inc
P O Box 193
Kingston MA 02364

INSTALLATION ADDRESS ➤

100 Joseph St
Kingston MA 02364

EPA Form 8700-12A (4-80)

➤ HAZ MATERIAL CERTIFICATE OF REGISTRATION

UNITED STATES OF AMERICA
DEPARTMENT OF TRANSPORTATION
PIPELINE AND HAZARDOUS MATERIALS SAFETY ADMINISTRATION



**HAZARDOUS MATERIALS
CERTIFICATE OF REGISTRATION
FOR REGISTRATION YEAR(S) 2025-2028**

Registrant: SAFETY-KLEEN SYSTEMS INC
ATTN: Sriramoju Varun
PO BOX 9149
NORWELL, MA 02061

This certifies that the registrant is registered with the U.S. Department of Transportation as required by 49 CFR Part 107, Subpart G.

This certificate is issued under the authority of 49 U.S.C. 5108. It is unlawful to alter or falsify this document.

Reg. No: 052025550037HJ Effective: July 1, 2025 Expires: June 30, 2028

HM Company ID: 45360

Record Keeping Requirements for the Registration Program

The following must be maintained at the principal place of business for a period of three years from the date of issuance of this Certificate of Registration:

- (1) A copy of the registration statement filed with PHMSA; and
- (2) This Certificate of Registration

Each person subject to the registration requirement must furnish that person's Certificate of Registration (or a copy) and all other records and information pertaining to the information contained in the registration statement to an authorized representative or special agent of the U. S. Department of Transportation upon request.

Each motor carrier (private or for-hire) and each vessel operator subject to the registration requirement must keep a copy of the current Certificate of Registration or another document bearing the registration number identified as the "U.S. DOT Hazmat Reg. No." in each truck and truck tractor or vessel (trailers and semi-trailers not included) used to transport hazardous materials subject to the registration requirement. The Certificate of Registration or document bearing the registration number must be made available, upon request, to enforcement personnel.

For information, contact the Hazardous Materials Registration Manager, PHH-52, Pipeline and Hazardous Materials Safety Administration, U.S. Department of Transportation, 1200 New Jersey Avenue, SE, Washington, DC 20590, telephone (202) 366-4109.

➤ MOTOR CARRIER PERMIT

STATE OF CALIFORNIA BUSINESS, TRANSPORTATION AND HOUSING AGENCY

DEPARTMENT OF MOTOR VEHICLES
 MOTOR CARRIER SERVICES BRANCH MS G875
 P.O. BOX 932370 Sacramento, CA. 94232-3700
 (916) 657-8153



11/28/2007

SAFETY KLEEN SYSTEMS INC
 3003 W BREEZEWOOD LN
 NEENAH, WI 54957

 DEPARTMENT OF MOTOR VEHICLES Motor Carrier Services Branch P.O. BOX 932370 Sacramento, CA. 94232-3700	NON-EXPIRING MOTOR CARRIER PERMIT Combined Carrier		
	Valid From: 11/27/2007	Valid Through:	Non-Expiring
SAFETY KLEEN SYSTEMS INC 3003 W BREEZEWOOD LN NEENAH, WI 54957	CA#: 0000989		
	The carrier named on this permit is subject to the Unified Carrier Registration Act (UCRA) of 2005, and is granted a non-expiring permit of the following classification:		
	For Hire Corporation		
	Not Valid for Intrastate Only Operations		
Pmt Date: N/A	Office #: 154		
Account #: 124	Tech ID: WJ		
Sequence #: 0011	Amt Paid: No Fee		

!!!IMPORTANT REMINDERS!!!

1. This non-expiring Motor Carrier Permit (MCP) will remain valid as long as you continue to conduct interstate operations. The Unified Carrier Registration Act (UCRA) of 2005 exempts combined carriers (carriers who operate both intra and interstate) from MCP requirements.
2. Federal Motor Carrier Safety Administration insurance requirements must be maintained.
3. If you commence intrastate only operations, you must renew your MCP.

California Relay Telephone Service for the deaf or hearing impaired from TDD Phones: 1-800-735-2929; from Voice Phones: 1-800-735-2922

DMV 2200 MCP (NEW 10/2007)

A Public Service Agency

You are viewing this page over a secure connection. Click here for more information.

West Virginia Secretary of State — Online Data Services

Business and Licensing

Online Data Services Help

Business Organization Detail

NOTICE: The West Virginia Secretary of State's Office makes every reasonable effort to ensure the accuracy of information. However, we make no representation or warranty as to the correctness or completeness of the information. If information is missing from this page, it is not in the The West Virginia Secretary of State's database.

SAFETY-KLEEN SYSTEMS, INC.

Organization Information								
Org Type	Effective Date	Established Date	Filing Date	Charter	Class	Sec Type	Termination Date	Termination Reason
C Corporation	10/27/1971		10/27/1971	Foreign	Profit			

Organization Information			
Business Purpose	5629 - Admin/Support Waste Mgt/Remediation Services - Waste Management and Remediation Services - Remediation and Other Waste Management Services (remediation, materials recovery, septic tank)		Capital Stock 0.0000
Charter County	Kanawha	Control Number	0
Charter State	WI	Excess Acres	0
At Will Term		Member Managed	
At Will Term Years		Par Value	0.000000
Authorized Shares	0	Young Entrepreneur	Not Specified

Addresses	
Type	Address
Notice of Process Address	C T CORPORATION SYSTEM 5098 WASHINGTON ST W STE 407 CHARLESTON, WV, 253131561
Principal Office Address	42 LONGWATER DRIVE NORWELL, MA, 02061 USA
Principal Office Mailing Address	42 LONGWATER DRIVE NORWELL, MA, 02061 USA
Type	Address

Officers	
Type	Name/Address
Director	REBECCA UNDERWOOD 42 LONGWATER DRIVE NORWELL, MA, 02061
Director	ERIC DUGAS 42 LONGWATER DRIVE NORWELL, MA, 02061
President	REBECCA UNDERWOOD 42 LONGWATER DRIVE NORWELL, MA, 02061
Secretary	DANIEL JANIS ONE BOSTON PLACE BOSTON, MA, 02108
Treasurer	GREGORY MALERBI 42 LONGWATER DRIVE NORWELL, MA, 02061
Vice-President	MICHAEL MCDONALD 42 LONGWATER DRIVE PO BOX 9149 NORWELL, MA, 02061
Type	Name/Address

Mergers				
Merger Date	Merged	Merged State	Survived	Survived State
7/5/2007	SAFETY-KLEEN OIL RECOVERY CO.	DE	SAFETY-KLEEN SYSTEMS, INC.	WI
Merger Date	Merged	Merged State	Survived	Survived State

Date	Amendment
7/5/2007	MERGER: MERGING SAFETY-KLEEN OIL RECOVERY CO., A QUALIFIED DE CORPORATION WITH AND INTO SAFETY-KLEEN SYSTEMS, INC., A QUALIFIED WI CORPORATION, THE SURVIVOR
8/6/1998	CHANGE OF NAME FROM SAFETY-KLEEN CORP. TO SAFETY-KLEEN SYSTEMS, INC.
8/30/1991	AMENDMENT TO ARTICLES OF CERTIFICATE OF AUTHORITY.
3/28/1990	MERGER; MERGING BRESLUBE HOLDING CORP., A NON-QUAL DE CORP. WITH & INTO SAFETY-KLEEN CORP., A QUAL. WI CORP., THE SURVIVOR.
8/31/1987	AMENDMENT TO THE ARTICLES OF INCORPORATION.
9/5/1986	RESTATED CERTIFICATE OF INCORPORATION
4/21/1986	MERGER; MERGNIG CUSTOM HOLDINGS, INC., WITH AND INTO SAFETY KLEEN CORP., THE SURVIVOR.
7/18/1983	AMENDMENT: TO THE ARTICLES OF INCORPORATION, FILED ON THIS DATE.
11/9/1981	MERGER: MERGING AMERICAN IMPACTS CORPORATION, A ILLINOIS CORPORATION WITH AND INTO SAFETY-KLEEN CORP, THE SURVIVOR.
8/11/1980	AMENDMENT: ARTICLES OF INCORPORATION, FILED ON THIS DATE.
3/19/1975	CERTIFICATE OF INCORPORATION, FILED ON THIS DATE, ROLL 93.
Date	Amendment

Annual Reports
Filed For
2025
2024
2023
2022
2021
2020
2019
2018
2017x
2017
2016
2015

2014
2013
2012
2011
2010
2009
2008
2007
2005
2004
2003
2002
2000
1999
1998
1997
1996
1995
1994
1993
1992
1991
1990
1989
Date filed

[File Your Current Year Annual Report Online Here](#)

For more information, please contact the Secretary of State's Office at 304-558-8000.

Thursday, March 26, 2026 — 12:03 PM

© 2026 State of West Virginia



LIST OF WV DEP Hazardous Waste Handling Permit & Non-Hazardous Waste Handling Permit

Applicant	Type	Seq #	Permit ID	Submitted Date	Facility Name	Current Status	Date Closed
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	168481	EDMR168481	01/09/2026		Closed - Issued	01/11/2026
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	168508	EDMR168508	01/09/2026		Closed - Issued	01/12/2026
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	168479	EDMR168479	01/09/2026		Closed - Issued	01/11/2026
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	168480	EDMR168480	01/09/2026		Closed - Issued	01/11/2026
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	166127	EDMR166127	10/23/2025		Closed - Issued	10/23/2025
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	166128	EDMR166128	10/23/2025		Closed - Issued	10/23/2025
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	166067	EDMR166067	10/22/2025		Closed - Issued	10/22/2025
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	166126	EDMR166126	10/23/2025		Closed - Issued	10/23/2025
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	162292	EDMR162292	07/09/2025		Closed - Issued	07/09/2025
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	162297	EDMR162297	07/09/2025		Closed - Issued	07/09/2025
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	161926	EDMR161926	06/26/2025		Closed - Issued	06/26/2025
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	162236	EDMR162236	07/08/2025		Closed - Issued	07/08/2025

SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	160110	EDMR160110	04/24/2025		Closed - Issued	04/25/2025
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	160112	EDMR160112	04/24/2025		Closed - Issued	04/25/2025
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	159604	EDMR159604	04/18/2025		Closed - Issued	04/21/2025
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	160109	EDMR160109	04/24/2025		Closed - Issued	04/25/2025
SAFETY-KLEEN SYSTEMS, INC.	Reissue NPDES Industrial	5	WVG610412	03/04/2025	WHEELING SERVICE CNTR-WHEELING	Closed - Issued	05/19/2025
SAFETY-KLEEN SYSTEMS, INC.	Reissue NPDES Industrial	5	WVG610986	03/04/2025	SAFETY KLEEN SYSTEMS, INC.-POCA SITE	Closed - Issued	05/19/2025
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	155459	EDMR155459	12/26/2024		Closed - Issued	12/28/2024
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	155461	EDMR155461	12/26/2024		Closed - Issued	12/28/2024
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	155457	EDMR155457	12/26/2024		Closed - Issued	12/28/2024
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	155458	EDMR155458	12/26/2024		Closed - Issued	12/28/2024
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	153139	EDMR153139	10/23/2024		Closed - Issued	10/23/2024
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	153140	EDMR153140	10/23/2024		Closed - Issued	10/23/2024
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	153137	EDMR153137	10/23/2024		Closed - Issued	10/23/2024
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	153138	EDMR153138	10/23/2024		Closed - Issued	10/23/2024
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	150133	EDMR150133	07/25/2024		Closed - Issued	07/29/2024
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	150134	EDMR150134	07/25/2024		Closed - Issued	07/29/2024

SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	150213	EDMR150213	07/26/2024	Closed - Issued	07/30/2024
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	150131	EDMR150131	07/25/2024	Closed - Issued	07/29/2024
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	146899	EDMR146899	04/25/2024	Closed - Issued	04/26/2024
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	146905	EDMR146905	04/25/2024	Closed - Issued	04/26/2024
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	146866	EDMR146866	04/25/2024	Closed - Issued	04/25/2024
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	146894	EDMR146894	04/25/2024	Closed - Issued	04/26/2024
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	142478	EDMR142478	01/05/2024	Closed - Issued	01/05/2024
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	142504	EDMR142504	01/05/2024	Closed - Issued	01/08/2024
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	142456	EDMR142456	01/04/2024	Closed - Issued	01/04/2024
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	142477	EDMR142477	01/05/2024	Closed - Issued	01/05/2024
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	140338	EDMR140338	10/26/2023	Closed - Issued	10/27/2023
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	140337	EDMR140337	10/26/2023	Closed - Issued	10/27/2023
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	140335	EDMR140335	10/26/2023	Closed - Issued	10/27/2023
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	140336	EDMR140336	10/26/2023	Closed - Issued	10/27/2023
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	136983	EDMR136983	07/27/2023	Closed - Issued	07/27/2023
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	136984	EDMR136984	07/27/2023	Closed - Issued	07/27/2023

SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	136925	EDMR136925	07/26/2023	Closed - Issued	07/26/2023
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	136982	EDMR136982	07/27/2023	Closed - Issued	07/27/2023
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	132886	EDMR132886	04/05/2023	Closed - Issued	04/13/2023
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	132887	EDMR132887	04/05/2023	Closed - Issued	04/13/2023
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	132884	EDMR132884	04/05/2023	Closed - Issued	04/13/2023
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	132885	EDMR132885	04/05/2023	Closed - Issued	04/13/2023
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	129212	EDMR129212	12/21/2022	Closed - Issued	12/22/2022
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	129213	EDMR129213	12/21/2022	Closed - Issued	12/22/2022
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	129210	EDMR129210	12/21/2022	Closed - Issued	12/22/2022
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	129211	EDMR129211	12/21/2022	Closed - Issued	12/22/2022
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	126865	EDMR126865	10/25/2022	Closed - Issued	10/27/2022
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	126866	EDMR126866	10/25/2022	Closed - Issued	10/27/2022
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	126862	EDMR126862	10/25/2022	Closed - Issued	10/27/2022
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	126863	EDMR126863	10/25/2022	Closed - Issued	10/27/2022
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	121862	EDMR121862	05/25/2022	Closed - Issued	05/27/2022
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	121863	EDMR121863	05/25/2022	Closed - Issued	05/27/2022

SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	121860	EDMR121860	05/25/2022	Closed - Issued	05/27/2022
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	121861	EDMR121861	05/25/2022	Closed - Issued	05/27/2022
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	119136	EDMR119136	03/14/2022	Closed - Issued	03/16/2022
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	119139	EDMR119139	03/14/2022	Closed - Issued	03/16/2022
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	119132	EDMR119132	03/14/2022	Closed - Issued	03/16/2022
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	119134	EDMR119134	03/14/2022	Closed - Issued	03/16/2022
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	116618	EDMR116618	12/31/2021	Closed - Issued	01/03/2022
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	116967	EDMR116967	01/12/2022	Closed - Issued	01/13/2022
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	116609	EDMR116609	12/31/2021	Closed - Issued	01/03/2022
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	116610	EDMR116610	12/31/2021	Closed - Issued	01/03/2022
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	111916	EDMR111916	07/20/2021	Closed - Issued	08/11/2021
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	113696	EDMR113696	09/17/2021	Closed - Issued	09/28/2021
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	111914	EDMR111914	07/20/2021	Closed - Issued	08/11/2021
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	111915	EDMR111915	07/20/2021	Closed - Issued	08/11/2021
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	108566	EDMR108566	04/14/2021	Closed - Issued	04/15/2021
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	111861	EDMR111861	07/15/2021	Closed - Issued	08/11/2021

SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	108564	EDMR108564	04/14/2021		Closed - Issued	04/15/2021
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	108565	EDMR108565	04/14/2021		Closed - Issued	04/15/2021
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	108596	EDMR108596	04/13/2021		Closed - Issued	04/15/2021
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	108563	EDMR108563	04/14/2021		Closed - Issued	04/15/2021
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	102327	EDMR102327	10/12/2020		Closed - Issued	10/17/2020
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	105253	EDMR105253	01/08/2021		Closed - Issued	01/11/2021
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	95529	EDMR95529	03/20/2020		Closed - Issued	03/20/2020
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	99099	EDMR99099	07/22/2020		Closed - Issued	07/24/2020
SAFETY-KLEEN SYSTEMS, INC.	Reissue NPDES Industrial	4	WVG610986	04/01/2020	SAFETY KLEEN SYSTEMS, INC.- POCA SITE	Closed - Issued	01/27/2021
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	94181	EDMR94181	01/08/2020		Closed - Issued	02/13/2020
SAFETY-KLEEN SYSTEMS, INC.	Reissue NPDES Industrial	4	WVG610412	04/10/2020	WHEELING SERVICE CNTR- WHEELING	Closed - Issued	06/07/2021
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	90614	EDMR90614	10/20/2019		Closed - Issued	10/22/2019
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	83086	EDMR83086	04/05/2019		Closed - Issued	04/08/2019
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	87880	EDMR87880	07/20/2019		Closed - Issued	08/08/2019
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	78413	EDMR78413	10/19/2018		Closed - Issued	11/16/2018
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	80756	EDMR80756	01/05/2019		Closed - Issued	02/04/2019

SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	74160	EDMR74160	07/16/2018		Closed - Issued	07/16/2018
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	74950	EDMR74950	07/24/2018		Closed - Issued	07/24/2018
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	62268	EDMR62268	07/11/2017		Closed - Issued	07/26/2017
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	71212	EDMR71212	04/05/2018		Closed - Issued	04/11/2018
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	55728	EDMR55728	01/06/2017		Closed - Issued	01/09/2017
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	60629	EDMR60629	04/17/2017		Closed - Issued	05/23/2017
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	52444	EDMR52444	07/21/2016		Closed - Issued	08/03/2016
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	52605	EDMR52605	08/04/2016		Closed - Issued	08/12/2016
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	45543	EDMR45543	12/28/2015		Closed - Issued	12/29/2015
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	48256	EDMR48256	03/14/2016		Closed - Issued	03/17/2016
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	40847	EDMR40847	07/21/2015		Closed - Issued	07/21/2015
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	41856	EDMR41856	08/20/2015		Closed - Issued	08/24/2015
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	32349	EDMR32349	09/05/2014		Closed - Issued	09/09/2014
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	39152	EDMR39152	02/19/2015		Closed - Issued	05/28/2015
SAFETY-KLEEN SYSTEMS, INC.	Reissue NPDES Industrial	3	WVG610412	05/15/2014	WHEELING SERVICE CNTR-WHEELING	Closed - Issued	12/23/2014
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	29984	EDMR29984	05/29/2014		Closed - Issued	06/04/2014

SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	21597	EDMR21597	09/03/2013	Closed - Issued	09/03/2013
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	28193	EDMR28193	03/28/2014	Closed - Issued	03/28/2014
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	17279	EDMR17279	02/22/2013	Closed - Issued	02/22/2013
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	18563	EDMR18563	04/02/2013	Closed - Issued	04/05/2013
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	14475	EDMR14475	10/30/2012	Closed - Issued	11/01/2012
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	15629	EDMR15629	12/28/2012	Closed - Issued	12/28/2012
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	9382	EDMR9382	02/20/2012	Closed - Issued	04/03/2012
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	9364	EDMR9364	03/27/2012	Closed - Issued	04/02/2012
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	5330	EDMR5330	09/19/2011	Closed - Issued	09/19/2011
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	6852	EDMR6852	12/15/2011	Closed - Issued	12/15/2011
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	2951	EDMR2951	01/31/2011	Closed - Issued	02/28/2011
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	3489	EDMR3489	04/14/2011	Closed - Issued	04/20/2011
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	2846	EDMR2846	01/17/2011	Closed - Issued	01/19/2011
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	2847	EDMR2847	01/17/2011	Closed - Issued	01/19/2011
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	1820	EDMR1820	07/26/2010	Closed - Issued	07/30/2010
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	2074	EDMR2074	08/26/2010	Closed - Issued	10/06/2010

SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	1034	EDMR1034	01/07/2010		Closed - Issued	01/20/2010
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	1193	EDMR1193	03/01/2010		Closed - Issued	03/02/2010
SAFETY-KLEEN SYSTEMS, INC.	Reissue NPDES Industrial	2	WVG610986	08/31/2009	SAFETY KLEEN SYSTEMS, INC.- POCA SITE	Closed - Issued	09/15/2009
SAFETY-KLEEN SYSTEMS, INC.	Electronic DMR	874	EDMR874	01/07/2010		Closed - Issued	06/30/2010
SAFETY-KLEEN SYSTEMS, INC.	Reissue NPDES Industrial	2	WVG610412	08/19/2009	WHEELING SERVICE CNTR- WHEELING	Closed - Issued	09/15/2009
SAFETY-KLEEN SYSTEMS, INC.	Reissue NPDES Industrial	3	WVG610986	06/02/2014	SAFETY KLEEN SYSTEMS, INC.- POCA SITE	Closed - Issued	03/27/2015

CERTIFICATE OF INSURANCE



ADDITIONAL REMARKS SCHEDULE

AGENCY Willis Towers Watson Northeast, Inc.		NAMED INSURED Safety Kleen Systems Inc. and its affiliates 42 Longwater Drive Norwell, MA 02061	
POLICY NUMBER See Page 1		EFFECTIVE DATE: See Page 1	
CARRIER See Page 1	NAIC CODE See Page 1		

ADDITIONAL REMARKS

THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,
 FORM NUMBER: 25 FORM TITLE: Certificate of Liability Insurance

Certificate holder is named as an Additional Insured for General Liability, Contractor's Pollution Liability and Auto Liability as their interests may appear if required by written contract but only with respect to liability arising out of operations of the Named Insured

It is further agreed that the General Liability, Contractor's Pollution Liability and Auto Liability shall be Primary and Non-contributory with any other insurance in force for or which may be purchased by Additional insured

It is understood and agreed that the company waives its right of subrogation which may arise by reason of a payment of claim under the General Liability, Contractor's Pollution Liability, Auto Liability and Worker's Compensation policy as required by written contract where allowed by state law

Umbrella is excess of the General Liability, Auto Liability, and Employer's Liability

INSURER AFFORDING COVERAGE: Starr Indemnity & Liability Company NAIC#: 38318
 POLICY NUMBER: 1000005140 EFF DATE: 11/01/2025 EXP DATE: 11/01/2026

SUBROGATION WAIVED: Y

TYPE OF INSURANCE:	LIMIT DESCRIPTION:	LIMIT AMOUNT:
Workers Compensation & Empl Liab	E.L. EACH ACCIDENT	\$2,000,000
(AK, AZ, IA, NJ, NY, NC, VT, CT)	E.L. DISEASE - EA EMP	\$2,000,000
Per Statute	E.L. DISEASE-POL LMT	\$2,000,000

INSURER AFFORDING COVERAGE: Starr Indemnity & Liability Company NAIC#: 38318
 POLICY NUMBER: 1000005138 (MA, FL) EFF DATE: 11/01/2025 EXP DATE: 11/01/2026

SUBROGATION WAIVED: Y

TYPE OF INSURANCE:	LIMIT DESCRIPTION:	LIMIT AMOUNT:
Workers Compensation	E.L. EACH ACCIDENT	\$2,000,000
& Employers Liability	E.L. DISEASE - EA EMP	\$2,000,000
Per Statute	E.L. DISEASE-POL LMT	\$2,000,000



ADDITIONAL REMARKS SCHEDULE

AGENCY Willis Towers Watson Northeast, Inc.		NAMED INSURED Safety Kleen Systems Inc. and its affiliates 42 Longwater Drive Norwell, MA 02061	
POLICY NUMBER See Page 1		EFFECTIVE DATE: See Page 1	
CARRIER See Page 1	NAIC CODE See Page 1		

ADDITIONAL REMARKS

THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,
 FORM NUMBER: 25 FORM TITLE: Certificate of Liability Insurance

INSURER AFFORDING COVERAGE: Starr Indemnity & Liability Company NAIC#: 38318
 POLICY NUMBER: 1000679513251(MA) EFF DATE: 11/01/2025 EXP DATE: 11/01/2026

ADDITIONAL INSURED: Y
 SUBROGATION WAIVED: Y

TYPE OF INSURANCE:	LIMIT DESCRIPTION:	LIMIT AMOUNT:
Auto Liability (MA)	CSL (Ea accident)	\$5,000,000
Any Auto, Owned Autos only,	MCS-90	
Hired Autos only, Non-owned Autos only		

INSURER AFFORDING COVERAGE: ACE American Insurance Company NAIC#: 22667
 POLICY NUMBER: COO G27416603 011 EFF DATE: 11/01/2025 EXP DATE: 11/01/2026

ADDITIONAL INSURED: Y
 SUBROGATION WAIVED: Y

TYPE OF INSURANCE:	LIMIT DESCRIPTION:	LIMIT AMOUNT:
Contractor's Pollution Liability	Per Poll'n Condition	\$10,000,000
	Aggregate Limit	\$10,000,000
	SIR	\$250,000

INSURER AFFORDING COVERAGE: ACE American Insurance Company NAIC#: 22667
 POLICY NUMBER: COO G27416603 011 EFF DATE: 11/01/2025 EXP DATE: 11/01/2026

TYPE OF INSURANCE:	LIMIT DESCRIPTION:	LIMIT AMOUNT:
Professional Liability	Per Wrongful Act	\$10,000,000
	Aggregate Limit	\$10,000,000
	SIR	\$250,000



Starr Indemnity & Liability Company

Dallas, TX 1-866-519-2522

NOTICE OF CANCELLATION FOR THIRD PARTIES AMENDATORY ENDORSEMENT

Policy Number: 1000679502251

Effective Date: 11/1/2025

Named Insured: Clean Harbors, Inc.

This endorsement modifies the insurance coverage form(s) listed below that have been purchased by you and evidenced as such on the Declarations page. Please read the endorsement and respective policy(ies) carefully.

Auto Dealers Coverage Form, Business Auto Coverage Form, Business Auto Physical Damage Coverage Form, Commercial General Liability Coverage Form, Contractor's Pollution Liability Coverage Form, Electronic Data Liability Coverage Form, Excess Liability Policy Form, Garage Coverage Form, Liquor Liability Coverage Form, Motor Carrier Coverage Form, Owners And Contractors Protective Liability Coverage Form-Coverage For Operations Of Designated Contractor, Pollution Liability Coverage Form Designated Sites, Products/Completed Operations Liability Coverage Form, Product Withdrawal Coverage Form, Professional Liability Coverage Form, Railroad Protective Liability Coverage Form, Site Pollution Liability Coverage Form, Special Protective And Highway Liability Policy-New York Department Of Transportation, Truckers Coverage Form, Underground Storage Tank Policy Designated Tanks.

It is agreed that in the event the "Insurer" cancels the policy for any reason other than non-payment of premium, the "First Named Insured" must, within five (5) days of receiving the notice of cancellation, provide the "Insurer", either directly or through the retail broker, with a written list of certificate holder(s) ("Schedule") that the "First Named Insured" is contractually obligated to notify in the event that the policy is cancelled. The "Schedule" must specify the name and current email address of a contact for each certificate holder.

The "Insurer" will provide notice at least 30 days prior to cancellation date to the certificate holder(s) listed in the "Schedule" by email.

This notification of a pending cancellation of coverage is intended as a courtesy only. The "Insurer's" failure to provide such notice will neither extend the policy cancellation nor negate cancellation of the policy; nor will this failure result in obligation or liability of any kind upon the "Insurer", its agents or representatives.

This endorsement does not affect, in any way, coverage provided under this policy, the cancellation of this policy or the effective date of cancellation.

The following definitions apply to this endorsement:

1. "First Named Insured" means the named insured shown in the Declarations Page of this policy.
2. "Insurer" means the insurance company shown in the header on the Declarations Page of this policy.
3. "Schedule" means the written list of certificate holder(s).

All other terms and conditions of this Policy remain unchanged.



Starr Indemnity & Liability Company

Dallas, TX 1-866-519-2522

NOTICE OF CANCELLATION FOR THIRD PARTIES AMENDATORY ENDORSEMENT

Policy Number: 1000679513251

Effective Date: 11/1/2025

Named Insured: Clean Harbors, Inc.

This endorsement modifies the insurance coverage form(s) listed below that have been purchased by you and evidenced as such on the Declarations page. Please read the endorsement and respective policy(ies) carefully.

Auto Dealers Coverage Form, Business Auto Coverage Form, Business Auto Physical Damage Coverage Form, Commercial General Liability Coverage Form, Contractor's Pollution Liability Coverage Form, Electronic Data Liability Coverage Form, Excess Liability Policy Form, Garage Coverage Form, Liquor Liability Coverage Form, Motor Carrier Coverage Form, Owners And Contractors Protective Liability Coverage Form-Coverage For Operations Of Designated Contractor, Pollution Liability Coverage Form Designated Sites, Products/Completed Operations Liability Coverage Form, Product Withdrawal Coverage Form, Professional Liability Coverage Form, Railroad Protective Liability Coverage Form, Site Pollution Liability Coverage Form, Special Protective And Highway Liability Policy-New York Department Of Transportation, Truckers Coverage Form, Underground Storage Tank Policy Designated Tanks.

It is agreed that in the event the "Insurer" cancels the policy for any reason other than non-payment of premium, the "First Named Insured" must, within five (5) days of receiving the notice of cancellation, provide the "Insurer", either directly or through the retail broker, with a written list of certificate holder(s) ("Schedule") that the "First Named Insured" is contractually obligated to notify in the event that the policy is cancelled. The "Schedule" must specify the name and current email address of a contact for each certificate holder.

The "Insurer" will provide notice at least 30 days prior to cancellation date to the certificate holder(s) listed in the "Schedule" by email.

This notification of a pending cancellation of coverage is intended as a courtesy only. The "Insurer's" failure to provide such notice will neither extend the policy cancellation nor negate cancellation of the policy; nor will this failure result in obligation or liability of any kind upon the "Insurer", its agents or representatives.

This endorsement does not affect, in any way, coverage provided under this policy, the cancellation of this policy or the effective date of cancellation.

The following definitions apply to this endorsement:

1. "First Named Insured" means the named insured shown in the Declarations Page of this policy.
2. "Insurer" means the insurance company shown in the header on the Declarations Page of this policy.
3. "Schedule" means the written list of certificate holder(s).

All other terms and conditions of this Policy remain unchanged.



Starr Indemnity & Liability Company

Dallas, TX 1-866-519-2522

NOTICE OF CANCELLATION FOR THIRD PARTIES AMENDATORY ENDORSEMENT

Policy Number: 1000090736251

Effective Date: 11/01/2025 at 12:01 A.M.

Named Insured:

This endorsement modifies the insurance coverage form(s) listed below that have been purchased by you and evidenced as such on the Declarations page. Please read the endorsement and respective policy(ies) carefully.

Commercial General Liability Coverage Form, Electronic Data Liability Coverage Form, Liquor Liability Coverage Form, Owners And Contractors Protective Liability Coverage Form-Coverage For Operations Of Designated Contractor, Pollution Liability Coverage Form Designated Sites, Products/Completed Operations Liability Coverage Form, Product Withdrawal Coverage Form, Railroad Protective Liability Coverage Form, Underground Storage Tank Policy Designated Tanks.

It is agreed that in the event the "Insurer" cancels the policy for any reason other than non-payment of premium, the "First Named Insured" must, within five (5) days of receiving the notice of cancellation, provide the "Insurer", either directly or through the retail broker, with a written list of certificate holder(s) ("Schedule") that the "First Named Insured" is contractually obligated to notify in the event that the policy is cancelled. The "Schedule" must specify the name and current email address of a contact for each certificate holder.

The "Insurer" will provide notice at least 30 days prior to cancellation date to the certificate holder(s) listed in the "Schedule" by email.

This notification of a pending cancellation of coverage is intended as a courtesy only. The "Insurer's" failure to provide such notice will neither extend the policy cancellation nor negate cancellation of the policy; nor will this failure result in obligation or liability of any kind upon the "Insurer", its agents or representatives.

This endorsement does not affect, in any way, coverage provided under this policy, the cancellation of this policy or the effective date of cancellation.

The following definitions apply to this endorsement:

1. "First Named Insured" means the named insured shown in the Declarations Page of this policy.
2. "Insurer" means the insurance company shown in the header on the Declarations Page of this policy.
3. "Schedule" means the written list of certificate holder(s).

All other terms and conditions of this Policy remain unchanged.

STARR INDEMNITY & LIABILITY COMPANY

A MEMBER OF STARR COMPANIES

Dallas, TX 1-866-519-2522

WORKERS COMPENSATION AND EMPLOYERS LIABILITY INSURANCE POLICY

WC 99 06 18

(Ed. 4-15)

AMENDMENT – 30 DAY NOTICE OF CANCELLATION FOR THIRD PARTIES

We agree to give thirty (30) days' notice of cancellation to the following certificate holder(s) in the event that we cancel the policy for any reason other than non-payment of premium:

SCHEDULE

WHERE REQUIRED BY WRITTEN CONTRACT

À

We will endeavor to provide advice of cancellation (the "Advice") to the certificate holders listed in the schedule by e-mail. Certificate holders include only those entities for which thirty (30) days' notice of cancellation is required by an "insured contract" but only with respect to an entity for which you are directly or indirectly performing your work.

This advance notification of a pending cancellation of coverage is intended as a courtesy only. Our failure to provide such Advice will neither extend the policy cancellation nor negate cancellation of the policy; nor will such failure result in obligation or liability of any kind upon us, our agents or representatives.

This endorsement does not affect, in any way, coverage provided under this policy, the cancellation of this policy or the effective date of cancellation.

This endorsement changes the policy to which it is attached and is effective on the date issued unless otherwise stated.

(The information below is required only when this endorsement is issued subsequent to preparation of the policy.)

Endorsement Effective: 11/01/2025

Policy No.: 100 0005137

Endorsement No.:

Insured: CLEAN HARBORS, INC.

Premium:

Insurance Company: Starr Indemnity & Liability Co

Countersigned by: _____

WC 99 06 18
(Ed. 4-15)

Copyright © Starr Indemnity & Liability Company. All rights reserved.

Page 57
Page 2 of 14

STARR INDEMNITY & LIABILITY COMPANY

A MEMBER OF STARR COMPANIES

Dallas, TX 1-866-519-2522

WORKERS COMPENSATION AND EMPLOYERS LIABILITY INSURANCE POLICY

WC 99 06 18

(Ed. 4-15)

AMENDMENT – 30 DAY NOTICE OF CANCELLATION FOR THIRD PARTIES

We agree to give thirty (30) days' notice of cancellation to the following certificate holder(s) in the event that we cancel the policy for any reason other than non-payment of premium:

SCHEDULE

WHERE REQUIRED BY WRITTEN CONTRACT

À

We will endeavor to provide advice of cancellation (the "Advice") to the certificate holders listed in the schedule by e-mail. Certificate holders include only those entities for which thirty (30) days' notice of cancellation is required by an "insured contract" but only with respect to an entity for which you are directly or indirectly performing your work.

This advance notification of a pending cancellation of coverage is intended as a courtesy only. Our failure to provide such Advice will neither extend the policy cancellation nor negate cancellation of the policy; nor will such failure result in obligation or liability of any kind upon us, our agents or representatives.

This endorsement does not affect, in any way, coverage provided under this policy, the cancellation of this policy or the effective date of cancellation.

This endorsement changes the policy to which it is attached and is effective on the date issued unless otherwise stated.

(The information below is required only when this endorsement is issued subsequent to preparation of the policy.)

Endorsement Effective: 11/01/2025

Policy No.: 100 0005140

Endorsement No.:

Insured: CLEAN HARBORS, INC.

Premium:

Insurance Company: Starr Indemnity & Liability Co

Countersigned by: _____

WC 99 06 18
(Ed. 4-15)

Copyright © Starr Indemnity & Liability Company. All rights reserved.

Page 58
Page 2 of 14

STARR INDEMNITY & LIABILITY COMPANY

A MEMBER OF STARR COMPANIES

Dallas, TX 1-866-519-2522

WORKERS COMPENSATION AND EMPLOYERS LIABILITY INSURANCE POLICY

WC 99 06 18

(Ed. 4-15)

AMENDMENT – 30 DAY NOTICE OF CANCELLATION FOR THIRD PARTIES

We agree to give thirty (30) days' notice of cancellation to the following certificate holder(s) in the event that we cancel the policy for any reason other than non-payment of premium:

SCHEDULE

WHERE REQUIRED BY WRITTEN CONTRACT Á

Á

We will endeavor to provide advice of cancellation (the "Advice") to the certificate holders listed in the schedule by e-mail. Certificate holders include only those entities for which thirty (30) days' notice of cancellation is required by an "insured contract" but only with respect to an entity for which you are directly or indirectly performing your work.

This advance notification of a pending cancellation of coverage is intended as a courtesy only. Our failure to provide such Advice will neither extend the policy cancellation nor negate cancellation of the policy; nor will such failure result in obligation or liability of any kind upon us, our agents or representatives.

This endorsement does not affect, in any way, coverage provided under this policy, the cancellation of this policy or the effective date of cancellation.

This endorsement changes the policy to which it is attached and is effective on the date issued unless otherwise stated.

(The information below is required only when this endorsement is issued subsequent to preparation of the policy.)

Endorsement Effective: 11/01/2025

Policy No.: 100 0005138

Endorsement No.:

Insured: CLEAN HARBORS, INC.

Premium:

Insurance Company: Starr Indemnity & Liability Co

Countersigned by: _____

WC 99 06 18
(Ed. 4-15)

Copyright © Starr Indemnity & Liability Company. All rights reserved.

Page 59
Page 2 of 14

W9 CERTIFICATE

Form **W-9**
(Rev. March 2024)
Department of the Treasury
Internal Revenue Service

Request for Taxpayer Identification Number and Certification

Give form to the
requester. Do not
send to the IRS.

Go to www.irs.gov/FormW9 for instructions and the latest information.

Before you begin. For guidance related to the purpose of Form W-9, see *Purpose of Form*, below.

1 Name of entity/individual. An entry is required. (For a sole proprietor or disregarded entity, enter the owner's name on line 1, and enter the business/disregarded entity's name on line 2.)

SAFETY-KLEEN SYSTEMS, INC.

2 Business name/disregarded entity name, if different from above.

Print or type.
See Specific Instructions on page 3.

3a Check the appropriate box for federal tax classification of the entity/individual whose name is entered on line 1. Check only **one** of the following seven boxes.

- Individual/sole proprietor C corporation S corporation Partnership Trust/estate
 LLC. Enter the tax classification (C = C corporation, S = S corporation, P = Partnership)
Note: Check the "LLC" box above and, in the entry space, enter the appropriate code (C, S, or P) for the tax classification of the LLC, unless it is a disregarded entity. A disregarded entity should instead check the appropriate box for the tax classification of its owner.
 Other (see instructions)

4 Exemptions (codes apply only to certain entities, not individuals; see Instructions on page 3):

Exempt payee code (if any) **5**

Exemption from Foreign Account Tax Compliance Act (FATCA) reporting code (if any) **E**

(Applies to accounts maintained outside the United States.)

3b If on line 3a you checked "Partnership" or "Trust/estate," or checked "LLC" and entered "P" as its tax classification, and you are providing this form to a partnership, trust, or estate in which you have an ownership interest, check this box if you have any foreign partners, owners, or beneficiaries. See instructions

5 Address (number, street, and apt. or suite no.). See instructions.

42 LONGWATER DRIVE

6 City, state, and ZIP code

NORWELL, MA 02061-1216

7 List account number(s) here (optional)

Requester's name and address (optional)

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the instructions for Part I, later. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN*, later.

Note: If the account is in more than one name, see the instructions for line 1. See also *What Name and Number To Give the Requester* for guidelines on whose number to enter.


Social security number								
				-				
or								
Employer identification number								
3	9	-	6	0	9	0	0	1 9

Part II Certification

Under penalties of perjury, I certify that:

- The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
- I am not subject to backup withholding because (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
- I am a U.S. citizen or other U.S. person (defined below); and
- The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and, generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions for Part II, later.

Sign Here Signature of U.S. person  Date **1/05/2026**

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. For the latest information about developments related to Form W-9 and its instructions, such as legislation enacted after they were published, go to www.irs.gov/FormW9.

What's New

Line 3a has been modified to clarify how a disregarded entity completes this line. An LLC that is a disregarded entity should check the appropriate box for the tax classification of its owner. Otherwise, it should check the "LLC" box and enter its appropriate tax classification.

New line 3b has been added to this form. A flow-through entity is required to complete this line to indicate that it has direct or indirect foreign partners, owners, or beneficiaries when it provides the Form W-9 to another flow-through entity in which it has an ownership interest. This change is intended to provide a flow-through entity with information regarding the status of its indirect foreign partners, owners, or beneficiaries, so that it can satisfy any applicable reporting requirements. For example, a partnership that has any indirect foreign partners may be required to complete Schedules K-2 and K-3. See the Partnership Instructions for Schedules K-2 and K-3 (Form 1065).

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS is giving you this form because they



safety-kleen[®]
A Clean Harbors Company

Safety Kleen System's Inc. appreciates the opportunity to submit this proposal and is committed to delivering, high quality service, cost savings products.

With our proven experience, dedicated team, we are confident in our ability to exceed your expectations.

We look forward to the opportunity to discuss our proposal further and begin working together to achieve your objectives. Please feel free to contact us with any questions or to schedule a follow-up meeting at your convenience.

Thank you for your time and consideration.

Kendrick Harrison (CLH Proposal Manager)

Ph. (312) - 550 - 2820

Email: kendrick.harrison@safety-kleen.com