



COLORS


LEGEND - GREEN (REF)

BACKGROUND - WHITE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P
30	24	$\frac{3}{8}$	$\frac{5}{8}$	9	3E	$4\frac{1}{2}$	15E	$7\frac{1}{4}$	$10\frac{1}{8}$	$3\frac{1}{2}$	$5\frac{7}{8}$	$10\frac{5}{16}$	$1\frac{1}{8}$

* - SEE APPENDIX FOR ARROW DESIGN
 REMOVE ARROW WHEN APPROPRIATE AND MOUNT A
 21X15 I-33L, OR I-34 BELOW THE D4-1.



COLORS

LEGEND - WHITE (REF)
 SYMBOL - WHITE & GREEN (REF)
 BACKGROUND - GREEN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J
30	36	$\frac{3}{4}$	$3\frac{1}{2}$	12	5D	$12\frac{1}{16}$	$7\frac{1}{16}$	$1\frac{7}{8}$

* SEE APPENDIX FOR SYMBOL DESIGN




COLORS
LEGEND - WHITE (REF)
BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M
138	48	2	9	12E	8	10E	56 ³ / ₁₆	25 ¹ / ₁₆	32 ³ / ₁₆	47 ³ / ₁₆	6

D5-1 CODE
138"x48"
D5-1A CODE
138"x48"
D5-1B CODE
138"x48"




COLORS

LEGEND - WHITE (REF)
BACKGROUND - BLUE (REF)


DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L
72	84	2	8 3/4	12	7 7/8	26 3/4	22 7/16	24 3/4	9 1/4	9

* - SEE APPENDIX FOR ARROW DESIGN



D5-6



D5-6A

COLORS

LEGEND - BLACK (NON-REF)


BACKGROUND - WHITE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N
66	48	$\frac{3}{4}$	$1\frac{1}{4}$	7	6C	6	4C	$5\frac{3}{8}$	$1\frac{1}{4}$	5	$10\frac{1}{2}$	$4\frac{5}{8}$

P	Q	R	S	T	U
$12\frac{1}{2}$	$24\frac{1}{2}$	$26\frac{3}{4}$	$11\frac{1}{6}$	$4\frac{7}{8}$	$2\frac{1}{4}$

* - SEE APPENDIX FOR ARROW DESIGN




COLORS

LEGEND - WHITE (REF)

BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J
24	18	1/2	3 1/2	4C	3	10 9/16	5 5/8	1 1/2



COLORS

LEGEND - WHITE (REF)

BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M
60	24	1/2	4	5D	2 5/16	3/8	6D	25 3/8	22 1/2	26 1/4	1 1/2

MOUNTED ON SUPPORT OF D5-1 OR D5-1B ONLY



COLORS


LEGEND - WHITE (REF)

BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
24	30	1/2	3	3D	2 1/2	2 5/16	3/8	4D	7 3/8	6 5/16	9	6 1/4	9 5/8	1 1/2

SIGN SHALL NOT BE USED IN GORE AREA
FOR USE WITHIN REST AREA / WELCOME CENTER ONLY




COLORS

LEGEND - WHITE (REF)

BACKGROUND - BROWN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H
12	18	1/2	2 1/4	3C	2 13/16	4 3/16	1 1/2




COLORS

LEGEND - WHITE (REF)
BACKGROUND - BROWN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K
18	12	1/2	1 3/4	2C	1 1/4	6 3/16	1 5/16	3 3/8	1 1/2




COLORS

LEGEND - WHITE (REF)

BACKGROUND - BROWN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K
18	12	1/2	1 3/4	2C	1 1/4	4 5/16	1/8	5	1 1/2



COLORS

LEGEND - WHITE (REF)
BACKGROUND - BROWN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K
18	12	1/2	1 3/4	2C	1 1/4	4 5/16	1/8	7 1/4	1 1/2



COLORS

LEGEND - BLACK (NON-REF)

BACKGROUND - WHITE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M
30	24	$\frac{3}{8}$	$\frac{5}{8}$	$2\frac{1}{4}$	3C	I	$\frac{1}{2}$	$1\frac{1}{2}$	2C	$1\frac{3}{4}$	$2\frac{1}{2}$

N	P	Q	R	S	T	U
$5\frac{5}{8}$	$11\frac{1}{4}$	$9\frac{11}{16}$	$8\frac{3}{8}$	$11\frac{7}{8}$	$2\frac{3}{4}$	$1\frac{1}{8}$



COLORS

LEGEND - BLACK (NON-REF)
BACKGROUND - WHITE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	S
24	$\frac{3}{8}$	$\frac{5}{8}$	3	3C	$1\frac{5}{8}$	$\frac{1}{2}$	2	2C	$2\frac{3}{8}$	$3\frac{1}{8}$	$5\frac{9}{16}$	9	$7\frac{5}{8}$	$7\frac{1}{2}$	$8\frac{1}{4}$	$1\frac{1}{8}$




COLORS

LEGEND - BLACK (NON-REF)

BACKGROUND - WHITE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K
24	$\frac{3}{8}$	$\frac{5}{8}$	4	3C	$3\frac{1}{2}$	$9\frac{1}{16}$	$7\frac{9}{16}$	$8\frac{13}{16}$	$1\frac{1}{8}$



COLORS
LEGEND - WHITE (REF)
BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P
96	72	2	9	12D	10	10D	27	39	21 1/2	27 15/16	12	8D	9

* - REDUCE SPACING 25%

D6-2 CODE
96"x72"
D6-2A CODE
96"x72"
D6-2B CODE
96"x72"



COLORS

LEGEND - WHITE (REF)
BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K
84	2	8 3/4	12	7 7/8	26 3/4	22 1/2	32 1/4	9 1/4	9

* - SEE APPENDIX FOR ARROW DETAIL



COLORS

LEGEND - WHITE (REF)
BACKGROUND - GREEN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M
60	48	$\frac{3}{4}$	6	8E	6E	6	18	$24\frac{1}{2}$	14	$21\frac{1}{2}$	$2\frac{1}{4}$
78	60	2	8	10E	8E	7	$22\frac{3}{8}$	$30\frac{5}{8}$	19	$28\frac{5}{8}$	6
96	72	2	9	12E	10E	9	$26\frac{7}{8}$	$36\frac{3}{4}$	$23\frac{1}{2}$		9

78" X 60" AND 96" X 72" - EXTRUDED PANEL
96" X 72" - 1 MILE ONLY



COLORS

LEGEND - WHITE (REF)
BACKGROUND - GREEN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N
84	66	1	8	8E	6	5	6E	5	2	5	6E	7
108	84	2	9	10E	8	8	8E	7	2	6	8E	8
120	96	3	11	12E	9	9	10E	8	3	6	8E	8

P	Q	R	S	T
17 ⁷ / ₈	24 ¹ / ₂	28 ¹ / ₄	33 ⁷ / ₁₆	3
22 ³ / ₈	30 ⁵ / ₈	37 ³ / ₄	44 ⁹ / ₁₆	9
26 ⁷ / ₈	36 ³ / ₄	47 ³ / ₁₆	44 ⁹ / ₁₆	12

108" X 84" AND 120" X 96" - EXTRUDED PANEL,
WITH 48" X 10" COVER PANEL.

USE 37" X 8" COVER PANEL FOR 84" X 66" SIGN.

* - SEE APPENDIX FOR TYPICAL CHANNEL MOUNTING OF COVER PANEL



COLORS

LEGEND - WHITE (REF)


BACKGROUND - GREEN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N
48	42	$\frac{3}{4}$	6	6E	4	4	$10\frac{1}{2}$	$5\frac{1}{2}$	$13\frac{1}{2}$	$18\frac{1}{2}$	$5\frac{1}{4}$	$2\frac{1}{4}$
66	60	2	$8\frac{1}{2}$	8E	7	$6\frac{1}{2}$	14	8	18	$24\frac{1}{2}$	7	6
84	72	2	10	10E	8	$7\frac{3}{8}$	$16\frac{5}{8}$	10	$23\frac{3}{8}$	$30\frac{5}{8}$	$8\frac{5}{16}$	9

* - SEE APPENIDX FOR ARROW DESIGN

66" X 60" AND 84" X 72" - EXTRUDED PANEL




COLORS
 LEGEND - WHITE (REF)
 BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H
24	$\frac{1}{2}$	4	16	$6\frac{3}{8}$	$3\frac{3}{16}$	$8\frac{3}{8}$	$1\frac{1}{2}$
30	$\frac{5}{8}$	5	20	$7\frac{15}{16}$	4	$10\frac{7}{16}$	$1\frac{7}{8}$

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A



COLORS


SYMBOL - WHITE (REF)
BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F
24	1/2	2	20	8	1 1/2
30	5/8	2 1/2	25	10	1 7/8

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A.

* - SEE APPENDIX FOR SYMBOL DESIGN

**D9-3AB**


COLORS
 SYMBOL - WHITE (REF)
 BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J
20		5 ³ / ₄	4	5	5 ¹ / ₄	8 ³ / ₄	8 ¹ / ₄	
24	¹ / ₂	8	4	5	7	8 ³ / ₄	8 ¹ / ₄	1 ¹ / ₂
30	⁵ / ₈	10	5	6 ¹ / ₄	8 ³ / ₄	10 ¹⁵ / ₁₆	10 ⁵ / ₁₆	1 ⁷ / ₈

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A.
 D9-3AB 20" - DEMOUNTABLE FOR USE WITH E10-1,
 USE 0.040 GAUGE BLANK, NO BORDER

* - SEE APPENDIX FOR SYMBOL DESIGN



COLORS



SYMBOL - WHITE (REF)

BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E
18	1/2	1 1/2	15	1 1/2

* - SEE APPENDIX FOR SYMBOL DESIGN
IN REST AREA NON MOTORIZED USE



D9-7A

COLORS
 SYMBOL - WHITE (REF)
 BACKGROUND - BLUE (REF)



DIMENSIONS (INCHES)

A	B	C	D	E
20		1	9	
24	1/2	3	9	1 1/2
30	5/8	3 3/4	11 1/4	1 7/8

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A.
 D9-7A 20" - DEMOUNTABLE FOR USE WITH E10-1,
 USE 0.040 GAUGE BLANK, NO BORDER

* - SEE APPENDIX FOR SYMBOL DESIGN

D9-7 CODE	D9-7A CODE
24" 050927	20" 050930
30" 050928	

**D9-8A**

COLORS
 SYMBOL - WHITE (REF)
 BACKGROUND - BLUE (REF)


DIMENSIONS (INCHES)

A	B	C	D	E
20		1	9	
24	1/2	3	9	1 1/2
30	5/8	3 3/4	11 1/4	1 7/8

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A.
 D9-8A 20" - DEMOUNTABLE FOR USE WITH E10-1,
 USE 0.040 GAUGE BLANK, NO BORDER

* - SEE APPENDIX FOR SYMBOL DESIGN

D9-8 CODE	D9-8A CODE
24" 050933	20" 050936
30" 050934	

**D9-9A**


COLORS
 SYMBOL - WHITE (REF)
 BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E
20		1	9	
24	1/2	3	9	1 1/2
30	5/8	3 3/4	11 1/4	1 7/8

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A.
 D9-9A 20" - DEMOUNTABLE FOR USE WITH E10-1,
 USE 0.040 GAUGE BLANK, NO BORDER

* - SEE APPENDIX FOR SYMBOL DESIGN

**D9-10B****COLORS**

SYMBOL & LEGEND - WHITE (REF)

BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)


A	B	C	D	E	F	G	H	J	K	L	M	N
20		7 ⁹ / ₁₆	6	6 ⁷ / ₁₆	1 ¹ / ₂	11	1	2D	2	4 ⁷ / ₈	2 ⁷ / ₈	
24	1/2	7 ⁹ / ₁₆	8	8 ⁷ / ₁₆	2	11	1 ¹ / ₂	3D	2	7 ⁵ / ₁₆	4 ³ / ₁₆	1 ¹ / ₂
30	5/8	9 ⁷ / ₁₆	10	10 ⁹ / ₁₆	2 ³ / ₄	13	1 ³ / ₄	4D	2 ¹ / ₂	9 ³ / ₄	5 ⁹ / ₁₆	1 ⁷ / ₈

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A.

D9-10B 20" - DEMOUNTABLE FOR USE WITH E10-1,

USE 0.040 GAUGE BLANK, NO BORDER

* - SEE APPENDIX FOR SYMBOL DESIGN



D9-11B


COLORS
 SYMBOL - WHITE (REF)
 BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F
20		1	9	6EM	
24	1/2	3	9	6EM	1 1/2
30	5/8	3 3/4	11 1/4	8EM	1 7/8

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A.
 D9-11B 20" - DEMOUNTABLE FOR USE WITH E10-1,
 USE 0.040 GAUGE BLANK, NO BORDER

* - SEE APPENDIX FOR SYMBOL DESIGN



COLORS

SYMBOL - WHITE (REF)


BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J
24	1/2	3	5 1/2	3EM	3/4	2	18	1 1/2
30	5/8	3 3/4	6 1/8	4EM	3/4	2 3/16	22 1/2	1 7/8

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A

* - SEE APPENDIX FOR SYMBOL DESIGN



COLORS

SYMBOL - WHITE (REF)

BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E
18	1/2	1 1/2	15	1 1/2

FOR USE INSIDE REST AREAS

* - SEE APPENDIX FOR SYMBOL DESIGN



COLORS


LEGEND - WHITE (REF)

BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H
24	$\frac{1}{2}$	$4\frac{3}{4}$	5C	$4\frac{1}{2}$	$7\frac{13}{16}$	$9\frac{5}{16}$	$1\frac{1}{2}$
30	$\frac{5}{8}$	6	6C	6	$9\frac{3}{8}$	$11\frac{3}{16}$	$1\frac{7}{8}$

USE ARROWS M6-1RA, M6-1LA, M6-3A OR M6-4A



COLORS

LEGEND - WHITE (REF)

BACKGROUND - BLUE (REF)


DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	S
12	36	48	$\frac{3}{8}$	$1\frac{1}{2}$	$2\frac{1}{2}$	1	9	9C	$1\frac{5}{16}$	7C	2	$1\frac{9}{16}$	$4\frac{5}{16}$	$3\frac{1}{2}$	$3\frac{1}{4}$	$3\frac{1}{2}$

* - D, G, H, L, OR Q AS APPROPRIATE AND OPTICALLY LOCATED

** - SEE APPENDIX FOR DETAIL

OPTICALLY LOCATE STATE OUTLINE AND NUMERALS
ABOUT VERTICAL CENTERLINE



COLORS

LEGEND - WHITE (REF)

BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P
12	18	1/2	2 3/8	1C	2 3/16	3/8	1 1/16	1 1/2 C	5	2C	1 1/2	4 1/2	2 5/8


Q	R	S	T
1	2 9/16	1 15/16	2 1/8

* - D, G, H, L, OR Q AS APPROPRIATE AND OPTICALLY LOCATED

** - SEE APPENDIX FOR DETAIL

*** - INTERCHANGE NAME

OPTICALLY LOCATE STATE OUTLINE AND NUMERALS
ABOUT VERTICAL CENTERLINE



COLORS

LEGEND - WHITE (REF)
BACKGROUND - GREEN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N
12	30	42	54	$\frac{3}{8}$	$1\frac{1}{2}$	2	3C	5	9C	3	4	7C

P	Q	R	S	T	U	V
6	$1\frac{5}{16}$	$1\frac{13}{16}$	$4\frac{7}{8}$	$5\frac{1}{8}$	$2\frac{1}{2}$	$7\frac{1}{2}$




* - N, S, E, OR W AS APPROPRIATE

OPTICALLY LOCATE NUMERALS ABOUT VERTICAL CENTERLINE

WV DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
TRAFFIC ENGINEERING DIVISION

D10-1F CODE
12"x30"1051001
D10-2F CODE
12"x42"1051004
D10-3F CODE
12"x54"1051007

D10F



SHIELD - NUMERALS & BORDER - WHITE (REF)
OPTICALLY SPACE NUMERALS

COLORS
LEGEND - WHITE (REF)
BACKGROUND - GREEN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
12	18	1/2	2	2C	1 5/16	3/8	3	5	VAR	4 1/2	4 1/4	1 1/2	2D	6 3/16

* - N, S, E, OR W AS APPROPRIATE
** EXIT NUMBER



COLORS

SYMBOL & LEGEND - WHITE (REF)

BACKGROUND - GREEN (REF)


DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K
24	18	1/2	1 1/2	7	3 1/2	3C	5 1/2	9 1/2	1 1/2
30	24	1/2	1 7/8	8 3/4	4 3/8	4C	6 7/8	12 1/2	1 1/2

USE ARROWS 1-31, 1-32, 1-33 OR 1-34

USE M4-13 FOR TRAILBLAZING

* - SEE APPENDIX FOR SYMBOL DESIGN



COLORS


LEGEND - WHITE (REF)

BACKGROUND - GREEN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J
30	15	1/2	2	4C	3	4 1/16	11 3/8	1 1/2

FOR USE WITH D11-1 ONLY



COLORS

LEGEND - WHITE (REF)
BACKGROUND - GREEN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J
30	15	1/2	2	4C	3	10 1/2	5 13/16	1 1/2

FOR USE WITH D11-1 ONLY



COLOR
LEGEND - WHITE (REF)
BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N
72	60	1	5 1/2	6D	4 1/2	1	5	27 15/16	19 3/8	23 7/8	8 5/16	3

FOR EXPRESSWAY USE ONLY



COLORS

SYMBOL & LEGEND - WHITE (REF)
BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P
30	36	5/8	2 3/8	3	2 1/2	5 1/4	1	1 1/16	3C	1 3/4	5/8	1 5/16	2C

Q	R	S	T	U	V
2	3	13 1/2	9 15/16	12 3/8	1 7/8

* - SEE APPENDIX FOR SYMBOL DESIGN



COLORS

SYMBOL & LEGEND - WHITE (REF)

BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R
24	36	1/2	1 3/4	2C	1	17 1/2	2 3/8	1 1/4	1 3/16	1 3/4	10 5/8	5 1/8	4 3/4	15 1/4	1 1/2

* - REDUCE SPACING 25%

** - SEE APPENDIX FOR SYMBOL DESIGN




COLORS

LEGEND - WHITE (REF)
 FLOWERS - YELLOW (REF)
 BACKGROUND - BROWN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N
30	$\frac{5}{8}$	$2\frac{3}{4}$	3C	$2\frac{3}{8}$	$\frac{5}{8}$	$10\frac{1}{2}$	$2\frac{1}{2}$	$8\frac{3}{8}$	$13\frac{7}{8}$	$12\frac{1}{2}$	$10\frac{5}{16}$	$1\frac{7}{8}$

* - SEE APPENDIX FOR SYMBOL DESIGN



D30-1

COLORS
LEGEND - WHITE (REF)
CIRCLE - BLUE (REF)
BACKGROUND - WHITE (REF)


DIMENSIONS (INCHES)												
A	B	C	D	E	F	G	H	J	K	L	M	N
18	1	5/8	8 3/4	7/8	1 1/2	3/4	2	1 7/8	8	6	3 1/16	1 1/2
24	1	1 3/16	11 5/8	1 3/16	2	1	3	2 1/2	11	8	3 15/16	1 1/2

* - SEE APPENDIX FOR ARROW DESIGN
ARROW MAY BE LEFT, RIGHT, OR 45 DEGREES AND SHALL BE
CENTERED ABOUT THE VERTICAL CENTERLINE IN THE SPACE PROVIDED
FOR WVDOT APPROVED USE ONLY

WV DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
TRAFFIC ENGINEERING DIVISION

D30-1 CODE		D30-1L CODE	
18"		18"	
24"		24"	
D30-1R CODE		D30-1A CODE	
18"		18"	
24"		24"	

D30-1



COLORS

LEGEND — WHITE (REF)

BACKGROUND — GREEN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R
90	42	1	6	6	5C	2½	5	1	4C	3	4	6¼	12	31⅞	11⅞

S	T	U	V	W	X
10⅞	34	14	41⅞	37⅞	9⅞

* — SHIELD SUBJECT TO CHANGE BASED ON ROUTE