



Department of Administration  
Purchasing Division  
2019 Washington Street East  
Post Office Box 50130  
Charleston, WV 25305-0130

State of West Virginia  
Solicitation Response

**Proc Folder:** 1981138  
**Solicitation Description:** Stone & Agg Material & Delivery to Non-Established Locations  
**Proc Type:** Agency Master Agreement

| Solicitation Closes | Solicitation Response        | Version |
|---------------------|------------------------------|---------|
| 2026-06-24 10:30    | SR 0803 ESR06222600000008904 | 1       |

**VENDOR**  
VS0000009428  
AAA PAVING AND SEALING INC

**Solicitation Number:** ARFQ 0803 DOT2600000094  
**Total Bid:** 0  
**Response Date:** 2026-06-22  
**Response Time:** 13:40:35  
**Comments:**

**FOR INFORMATION CONTACT THE BUYER**  
Jeromie F Lanham  
304-720-7383  
jeromie.f.lanham@wv.gov

**Vendor Signature X** **FEIN#** **DATE**

All offers subject to all terms and conditions contained in this solicitation

| Line | Comm Ln Desc                      | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|-----------------------------------|---------|------------|------------|-----------------------------|
| 1    | Class 1 Aggregate -Limestone Only | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc            | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|-------------------------|---------|------------|------------|-----------------------------|
| 2    | Class 1 Aggregate -LSGS | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc            | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|-------------------------|---------|------------|------------|-----------------------------|
| 3    | Class 1 Aggregate -Slag | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                      | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|-----------------------------------|---------|------------|------------|-----------------------------|
| 4    | Class 2 Aggregate -Limestone Only | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc            | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|-------------------------|---------|------------|------------|-----------------------------|
| 5    | Class 2 Aggregate -LSGS | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc            | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|-------------------------|---------|------------|------------|-----------------------------|
| 6    | Class 2 Aggregate -Slag | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc             | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|--------------------------|---------|------------|------------|-----------------------------|
| 7    | Class 10 Aggregate -LSGS | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                        | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|-------------------------------------|---------|------------|------------|-----------------------------|
| 8    | AASHTO #1 Aggregate -Limestone Only | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc              | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|---------------------------|---------|------------|------------|-----------------------------|
| 9    | AASHTO #1 Aggregate -LSGS | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                        | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|-------------------------------------|---------|------------|------------|-----------------------------|
| 10   | AASHTO #3 Aggregate -Limestone Only | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc              | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|---------------------------|---------|------------|------------|-----------------------------|
| 11   | AASHTO #3 Aggregate -LSGS | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc              | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|---------------------------|---------|------------|------------|-----------------------------|
| 12   | AASHTO #4 Aggregate -LSGS | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|-----------------------------|---------|------------|------------|-----------------------------|
| 13   | AASHTO #467 Aggregate -LSGS | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                         | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|--------------------------------------|---------|------------|------------|-----------------------------|
| 14   | AASHTO #57 Aggregate -Limestone Only | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc               | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|----------------------------|---------|------------|------------|-----------------------------|
| 15   | AASHTO #57 Aggregate -LSGS | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                         | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|--------------------------------------|---------|------------|------------|-----------------------------|
| 16   | AASHTO #67 Aggregate -Limestone Only | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc               | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|----------------------------|---------|------------|------------|-----------------------------|
| 17   | AASHTO #67 Aggregate -LSGS | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                        | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|-------------------------------------|---------|------------|------------|-----------------------------|
| 18   | AASHTO #7 Aggregate -Limestone Only | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc              | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|---------------------------|---------|------------|------------|-----------------------------|
| 19   | AASHTO #7 Aggregate -LSGS | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                        | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|-------------------------------------|---------|------------|------------|-----------------------------|
| 20   | AASHTO #8 Aggregate -Limestone Only | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc              | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|---------------------------|---------|------------|------------|-----------------------------|
| 21   | AASHTO #8 Aggregate -LSGS | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                       | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|------------------------------------|---------|------------|------------|-----------------------------|
| 22   | AASHTO #8 MODIFIED -Limestone Only | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc             | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|--------------------------|---------|------------|------------|-----------------------------|
| 23   | AASHTO #8 MODIFIED -LSGS | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                        | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|-------------------------------------|---------|------------|------------|-----------------------------|
| 24   | AASHTO #9 Aggregate -Limestone Only | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc              | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|---------------------------|---------|------------|------------|-----------------------------|
| 25   | AASHTO #9 Aggregate -LSGS | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                       | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|------------------------------------|---------|------------|------------|-----------------------------|
| 26   | AASHTO #9 MODIFIED -Limestone Only | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc             | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|--------------------------|---------|------------|------------|-----------------------------|
| 27   | AASHTO #9 MODIFIED -LSGS | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                         | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|--------------------------------------|---------|------------|------------|-----------------------------|
| 28   | AASHTO #10 Aggregate -Limestone Only | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                      | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|-----------------------------------|---------|------------|------------|-----------------------------|
| 29   | Stone for Gabions -Limestone Only | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc            | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|-------------------------|---------|------------|------------|-----------------------------|
| 30   | Stone for Gabions -LSGS | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                              | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|-------------------------------------------|---------|------------|------------|-----------------------------|
| 31   | Fine Aggregate (PCC or Mortar Sand) -LSGS | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                  | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|-------------------------------|---------|------------|------------|-----------------------------|
| 32   | Trail Surface Aggregate -LSGS | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                                 | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|----------------------------------------------|---------|------------|------------|-----------------------------|
| 33   | Limestone Standard Abrasives -Limestone Only | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                       | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|------------------------------------|---------|------------|------------|-----------------------------|
| 34   | Limestone Standard Abrasives -LSGS | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                       | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|------------------------------------|---------|------------|------------|-----------------------------|
| 35   | Sandstone Standard Abrasives -LSGS | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc        | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|---------------------|---------|------------|------------|-----------------------------|
| 36   | Steel Slag for SRIC | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                                 | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|----------------------------------------------|---------|------------|------------|-----------------------------|
| 37   | Limestone MODIFIED Abrasives -Limestone Only | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                       | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|------------------------------------|---------|------------|------------|-----------------------------|
| 38   | Limestone MODIFIED Abrasives -LSGS | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                       | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|------------------------------------|---------|------------|------------|-----------------------------|
| 39   | Sandstone Modified Abrasives -LSGS | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|--------------|---------|------------|------------|-----------------------------|
| 40   | Cinders      | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc     | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|------------------|---------|------------|------------|-----------------------------|
| 41   | Pea Gravel -LSGS | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                  | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|-------------------------------|---------|------------|------------|-----------------------------|
| 42   | #11 Limestone Abrasives -LSGS | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc       | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|--------------------|---------|------------|------------|-----------------------------|
| 43   | Quarry Waste -LSGS | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc  | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|---------------|---------|------------|------------|-----------------------------|
| 44   | Rip Rap -LSGS | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc              | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|---------------------------|---------|------------|------------|-----------------------------|
| 45   | Shot Rock -Limestone Only | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc    | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|-----------------|---------|------------|------------|-----------------------------|
| 46   | Shot Rock -LSGS | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc     | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|------------------|---------|------------|------------|-----------------------------|
| 47   | Imbricated Stone | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                   | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|--------------------------------|---------|------------|------------|-----------------------------|
| 48   | Spreading Surcharge/Tailgating | 0.00000 | TON        | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 78121601  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                               | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|--------------------------------------------|---------|------------|------------|-----------------------------|
| 49   | Haul, First Ton-Mile (Contract Items 1-43) | 0.00000 | MILE       | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 78121601  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                                    | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|-------------------------------------------------|---------|------------|------------|-----------------------------|
| 50   | Haul, Additional Ton-Mile (Contract Items 1-43) | 0.00000 | MILE       | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 78121601  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                                | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|---------------------------------------------|---------|------------|------------|-----------------------------|
| 51   | Haul, First Ton-Mile (Contract Items 44-47) | 0.00000 | MILE       | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 78121601  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

| Line | Comm Ln Desc                                     | Qty     | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|--------------------------------------------------|---------|------------|------------|-----------------------------|
| 52   | Haul, Additional Ton-Mile (Contract Items 44-47) | 0.00000 | MILE       | 1.000000   | 0.00                        |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 78121601  |              |               |         |

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST



State of West Virginia  
Agency Request for Quote  
Highways

**Proc Folder:** 1981138  
**Doc Description:** Stone & Agg Material & Delivery to Non-Established Locations

**Reason for Modification:**

**Proc Type:** Agency Master Agreement

| Date Issued | Solicitation Closes | Solicitation No         | Version |
|-------------|---------------------|-------------------------|---------|
| 2026-05-29  | 2026-06-24 10:30    | ARFQ 0803 DOT2600000094 | 1       |

PROCUREMENT DIVISION  
DIVISION OF HIGHWAYS  
BLDG 6 RM 340A  
1900 KANAWHA BLVD E  
CHARLESTON WV 25305  
US

**VENDOR**

**Vendor Customer Code:** VC 0000096990

**Vendor Name :** East River

**Address :** PO Box 975

**Street :**

**City :** Princeton

**State :** WV

**Country :** US

**Zip :** 27740

**Principal Contact :** Brandon Henkes

**Vendor Contact Phone:** 304-425-5329

**Extension:**

**FOR INFORMATION CONTACT THE BUYER**

Jeromie F Lanham  
304-720-7383  
jeromie.f.lanham@wv.gov

**Vendor  
Signature X**

**FEIN#**

83-2520301

**DATE**

6/18/26

All offers subject to all terms and conditions contained in this solicitation

THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION - PROCUREMENT DIVISION - SOLICITATION OF AN OPEN-  
END CONTRACT OF STONE & AGGREGATE MATERIAL AND DELIVERY TO NON-ESTABLISHED LOCATIONS FOR  
STATEWIDE USE PER THE ATTACHED DOCUMENTS.

QUESTIONS REGARDING THE SOLICITATION MUST BE SUBMITTED IN WRITING TO  
DOTPROCUREMENTTECHQUES@WV.GOV PRIOR TO THE QUESTION PERIOD DEADLINE CONTAINED IN THE  
INSTRUCTIONS TO VENDORS SUBMITTING BIDS.

\*\*\*\*\*NOTICE\*\*\*\*\*

WE DO NOT ACCEPT EMAIL BIDS

MUST USE ONE OF THE FOLLOWING TO SUBMIT A BID:

- \* UPLOAD TO OASIS
- \* HAND DELIVERY
- \* MAIL IN HARD COPY
- \* FAX TO 304-558-0047

MAKE SURE YOU DOWNLOAD ALL INFORMATION - THE COMPLETE SOLICITATION - PRICING PAGES - SIGN THE PAGES  
THAT NEED SIGNED

PLEASE NOTE THAT TO BE AWARDED THIS CONTRACT YOU WILL NEED TO BE REGISTERED WITH WV STATE  
PURCHASING DIVISION, AND COMPLIANT WITH SEVERAL AGENCIES SUCH AS THE WVSOS, TAX DEPARTMENT,  
WORKER'S COMPENSATION, AND UNEMPLOYMENT INSURANCE.

VARIOUS AGENCY  
LOCATIONS  
AS INDICATED BY ORDER

No City                      WV  
US

VARIOUS AGENCY  
LOCATIONS  
AS INDICATED BY ORDER

No City                      WV  
US

| Line | Comm Ln Desc                      | Qty     | Unit Issue | Unit Price | Total Price |
|------|-----------------------------------|---------|------------|------------|-------------|
| 1    | Class 1 Aggregate -Limestone Only | 0.00000 | TON        |            |             |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 11111600  |              |               |         |

**Extended Description:**  
SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

**INSTRUCTIONS TO VENDORS SUBMITTING BIDS**  
**(Agency Delegated Procurements Only)**

**1. REVIEW DOCUMENTS THOROUGHLY:** The attached documents contain a solicitation for bids. Please read these instructions and all documents attached in their entirety. These instructions provide critical information about requirements that if overlooked could lead to disqualification of a Vendor's bid. All bids must be submitted in accordance with the provisions contained in these instructions and the Solicitation. Failure to do so may result in disqualification of Vendor's bid.

**2. MANDATORY TERMS:** The Solicitation may contain mandatory provisions identified by the use of the words "must," "will," and "shall." Failure to comply with a mandatory term in the Solicitation will result in bid disqualification.

**2A. PREBID MEETING:** The item identified below shall apply to this Solicitation.

☒ A pre-bid meeting will not be held prior to bid opening

☐ A MANDATORY PRE-BID meeting will be held at the following place and time:

All Vendors submitting a bid must attend the mandatory pre-bid meeting. Failure to attend the mandatory pre-bid meeting shall result in disqualification of the Vendor's bid. No one individual is permitted to represent more than one vendor at the pre-bid meeting. Any individual that does attempt to represent two or more vendors will be required to select one vendor to which the individual's attendance will be attributed. The vendors not selected will be deemed to have not attended the pre-bid meeting unless another individual attended on their behalf. The required attribution of attendance to a single vendor should be addressed during the pre-bid but may occur at any time deemed appropriate by the Purchasing Division.

An attendance sheet provided at the pre-bid meeting shall serve as the official document verifying attendance. Any person attending the pre-bid meeting on behalf of a Vendor must list on the attendance sheet his or her name and the name of the Vendor he or she is representing.

Additionally, the person attending the pre-bid meeting should include the Vendor's E-Mail address, phone number, and Fax number on the attendance sheet. It is the Vendor's responsibility to locate the attendance sheet and provide the required information. Failure to complete the attendance sheet as required may result in disqualification of Vendor's bid.

All Vendors should arrive prior to the starting time for the pre-bid. Vendors who arrive after the starting time but prior to the end of the pre-bid will be permitted to sign in, but are charged with knowing all matters discussed at the pre-bid.

Questions submitted at least five business days prior to a scheduled pre-bid will be discussed at the pre-bid meeting if possible. Any discussions or answers to questions at the pre-bid meeting are preliminary in nature and are non-binding. Official and binding answers to questions will be published in a written addendum to the Solicitation prior to bid opening.

**3. VENDOR QUESTION DEADLINE:** Vendors may submit questions relating to this Solicitation to the Agency Contact. Questions must be submitted in writing. All questions must be submitted on or before the date listed below and to the address listed below to be considered. A written response will be published in a Solicitation addendum if a response is possible and appropriate. Non-written discussions, conversations, or questions and answers regarding this Solicitation are preliminary in nature and are nonbinding.

Submitted emails should have the solicitation number in the subject line.

Question Submission Deadline: 06/11/2026 by 10:00 AM EST

Submit Questions to:

DOTPROCUREMENTTECHQUES@WV.GOV

Email: DOTPROCUREMENTTECHQUES@WV.GOV

**4. BID SUBMISSION:** All bids must be submitted electronically through wvOASIS or signed and delivered by the Vendor to the Agency on or before the date and time of the bid opening. Any bid received by the Agency staff is considered to be in the possession of the Agency and will not be returned for any reason.

#### **4A. BID SUBMISSION**

A bid that is not submitted electronically through wvOASIS should contain the information listed below on the face of the envelope or the bid may be rejected by the Agency.

SEALED BID: STONE & AGG MATERIAL & DELIVERY TO NON-ESTABLISHED LOCATIONS

BUYER: JEROMIE LANHAM

SOLICITATION NO.: ARFQ 0803 DOT2600000094

BID OPENING DATE: 06/24/2026

BID OPENING TIME: 10:30 AM EST

FAX NUMBER: 304-558-0047

**5. ADDENDUM ACKNOWLEDGEMENT:** Changes or revisions to this Solicitation will be made by an official addendum issued by the Agency. Vendor should acknowledge receipt of all addenda issued with this Solicitation by completing an Addendum Acknowledgment Form, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

**6. BID FORMATTING:** Vendor should type or electronically enter the information onto its bid to prevent errors in the evaluation. Failure to type or electronically enter the information may result in bid disqualification.

**7. ALTERNATE MODEL OR BRAND:** Unless the box below is checked, any model, brand, or specification listed in this Solicitation establishes the acceptable level of quality only and is not intended to reflect a preference for, or in any way favor, a particular brand or vendor. Vendors may bid alternates to a listed model or brand provided that the alternate is at least equal to the model or brand and complies with the required specifications. The equality of any alternate being bid shall be determined by the State at its sole discretion. Any Vendor bidding an alternate model or brand should clearly identify the alternate items in its bid and should include manufacturer's specifications, industry literature, and/or any other relevant documentation demonstrating the equality of the alternate items. Failure to provide information for alternate items may be grounds for rejection of a Vendor's bid.

☐ This Solicitation is based upon a standardized commodity established under West Virginia Code § 5A-3-61. Vendors are expected to bid the standardized commodity identified. Failure to bid the standardized commodity will result in your firm's bid being rejected.

**8. EXCEPTIONS AND CLARIFICATIONS:** The Solicitation contains the specifications that shall form the basis of a contractual agreement. Vendor shall clearly mark any exceptions, clarifications, or other proposed modifications in its bid. Exceptions to, clarifications of, or modifications of a requirement or term and condition of the Solicitation may result in bid disqualification.

**9. REGISTRATION:** Prior to Contract award, the apparent successful Vendor must be properly registered with the West Virginia Purchasing Division and must have paid the \$125 fee, if applicable.

**10. UNIT PRICE:** Unit prices shall prevail in cases of a discrepancy in the Vendor's bid.

**11. PREFERENCE:** Vendor Preference may be requested in purchases of motor vehicles or construction and maintenance equipment and machinery used in highway and other infrastructure projects. Any request for preference must be submitted in writing with the bid, must specifically identify the preference requested with reference to the applicable subsection of West Virginia Code § 5A-3-37, and must include with the bid any information necessary to evaluate and confirm the applicability of the requested preference. A request form to help facilitate the request can be found at: <http://www.state.wv.us/admin/purchase/vrc/Venpref.pdf>.

**11A. RECIPROCAL PREFERENCE:** The State of West Virginia applies a reciprocal preference to all solicitations for commodities and printing in accordance with W. Va. Code § 5A-3-37(b). In effect, if reciprocal preference is requested by a West Virginia resident vendor, non-resident vendors receiving a preference in their home states, will see that same preference granted to West Virginia resident vendors bidding against them in West Virginia. Any request for reciprocal preference must include with the bid any information necessary to evaluate and confirm the applicability of the preference. A request form to help facilitate the request can be found at: <http://www.state.wv.us/admin/purchase/vrc/Venpref.pdf>.

**12. SMALL, WOMEN-OWNED, OR MINORITY-OWNED BUSINESSES:** For any solicitations publicly advertised for bid, in accordance with West Virginia Code §5A-3-37 and W. Va. CSR § 148-22-9, any non-resident vendor certified as a small, women-owned, or minority-owned business under W. Va. CSR § 148-22-9 shall be provided the same preference made available to any resident vendor. Any non-resident small, women-owned, or minority-owned business must identify itself as such in writing, must submit that writing to the Purchasing Division with its bid, and must be properly certified under W. Va. CSR § 148-22-9 prior to contract award to receive the preferences made available to resident vendors. Preference for a non-resident small, women-owned, or minority owned business shall be applied in accordance with W. Va. CSR § 148-22-9.

**13. ELECTRONIC FILE ACCESS RESTRICTIONS:** Vendor must ensure that its submission in wvOASIS can be accessed and viewed by the Agency staff immediately upon bid opening. The Agency will consider any file that cannot be immediately access and viewed at the time of the bid opening (such as, encrypted files, password protected files, or incompatible files) to be blank or incomplete as context requires, and therefore unacceptable. A vendor will not be permitted to unencrypt files, remove password protections, or resubmit documents after bid opening to make a file viewable if those documents are required with the bid. A Vendor may be required to provide document passwords or removed access restrictions to allow the Agency to print or electronically save documents provided that those documents are viewable by the Agency prior to obtaining the password or removing the access restriction.

**14. NON-RESPONSIBLE:** The Purchasing Division Director reserves the right to reject the bid of any vendor as Non-Responsible in accordance with W. Va. Code of State Rules § 148-1-5.3, when the Director determines that the vendor submitting the bid does not have the capability to fully perform, or lacks the integrity and reliability to assure good-faith performance.”

**15. ACCEPTANCE/REJECTION:** The State may accept or reject any bid in whole, or in part in accordance with W. Va. Code of State Rules § 148-1-4.5. and § 148-1-6.4.b.”

**16. YOUR SUBMISSION IS A PUBLIC DOCUMENT:** Vendor’s entire response to the Solicitation and the resulting Contract are public documents. As public documents, they will be disclosed to the public following the bid/proposal opening or award of the contract, as required by the competitive bidding laws of West Virginia Code §§ 5A-3-1 et seq., 5-22-1 et seq., 5G-1-1 et seq. and the Freedom of Information Act in West Virginia Code §§ 29B-1-1 et seq.

**DO NOT SUBMIT MATERIAL YOU CONSIDER TO BE CONFIDENTIAL, A TRADE SECRET, OR OTHERWISE NOT SUBJECT TO PUBLIC DISCLOSURE.**

Submission of any bid, proposal, or other document to the Purchasing Division constitutes your explicit consent to the subsequent public disclosure of the bid, proposal, or document. The Purchasing Division will disclose any document labeled “confidential,” “proprietary,” “trade secret,” “private,” or labeled with any other claim against public disclosure of the documents, to include any “trade secrets” as defined by West Virginia Code § 47-22-1 et seq. All submissions are subject to public disclosure without notice.

**GENERAL TERMS AND CONDITIONS:  
(Agency Delegated Procurements Only)**

**1. CONTRACTUAL AGREEMENT:** Issuance of an Award Document signed by the Agency and approved as to form by the Attorney General's office, if required, constitutes acceptance by the State of this Contract made by and between the State of West Virginia and the Vendor. Vendor's signature on its bid, or on the Contract if the Contract is not the result of a bid solicitation, signifies Vendor's agreement to be bound by and accept the terms and conditions contained in this Contract.

**2. DEFINITIONS:** As used in this Solicitation/Contract, the following terms shall have the meanings attributed to them below. Additional definitions may be found in the specifications included with this Solicitation/Contract.

**2.1. "Agency" or "Agencies"** means the agency, board, commission, or other entity of the State of West Virginia that is identified on the first page of the Solicitation or any other public entity seeking to procure goods or services under this Contract.

**2.2. "Bid" or "Proposal"** means the vendors submitted response to this solicitation.

**2.3. "Contract"** means the binding agreement that is entered into between the State and the Vendor to provide the goods or services requested in the Solicitation.

**2.4. "Director"** means the Director of the West Virginia Department of Administration, Purchasing Division.

**2.5. "Purchasing Division"** means the West Virginia Department of Administration, Purchasing Division.

**2.6. "Award Document"** means the document signed by the Agency that identifies the Vendor as the contract holder.

**2.7. "Solicitation"** means the official notice of an opportunity to supply the State with goods or services.

**2.8. "State"** means the State of West Virginia and/or any of its agencies, commissions, boards, etc. as context requires.

**2.9. "Vendor" or "Vendors"** means any entity submitting a bid in response to the Solicitation, the entity that has been selected as the lowest responsible bidder, or the entity that has been awarded the Contract as context requires.

**3. CONTRACT TERM; RENEWAL; EXTENSION:** The term of this Contract shall be determined in accordance with the category that has been identified as applicable to this Contract below:

☒ **Term Contract**

**Initial Contract Term:** This Contract becomes effective on \_\_\_\_\_ and the initial contract term extends until one (1) year.

**Renewal Term:** This Contract may be renewed upon the mutual written consent of the Agency, and the Vendor. Any request for renewal should be delivered to the Agency thirty (30) days prior to the expiration date of the initial contract term or appropriate renewal term. A Contract renewal shall be in accordance with the terms and conditions of the original contract. Unless otherwise specified below, renewal of this Contract is limited to three (3) successive one (1) year periods or multiple renewal periods of less than one year, provided that the multiple renewal periods do not exceed the total number of months available in all renewal years combined. Automatic renewal of this Contract is prohibited.

☐ **Alternate Renewal Term** – This contract may be renewed for \_\_\_\_\_ successive \_\_\_\_\_ year periods or shorter periods provided that they do not exceed the total number of months contained in all available renewals. Automatic renewal of this Contract is prohibited. Renewals must be approved by the Vendor and Agency.

**Delivery Order Limitations:** In the event that this contract permits delivery orders, a delivery order may only be issued during the time this Contract is in effect. Any delivery order issued within one year of the expiration of this Contract shall be effective for one year from the date the delivery order is issued. No delivery order may be extended beyond one year after this Contract has expired.

☐ **Fixed Period Contract:** This Contract becomes effective upon Vendor's receipt of the notice to proceed and must be completed within \_\_\_\_\_ days.

☐ **Fixed Period Contract with Renewals:** This Contract becomes effective upon Vendor's receipt of the notice to proceed and part of the Contract more fully described in the attached specifications must be completed within \_\_\_\_\_ days. Upon completion of the work covered by the preceding sentence, the vendor agrees that maintenance, monitoring, or warranty services will be provided for \_\_\_\_\_ year(s) thereafter.

☐ **One Time Purchase:** The term of this Contract shall run from the issuance of the Award Document until all of the goods contracted for have been delivered, but in no event will this Contract extend for more than one fiscal year.

☐ **Construction/Project Oversight:** This Contract becomes effective on the effective start date listed on the first page of this Contract, identified as the State of West Virginia contract cover page containing the signatures of the State Agency (or another page identified as \_\_\_\_\_), and continues until the project for which the vendor is providing oversight is complete.

☐ **Other:** See attached.

**4. AUTHORITY TO PROCEED:** Vendor is authorized to begin performance of this contract on the date of encumbrance listed on the front page of the Award Document unless either the box for "Fixed Period Contract" or "Fixed Period Contract with Renewals" has been checked in Section 3 above. If either "Fixed Period Contract" or "Fixed Period Contract with Renewals" has been checked, Vendor must not begin work until it receives a separate notice to proceed from the State. The notice to proceed will then be incorporated into the Contract via change order to memorialize the official date that work commenced.

**5. QUANTITIES:** The quantities required under this Contract shall be determined in accordance with the category that has been identified as applicable to this Contract below.

☒ **Open End Contract:** Quantities listed in this Solicitation/Award Document are approximations only, based on estimates supplied by the Agency. It is understood and agreed that the Contract shall cover the quantities actually ordered for delivery during the term of the Contract, whether more or less than the quantities shown.

☐ **Service:** The scope of the service to be provided will be more clearly defined in the specifications included herewith.

☐ **Combined Service and Goods:** The scope of the service and deliverable goods to be provided will be more clearly defined in the specifications included herewith.

☐ **One Time Purchase:** This Contract is for the purchase of a set quantity of goods that are identified in the specifications included herewith. Once those items have been delivered, no additional goods may be procured under this Contract without an appropriate change order approved by the Vendor, Agency, Purchasing Division, and Attorney General's office.

☐ **Construction:** This Contract is for construction activity more fully defined in the specifications.

**6. EMERGENCY PURCHASES:** The Purchasing Division Director may authorize the Agency to purchase goods or services in the open market that Vendor would otherwise provide under this Contract if those goods or services are for immediate or expedited delivery in an emergency. Emergencies shall include, but are not limited to, delays in transportation or an unanticipated increase in the volume of work. An emergency purchase in the open market, approved by the Purchasing Division Director, shall not constitute a breach of this Contract and shall not entitle the Vendor to any form of compensation or damages. This provision does not excuse the State from fulfilling its obligations under a One Time Purchase contract.

**7. REQUIRED DOCUMENTS:** All of the items checked below must be provided to the Agency by the Vendor as specified below.

☐ **LICENSE(S) / CERTIFICATIONS / PERMITS:** In addition to anything required under the Section of the General Terms and Conditions entitled Licensing, the apparent successful Vendor shall furnish proof of the following licenses, certifications, and/or permits upon request and in a form acceptable to the State. The request may be prior to or after contract award at the State's sole discretion.

☐☐☐☐

The apparent successful Vendor shall also furnish proof of any additional licenses or certifications contained in the specifications regardless of whether or not that requirement is listed above.

**8. INSURANCE:** The apparent successful Vendor shall furnish proof of the insurance identified by a checkmark below on each policy prior to Contract award. The insurance coverages identified below must be maintained throughout the life of this contract. Thirty (30) days prior to the expiration of the insurance policies Vendor shall provide the Agency with proof that the insurance

mandated herein has been continued. Vendor must also provide Agency with immediate notice of any changes in its insurance policies, including but not limited to, policy cancelation, policy reduction, or change in insurers. The apparent successful Vendor shall also furnish proof of any additional insurance requirements contained in the specifications prior to Contract award regardless of whether or not that insurance requirement is listed in this section.

Vendor must maintain:

☒ **Commercial General Liability Insurance** in at least an amount of:

\$1,000,000.00 per occurrence.

☒ **Automobile Liability Insurance** in at least an amount of: \$1,000,000.00 per occurrence.

☐ **Professional/Malpractice/Errors and Omission Insurance** in at least an amount of: \_\_\_\_\_ per occurrence. Notwithstanding the forgoing, Vendor's are not required to list the State as an additional insured for this type of policy.

☐ **Commercial Crime and Third Party Fidelity Insurance** in an amount of: \_\_\_\_\_ per occurrence.

☐ **Cyber Liability Insurance** in an amount of: \_\_\_\_\_ per occurrence.

☐ **Builders Risk Insurance** in an amount equal to 100% of the amount of the Contract.

☐ **Pollution Insurance** in an amount of: \_\_\_\_\_ per occurrence.

☐ **Aircraft Liability** in an amount of: \_\_\_\_\_ per occurrence.

☐

☐

☐

☐

**9. WORKERS' COMPENSATION INSURANCE:** Vendor shall comply with laws relating to workers compensation, shall maintain workers' compensation insurance when required, and shall furnish proof of workers' compensation insurance upon request.

**10. LIQUIDATED DAMAGES:** This clause shall in no way be considered exclusive and shall not limit the State or Agency's right to pursue any other available remedy. Vendor shall pay liquidated damages in the amount specified below or as described in the specifications:

☐ \_\_\_\_\_ for \_\_\_\_\_

☒ Liquidated Damages Contained in the Specifications.

☐ Liquidated Damages Are Not Included in this Contract.

**11. ACCEPTANCE:** Vendor's signature on its bid, or on the certification and signature page, constitutes an offer to the State that cannot be unilaterally withdrawn, signifies that the product or service proposed by vendor meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise indicated, and signifies acceptance of the terms and conditions contained in the Solicitation unless otherwise indicated.

**12. PRICING:** The pricing set forth herein is firm for the life of the Contract, unless specified elsewhere within this Solicitation/Contract by the State. A Vendor's inclusion of price adjustment provisions in its bid, without an express authorization from the State in the Solicitation to do so, may result in bid disqualification. Notwithstanding the foregoing, Vendor must extend any publicly advertised sale price to the State and invoice at the lower of the contract price or the publicly advertised sale price.

**13. PAYMENT IN ARREARS:** Payments for goods/services will be made in arrears only upon receipt of a proper invoice, detailing the goods/services provided or receipt of the goods/services, whichever is later. Notwithstanding the foregoing, payments for software licenses, subscriptions, or maintenance may be paid annually in advance.

**14. PAYMENT METHODS:** Vendor must accept payment by electronic funds transfer or P-Card. (The State of West Virginia's Purchasing Card program, administered under contract by a banking institution, processes payment for goods and services through state designated credit cards.)

**15. ADDITIONAL FEES:** Vendor is not permitted to charge additional fees or assess additional charges that were not either expressly provided for in the solicitation published by the State of West Virginia, included in the Contract, or included in the unit price or lump sum bid amount that Vendor is required by the solicitation to provide. Including such fees or charges as notes to the solicitation may result in rejection of vendor's bid. Requesting such fees or charges be paid after the contract has been awarded may result in cancellation of the contract.

**16. TAXES:** The Vendor shall pay any applicable sales, use, personal property or any other taxes arising out of this Contract and the transactions contemplated thereby. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.

**17. FUNDING:** This Contract shall continue for the term stated herein, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise made available, this Contract becomes void and of no effect beginning on July 1 of the fiscal year for which funding has not been appropriated or otherwise made available. If that occurs, the State may notify the Vendor that an alternative source of funding has been obtained and thereby avoid the automatic termination. Non-appropriation or non-funding shall not be considered an event of default.

**18. CANCELLATION:** The State reserves the right to cancel this Contract immediately upon written notice to the vendor if the materials or workmanship supplied do not conform to the specifications contained in the Contract. The Agency may also cancel any purchase or Contract upon 30 days written notice to the Vendor in accordance with West Virginia Code of State Rules § 148-1-5.2.b.

**19. TIME:** Time is of the essence with regard to all matters of time and performance in this Contract.

**20. APPLICABLE LAW:** This Contract is governed by and interpreted under West Virginia law without giving effect to its choice of law principles. Any information provided in specification manuals, or any other source, verbal or written, which contradicts or violates the West Virginia Constitution, West Virginia Code or West Virginia Code of State Rules is void and of no effect.

**20A. VENUE:** All legal actions for damages brought by Vendor against the State shall be brought in the West Virginia Claims Commission. Other causes of action must be brought in the West Virginia court authorized by statute to exercise jurisdiction over it.

**21. COMPLIANCE WITH LAWS:** Vendor shall comply with all applicable federal, state, and local laws, regulations and ordinances. By submitting a bid, Vendor acknowledges that it has reviewed, understands, and will comply with all applicable laws, regulations, and ordinances. Vendor shall notify all subcontractors providing commodities or services related to this Contract that as subcontractors, they too are required to comply with all applicable laws, regulations, and ordinances.

**22. ARBITRATION:** Any references made to arbitration contained in this Contract, Vendor's bid, or in any American Institute of Architects documents pertaining to this Contract are hereby deleted, void, and of no effect.

**23. MODIFICATIONS:** This writing is the parties' final expression of intent. Notwithstanding anything contained in this Contract to the contrary, no modification of this Contract shall be binding without mutual written consent of the Agency, and the Vendor.

**24. WAIVER:** The failure of either party to insist upon a strict performance of any of the terms or provision of this Contract, or to exercise any option, right, or remedy herein contained, shall not be construed as a waiver or a relinquishment for the future of such term, provision, option, right, or remedy, but the same shall continue in full force and effect. Any waiver must be expressly stated in writing and signed by the waiving party.

**25. SUBSEQUENT FORMS:** The terms and conditions contained in this Contract shall supersede any and all subsequent terms and conditions which may appear on any form documents submitted by Vendor to the Agency or Purchasing Division such as price lists, order forms, invoices, sales agreements, or maintenance agreements, and includes internet websites or other electronic documents. Acceptance or use of Vendor's forms does not constitute acceptance of the terms and conditions contained thereon.

**26. ASSIGNMENT:** Neither this Contract nor any monies due, or to become due hereunder, may be assigned by the Vendor without the express written consent of the Agency and any other government agency or office that may be required to approve such assignments.

**27. WARRANTY:** The Vendor expressly warrants that the goods and/or services covered by this Contract will: (a) conform to the specifications, drawings, samples, or other description furnished or specified by the Agency; (b) be merchantable and fit for the purpose intended; and (c) be free from defect in material and workmanship.

**28. STATE EMPLOYEES:** State employees are not permitted to utilize this Contract for personal use and the Vendor is prohibited from permitting or facilitating the same.

**29. PRIVACY, SECURITY, AND CONFIDENTIALITY:** The Vendor agrees that it will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the Agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the Agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in [www.state.wv.us/admin/purchase/privacy](http://www.state.wv.us/admin/purchase/privacy).

**30. YOUR SUBMISSION IS A PUBLIC DOCUMENT:** Vendor's entire response to the Solicitation and the resulting Contract are public documents. As public documents, they will be disclosed to the public following the bid/proposal opening or award of the contract, as required by the competitive bidding laws of West Virginia Code §§ 5A-3-1 et seq., 5-22-1 et seq., and 5G-1-1 et seq. and the Freedom of Information Act West Virginia Code §§ 29B-1-1 et seq.

**DO NOT SUBMIT MATERIAL YOU CONSIDER TO BE CONFIDENTIAL, A TRADE SECRET, OR OTHERWISE NOT SUBJECT TO PUBLIC DISCLOSURE.**

Submission of any bid, proposal, or other document to the Purchasing Division constitutes your explicit consent to the subsequent public disclosure of the bid, proposal, or document. The Purchasing Division will disclose any document labeled "confidential," "proprietary," "trade secret," "private," or labeled with any other claim against public disclosure of the documents, to include any "trade secrets" as defined by West Virginia Code § 47-22-1 et seq. All submissions are subject to public disclosure without notice.

**31. LICENSING:** In accordance with West Virginia Code of State Rules § 148-1-6.1.e, Vendor must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agency or political subdivision. Obligations related to political subdivisions may include, but are not limited to, business licensing, business and occupation taxes, inspection compliance, permitting, etc. Upon request, the Vendor must provide all necessary releases to obtain information to enable the Purchasing Division Director or the Agency to verify that the Vendor is licensed and in good standing with the above entities. Vendor shall notify all subcontractors providing commodities or services related to this Contract that as subcontractors, they too are required to be licensed, in good standing, and up-to-date on all state and local obligations as described in this section.

**32. ANTITRUST:** In submitting a bid to, signing a contract with, or accepting an Award Document from any agency of the State of West Virginia, the Vendor agrees to convey, sell, assign, or transfer to the State of West Virginia all rights, title, and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to Vendor.

**33. VENDOR NON-CONFLICT:** Neither Vendor nor its representatives are permitted to have any interest, nor shall they acquire any interest, direct or indirect, which would compromise the performance of its services hereunder. Any such interests shall be promptly presented in detail to the Agency.

**34. VENDOR RELATIONSHIP:** The relationship of the Vendor to the State shall be that of an independent contractor and no principal-agent relationship or employer-employee relationship is contemplated or created by this Contract. The Vendor as an independent contractor is solely liable for the acts and omissions of its employees and agents. Vendor shall be responsible for selecting, supervising, and compensating any and all individuals employed pursuant to the terms of this Solicitation and resulting contract. Neither the Vendor, nor any employees or subcontractors of the Vendor, shall be deemed to be employees of the State for any purpose whatsoever. Vendor shall be exclusively responsible for payment of employees and contractors for all wages and salaries, taxes, withholding payments, penalties, fees, fringe benefits, professional liability insurance premiums, contributions to insurance and pension, or other deferred compensation plans, including but not limited to, Workers' Compensation and Social Security obligations, licensing fees, etc. and the filing of all necessary documents, forms, and returns pertinent to all of the foregoing. Vendor shall hold harmless the State, and shall provide the State and Agency with a defense against any and all claims including, but not limited to, the foregoing payments, withholdings, contributions, taxes, Social Security taxes, and employer income tax returns.

**35. INDEMNIFICATION:** The Vendor agrees to indemnify, defend, and hold harmless the State and the Agency, their officers, and employees from and against: (1) Any claims or losses for services rendered by any subcontractor, person, or firm performing or supplying services, materials, or supplies in connection with the performance of the Contract; (2) Any claims or losses resulting to any person or entity injured or damaged by the Vendor, its officers, employees, or subcontractors by the publication, translation, reproduction, delivery, performance, use, or disposition of any data used under the Contract in a manner not authorized by the Contract, or by Federal or State statutes or regulations; and (3) Any failure of the Vendor, its officers, employees, or subcontractors to observe State and Federal laws including, but not limited to, labor and wage and hour laws.

**36. NO DEBT CERTIFICATION:** In accordance with West Virginia Code §§ 5A-3-10a and 5-22-1(i), the State is prohibited from awarding a contract to any bidder that owes a debt to the State or a political subdivision of the State. By submitting a bid, or entering into a contract with the State, Vendor is affirming that (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither Vendor nor any related party are in employer default as defined in the statute cited above unless the debt or employer default is permitted under the statute.

**37. CONFLICT OF INTEREST:** Vendor, its officers or members or employees, shall not presently have or acquire an interest, direct or indirect, which would conflict with or compromise the performance of its obligations hereunder. Vendor shall periodically inquire of its officers, members and employees to ensure that a conflict of interest does not arise. Any conflict of interest discovered shall be promptly presented in detail to the Agency.

**38. REPORTS:** Vendor shall provide the Agency and/or the Purchasing Division with the following reports identified by a checked box below:

☒ Such reports as the Agency and/or the Purchasing Division may request. Requested reports may include, but are not limited to, quantities purchased, agencies utilizing the contract, total contract expenditures by agency, etc.

☒ Quarterly reports detailing the total quantity of purchases in units and dollars, along with a listing of purchases by agency. Quarterly reports should be delivered to the Purchasing Division via email at [purchasing.division@wv.gov](mailto:purchasing.division@wv.gov).

**39. BACKGROUND CHECK:** In accordance with W. Va. Code § 15-2D-3, the State reserves the right to prohibit a service provider's employees from accessing sensitive or critical information or to be present at the Capitol complex based upon results addressed from a criminal background check. Service providers should contact the West Virginia Division of Protective Services by phone at (304) 558-9911 for more information.

**40. PREFERENCE FOR USE OF DOMESTIC STEEL PRODUCTS:** Except when authorized by the Director of the Purchasing Division pursuant to W. Va. Code § 5A-3-56, no contractor may use or supply steel products for a State Contract Project other than those steel products made in the United States. A contractor who uses steel products in violation of this section may be subject to civil penalties pursuant to W. Va. Code § 5A-3-56. As used in this section:

- a. "State Contract Project" means any erection or construction of, or any addition to, alteration of or other improvement to any building or structure, including, but not limited to, roads or highways, or the installation of any heating or cooling or ventilating plants or other equipment, or the supply of and materials for such projects, pursuant to a contract with the State of West Virginia for which bids were solicited on or after June 6, 2001.
- b. "Steel Products" means products rolled, formed, shaped, drawn, extruded, forged, cast, fabricated or otherwise similarly processed, or processed by a combination of two or more or such operations, from steel made by the open hearth, basic oxygen, electric furnace, Bessemer or other steel making process. The Purchasing Division Director may, in writing, authorize the use of foreign steel products if:
- c. The cost for each contract item used does not exceed one tenth of one percent (.1%) of the total contract cost or two thousand five hundred dollars (\$2,500.00), whichever is greater. For the purposes of this section, the cost is the value of the steel product as delivered to the project; or
- d. The Director of the Purchasing Division determines that specified steel materials are not produced in the United States in sufficient quantity or otherwise are not reasonably available to meet contract requirements.

**41. PREFERENCE FOR USE OF DOMESTIC ALUMINUM, GLASS, AND STEEL:** In Accordance with W. Va. Code § 5-19-1 et seq., and W. Va. CSR § 148-10-1 et seq., for every contract or subcontract, subject to the limitations contained herein, for the construction, reconstruction, alteration, repair, improvement or maintenance of public works or for the purchase of any item of machinery or equipment to be used at sites of public works, only domestic aluminum, glass or steel products shall be supplied unless the spending officer determines, in writing, after the receipt of offers or bids, (1) that the cost of domestic aluminum, glass or steel products is unreasonable or inconsistent with the public interest of the State of West Virginia, (2) that domestic aluminum, glass or steel products are not produced in sufficient quantities to meet the contract requirements, or (3) the available domestic aluminum, glass, or steel do not meet the contract specifications. This provision only applies to public works contracts awarded in an amount more than fifty thousand dollars (\$50,000) or public works contracts that require more than ten thousand pounds of steel products.

The cost of domestic aluminum, glass, or steel products may be unreasonable if the cost is more than twenty percent (20%) of the bid or offered price for foreign made aluminum, glass, or steel products. If the domestic aluminum, glass or steel products to be supplied or produced in a "substantial labor surplus area", as defined by the United States Department of Labor, the cost of domestic aluminum, glass, or steel products may be unreasonable if the cost is more than thirty percent (30%) of the bid or offered price for foreign made aluminum, glass, or steel products. This preference shall be applied to an item of machinery or equipment, as indicated above, when the

item is a single unit of equipment or machinery manufactured primarily of aluminum, glass or steel, is part of a public works contract and has the sole purpose or of being a permanent part of a single public works project. This provision does not apply to equipment or machinery purchased by a spending unit for use by that spending unit and not as part of a single public works project.

All bids and offers including domestic aluminum, glass or steel products that exceed bid or offer prices including foreign aluminum, glass or steel products after application of the preferences provided in this provision may be reduced to a price equal to or lower than the lowest bid or offer price for foreign aluminum, glass or steel products plus the applicable preference. If the reduced bid or offer prices are made in writing and supersede the prior bid or offer prices, all bids or offers, including the reduced bid or offer prices, will be reevaluated in accordance with this rule.

**42. PROHIBITION AGAINST USED OR REFURBISHED:** Unless expressly permitted in the solicitation published by the State, Vendor must provide new, unused commodities, and is prohibited from supplying used or refurbished commodities, in fulfilling its responsibilities under this Contract.

**43. VOID CONTRACT CLAUSES –** This Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law.

**DESIGNATED CONTACT:** Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

Brandon Henkes - Sales Manager  
(Printed Name and Title)  
PO Box 975 Princeton, WV 24741  
(Address)  
304-425-5329  
(Phone Number) / (Fax Number)  
aaa paving and sealing @ hot mail .com  
(E-mail address)

**CERTIFICATION AND SIGNATURE:** By signing below, or submitting documentation through WV OASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; ; that this bid or offer was made without prior understanding, agreement, or connection with any entity submitting a bid or offer for the same material, supplies, equipment or services; that this bid or offer is in all respects fair and without collusion or fraud; that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; that I am authorized by the Vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on Vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the Vendor has properly registered with any State agency that may require registration.

By signing below, I further certify that I understand this Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law.

East River Aggregates  
(Company)

  
(Signature of Authorized Representative)

Brandon Henkes - Sales Manager  
(Printed Name and Title of Authorized Representative)

6/18/24  
(Date)

304-425-5329  
(Phone Number) (Fax Number)

REQUEST FOR QUOTATION  
Stone & Aggregate, Delivery to Non-Established Locations

---

**SPECIFICATIONS**

1. **PURPOSE AND SCOPE:** The West Virginia Division of Transportation is soliciting bids to establish an open-end contract for various sizes and types of Stone, Aggregate, Cinders and Slag with hauling and delivery by the Vendor, FOB to the Agency's **Non-Established Location** project sites throughout the state of West Virginia.
  
2. **DEFINITIONS:** The terms listed below shall have the following meanings assigned to them throughout and for the purpose of this Solicitation. Additional definitions can be found in Section 2 of the General Terms and Conditions.
  - 2.1 **"A-1"** - Refers to the highest rating given to certified manufacturers and/or products on the Materials Control, Soils and Testing Division's Approved Products Lists (APL). Reference:  
[https://transportation.wv.gov/highways/mcst/Pages/APL\\_By\\_Number.aspx](https://transportation.wv.gov/highways/mcst/Pages/APL_By_Number.aspx).
  
  - 2.2 **"AASHTO"** - The American Association of State Highway and Transportation Officials is a standard setting body which publishes specifications, test protocols, and guidelines that are used in highway design and construction throughout the United States. Reference: [www.transportation.org](http://www.transportation.org).
  
  - 2.3 **"ADO" and "Agency Delivery Order"** - A written order entered by WVDOT personnel in the wvOASIS financial system against a master agreement, authorizing quantities of commodities and/or services to be delivered in accordance with all terms, conditions, and prices stipulated in the original contract.
  
  - 2.4 **"APL"** - refers to the Approved Product Lists (APL) of certified manufacturers and/or products that meet acceptable levels of quality as determined by WVDOH Materials Control, Soils and Testing Division (MCS&T). Reference:  
[https://transportation.wv.gov/highways/mcst/Pages/APL\\_By\\_Number.aspx](https://transportation.wv.gov/highways/mcst/Pages/APL_By_Number.aspx).
  
  - 2.5 **"ASTM International" and "ASTM"** - The international standards organization that develops and publishes voluntary consensus technical standards for a wide range of materials, products, systems, and services. Reference: [www.astm.org](http://www.astm.org)
  
  - 2.6 **"Contract Item"** - The list of items available for Vendor to provide pricing as identified in Section 3.2 of this Solicitation and referenced throughout.
  
  - 2.7 **"Contractor" or "Vendor"** - Interchangeably used throughout this Solicitation and in any cited Sections of the West Virginia Department of Transportation, Division of Highways Standard Specifications, Roads and Bridges, adopted latest Standard Specs edition, as amended, including any Supplementals and refers to any entity submitting a bid in response to the Solicitation, the entity that has been

REQUEST FOR QUOTATION  
Stone & Aggregate, Delivery to Non-Established Locations

---

selected as the lowest responsible bidder, or the entity that has been awarded the Contract, as context requires.

- 2.8 **“Emergency Requests”**- orders that require fulfillment without delay and owing to circumstances for which the WVDOT could not have reasonably expected and has been designated as such by a WVDOT District Engineer or their designee.
- 2.9 **“FOB” or “Free on Board”** - Indicates that the price for goods includes delivery at the Vendor’s expense to a specified point, and that the Vendor retains liability for loss or damage until the goods are delivered.
- 2.10 **“Liquidated Damages”** - Monetary compensation due from the Vendor in the event the Vendor’s performance falls short of contractual stipulation or breaches the contract. Delays in the delivery of goods and/or services or quality failures or corrections by the Vendor may result in the Agency assessing charges for such deficiencies per these contract Specifications, the Standard Specs Section 108.7, as amended, and calculated from the table posted in Section 6.4.1 of these Specifications.
- 2.11 **“MCS&T”** - the WVDOH Materials Control, Soil and Testing Division, who performs all procedures necessary for the sampling, testing, reporting, and inspection of products and materials to maintain a reliable quality assurance system. Reference: <https://transportation.wv.gov/highways/mcst/Pages/default.aspx>
- 2.12 **“MP”** - refers to a Materials Procedure per the Materials Control, Soils, and Testing Division of the West Virginia Division of Highways, as amended. Reference: <https://transportation.wv.gov/highways/mcst/Pages/WVDOH-Materials-Procedures.aspx>
- 2.13 **“Pricing Pages,” “Attachment A,” and “ATT A”** - The schedule of prices attached hereto as Attachment A (ATT A) and used to evaluate Solicitation responses. THIS IS A MANDATORY FORM.
- 2.14 **“Solicitation”** - The official notice of an opportunity to supply the State with goods or services.
- 2.15 **“Standard Specs”** - Used throughout this solicitation means the West Virginia Department of Transportation, Division of Highways Standard Specifications, Roads and Bridges, most recent edition, as modified or amended by all subsequent Supplemental Specifications.
- 2.16 **“WVDOT” or “Agency”** - Interchangeable terms for the West Virginia Division of Transportation.

REQUEST FOR QUOTATION  
Stone & Aggregate, Delivery to Non-Established Locations

---

**3. GENERAL REQUIREMENTS:**

- 3.1 Standard Specifications Roads and Bridges:** The following Standard Specs Sections shall apply, as applicable, to the administration of this contract: 101, 102, 103, 104, 105, 106, 107, 108, 109, and 110, as amended.

Materials, equipment, and performance of this contract shall conform to, but are not limited to, the requirements of Sections 218, 401, 702, 703, 704, and 716.1.1, as amended.

All materials supplied under this contract must originate from a quarry on the Commercial & Potential Skid Resistance Source list maintained by Materials Controls Soils, and Testing Division (MCS&T). This list is updated each quarter or when quarries are added or subtracted from the list. It is the Contractor or Venders responsibility to ensure the material being delivered derives from an approved source. Any material not from an approved source will be rejected at no cost to the division.

The Commercial & Potential Skid Resistance Source list can be obtained on the MCS&T Division web page under the Approved Product Listings (APLs) at: [https://transportation.wv.gov/highways/mcst/Pages/APL\\_By\\_Number.aspx](https://transportation.wv.gov/highways/mcst/Pages/APL_By_Number.aspx).

Free electronic copies of the Standard Specs and Supplementals are available at: <https://transportation.wv.gov/highways/TechnicalSupport/specifications/Pages/default.aspx>. Hard copies of these publications may be purchased from the Technical Support Division by completing the Specification Order Form provided within the website.

- 3.2 Contract Items and Mandatory Requirements:** Vendor shall provide Agency with the Contract Items listed below on an open-end and continuing basis. Contract Items must meet or exceed the mandatory requirements as shown below.

- 3.2.1 Materials:** All materials bid and provided under this contract must meet or exceed mandatory requirements as shown below and adhere to the Standard Specs, as amended.

**3.2.1.1 Fine Aggregate** must adhere to Standard Spec 702, as amended. Fine Aggregate on the Pricing Pages, ATT A, shall be for Portland Cement Concrete or mortar sand – whichever is specified by the Agency on the ADO.

**3.2.1.2 Trail Surface Aggregate (TSA)** shall be crushed limestone, sandstone, or any combination of these materials uniformly blended,

**REQUEST FOR QUOTATION**  
**Stone & Aggregate, Delivery to Non-Established Locations**

---

see reference Special Provision Section 315 Trail Surface Aggregate Exhibit 1 (EXH 1).

**3.2.1.3 Coarse Aggregate** must adhere to Standard Spec 703, as amended. Coarse Aggregate on the Pricing Pages, ATT A, is identified by an AASHTO standard size. Except for the following Contract Items, grading on all specified sieve sized for material and grading shall adhere to AASHTO T-27 (Dry Test Only) or by AASHTO T-27 with AASHTO T-11:

- AASHTO #7
- AASHTO #8
- AASHTO #9
- AASHTO #8 Modified
- AASHTO #9 Modified

**3.2.1.4 Crushed Stone** must adhere to Standard Spec 703.1, as amended.

**3.2.1.5 Rip Rap** must adhere to Standard Spec 704.2, as amended.

**3.2.1.6 Stone For Gabions** must adhere to Standard Spec 704.3, as amended.

**3.2.1.7 Shot Rock** must adhere to Standard Spec 704.8, as amended.

**3.2.1.8 Abrasives:** In addition to meeting the gradation requirements of AASHTO #8 and #9 aggregate in table 703.4, Modified AASHTO # 8 and Modified AASHTO #9 aggregate shall have a maximum of 2% passing the #200 sieve, when sampled at the source (the Vendor's last point of possession), prior to shipment, as determined by AASHTO T-11 and T-27. The aggregates shall be crushed with a minimum of 80% two face fracture. Modified AASHTO #8 and Modified AASHTO #9 aggregate shall meet all other requirements for AASHTO #8 and AASHTO #9 aggregate.

**A. Quality**

- Liquid limit shall not exceed 25 and plasticity index shall not exceed six (6).
- Total deleterious substances including, but not limited to metal, glass, clay, shale, and thin or elongated pieces shall not exceed 3% of the dry weight of the total sample. Deleterious

**REQUEST FOR QUOTATION**  
**Stone & Aggregate, Delivery to Non-Established Locations**

---

content shall be determined on that fraction of material retained on the U.S. Standard # 4 (4.75 mm) sieve.

- When gravel is used as an abrasive, the material retained on the AASHTO #8, the sieve shall have a majority of crushed particles.

B. Gradation: Material shall adhere to AASHTO T-27:

| Sieve Size | % Passing By Weight |          |
|------------|---------------------|----------|
|            | Standard            | Modified |
| 1/2 inch   | 100                 | 100      |
| 3/8 inch   | 85–100              | 85–100   |
| # 100      | 0–10                | 0–4      |

**3.2.1.9 Cinders** consist of Wet Bottom Boiler Slag (shiny, black, glassy material) formed when molten ash from the burning of coal drops into water and shatters at the bottom of the boiler, and/or Bottom Ash formed when ash particles from the burning of pulverized coal is allowed to air cool at the bottom of the furnace.

A. Quality

- Total deleterious substances, including but not limited to metal, glass, clay, shale, and thin or elongated pieces, shall not exceed 3% of the dry weight of the total sample. Deleterious content shall be determined on that fraction of material retained on the US Standard # 4 (4.75 mm) sieve.

B. Gradation: Material shall adhere to AASHTO T-27.

| Sieve Size | % Passing By Weight |
|------------|---------------------|
| 1/2 inch   | 100                 |
| 3/8 inch   | 85–100              |
| # 100      | 0–10                |

**3.2.1.10 Aggregate For Base and Sub-Base** must adhere to Standard Spec 704.6, as amended. Aggregate for base and sub-base on ATT A are identified by Class. Aggregate for Base/Sub-base course, material shall consist of gravel, crushed gravel, crushed stone, crushed slag, or any combination of these materials uniformly blended to conform to 704.6.2, as amended, with exception: Los Angeles abrasion is not required for blast furnace slag. Natural or manufactured sand may be used as a component of the blend.

REQUEST FOR QUOTATION  
Stone & Aggregate, Delivery to Non-Established Locations

---

Crushed slag shall adhere to 703.3, as amended with exception. When gravel is to be used in stabilized (treated) base or sub-base construction, it need not be crushed. When used in an unstabilized base or sub-base construction, the gravel shall be crushed as specified. When Vendor elects to blend materials, each component of the blend shall meet 704.6.2, as amended. Blade or road mixing will not be allowed. When shoulders are specified, natural sand may not be used as a shoulder component.

Vendor shall adhere to Standard Spec 704 and sampled per MP 700.00.06, as amended. Frequency of sampling and testing and plotting of gradation test data shall adhere to established Division procedures. Material failing to comply with the Specification requirements when sampled, tested, and evaluated per Division procedures and/or disapproval of the Engineer, shall be removed and replaced at the Vendor's expense, or, at the option of the Engineer, may be left in place with reduced payment.

**3.2.1.11 #8 Modified and #9 Modified** must adhere to Standard Spec 703.3, as amended. In addition to meeting the gradation requirements of AASHTO #8 and #9 aggregate in table 703.4, Modified AASHTO #8 and Modified AASHTO #9 aggregate shall have a maximum of 2% passing the #200 sieve, when sampled at the source (the Vendor's last point of possession), prior to shipment, as determined by AASHTO T-11 and T-27. The aggregates shall be crushed with a minimum of 80% two face fracture. Modified AASHTO #8 and Modified AASHTO #9 aggregate shall meet all other requirements for AASHTO #8 and AASHTO #9 aggregate.

Except for the following Contract Items, grading on all specified sieve sized for material and grading shall adhere to AASHTO T-27 (Dry Test Only) or by AASHTO T-27 with AASHTO T-11

- AASHTO #7
- AASHTO #8
- AASHTO #9
- AASHTO #8 Modified
- AASHTO #9 Modified

**3.2.1.12 #10 Limestone:** Size AASHTO #10 Limestone shall conform to the gradation requirements of AASHTO M 43 and Standard Specs Table 703.4, as amended.

**REQUEST FOR QUOTATION**  
**Stone & Aggregate, Delivery to Non-Established Locations**

---

**3.2.1.13 #11 Limestone for SRIC** must adhere to Standard Spec 703.1, as amended.

A. Quality

- The liquid limit shall not exceed 25 and plasticity index shall not exceed six (6).
- Total deleterious substances including, but not limited to metal, glass, clay, shale, and thin or elongated pieces shall not exceed 1% of the dry weight of the total sample. Deleterious content shall be determined on that fraction of material retained on the U.S. Standard # 8 (2.36 mm) sieve.

B. Gradation – Material shall adhere to AASHTO T-27:

| <b>Sieve Size</b> | <b>% Passing By Weight</b> |
|-------------------|----------------------------|
| 3/8 inch          | 100                        |
| #4                | 40-90                      |
| #8                | 10-40                      |
| #100              | 0-5                        |

**3.2.1.14 Quarry Waste** shall adhere to Standard Specs 716.1.1 Random Material, as amended.

**3.2.1.15 Steel Slag for SRIC** must adhere to Standard Spec 703.3, as amended.

A. Quality

- The liquid limit shall not exceed 25 and the plasticity index shall not exceed six (6).
- Total deleterious substances including, but not limited to metal, glass, clay, shale, and thin or elongated pieces shall not exceed 3% of the dry weight of the total sample. Deleterious content shall be determined on that fraction of material retained on the U.S. Standard # 4 (4.75 mm) sieve.

B. Gradation – materials shall adhere to AASHTO T-27:

| <b>Sieve Size</b> | <b>% Passing By Weight</b> |
|-------------------|----------------------------|
| 1/2 inch          | 100                        |
| 3/8 inch          | 85-100                     |
| #100              | 0-20                       |

**REQUEST FOR QUOTATION**  
**Stone & Aggregate, Delivery to Non-Established Locations**

---

**3.2.1.16 Imbricated Stone/Rock** shall meet Standard Spec 704.5 Special Rock Fill, as amended. Size shall be a minimum of 36 inches with a maximum of 72 inches. Imbricated Stone/Rock shall have two flat surfaces that may be used in a stackable manner. Imbricated Stone/Rock may be used in conjunction with Standard Specs 218.3 and 218.4, as amended.

**3.2.2 Material Haul:** The Agency expects that the Vendor shall source from the source nearest the Agency's project site delivery location. The Agency, at its own discretion, will decide the route to be taken due to bridge and/or other road restrictions utilizing "Google Maps" or a similar source. Haul shall be one way and measured per ton-mile from Vendor's nearest source plant to the WVDOT project site.

**3.2.3 Spreading Surcharge / Tailgating** shall be provided by the Vendor upon WVDOT's request at the time of delivery. The Vendor shall provide basic aggregate spreading at the WVDOT project site in the location specified by the WVDOT District Engineer or their designee. The spread rate is controlled by the gate opening and truck speed. Spreading Surcharge /Tailgating shall be charged per ton.

**3.2.4 Sampling And Testing** for quality of all items furnished in this contract will be the responsibility of the WVDOT. Testing for gradation requirements is the responsibility of the contractor or vendor supplying the aggregate. The minimum frequency of sampling and testing for gradation is outlined in Table 1. All samples taken by Vendor shall be by a Certified Aggregate Sampler. All testing performed shall be done by a Certified Aggregate Inspector.

Table 1

| Property                                    | Frequency                                                                                                                                                                                                                             |
|---------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Gradation for source not on the A-1 Listing | One sample per each day of shipment or if tested during production, one sample per each day of production. See 3.2.4.1.                                                                                                               |
| Gradation for source on the A-1 list        | (A-1 Source) One sample per each week of shipment per MP 700.00.52, Guide for Source Rating System Relative to Maintenance Contracts, as amended; or if tested during production, one sample per each day of production. See 3.2.4.1. |
| Moisture Content                            | See 3.2.4.2.                                                                                                                                                                                                                          |

REQUEST FOR QUOTATION  
**Stone & Aggregate, Delivery to Non-Established Locations**

---

**3.2.4.1** The vendor shall provide gradation test results attesting to the gradation of materials delivered. Gradation results from the production source will be acceptable. **Gradation test results shall be sent to the Materials Department of each District the aggregate was delivered to within 72 hours of delivery.** The WVDOT will enter the gradations into the AASHTO Wear Project (AWP) system within one week of receiving the gradations.

**3.2.4.2** In the event visual inspection of the aggregate indicates excess or unusual moisture beyond what is normally expected in the aggregate, the WVDOT reserves the right to determine moisture content by standard methods per established Division procedures. If this becomes necessary, the net weight of portion represented will be adjusted utilizing test results obtained by WVDOT per MP 700.00.22. Abrasives and Steel Slag Items will be considered fine aggregate as outlined in MP 700.00.22, as amended.

**3.2.5 Acceptance Plan:** Per Standard Spec 703, as amended, crushed stone shall consist of particles of clean, hard, tough, durable rock, free from adherent and foreign material. Acceptance for gradation shall be based on test results, provided, and certified by Vendor to be true test results and representative of the material supplied to WVDOT, on consecutive random samples from a lot. A lot shall consist of a quantity of material represented by an average value (not to exceed 5 sub-lots). A sub-lot shall consist of the quantity of material represented by a single gradation test. When only one sample is taken to represent the total quantity, the sub-lot and lot will be considered the same. Frequency of sampling and testing shall be per the Vendor's quality control plan outlined in MP 700.00.51 Guide for Quality Control and Acceptance Plans for Purchase Order Contracts for Stone and Aggregate, as amended. Vendor shall provide gradation test results to the Agency within 72 hours.

**3.2.5.1 Sampling Testing & Evaluation:** As per Standard Spec 704, the Agency reserves the right to have materials sampled, tested, and evaluated. If material fails to comply with WVDOT quality requirements, the Agency, at its own discretion, shall notify Vendor that the nonconforming material will not be accepted and shall be removed and replaced at Vendor's expense, or at the option of the ordering Agency, material may be left in place with reduced payment.

At the discretion of the Agency, material failing to comply with the quality requirements will not be accepted. Acceptance for gradation shall be based on test results, provided, and certified by Vendor to be true test results and representative of the material supplied to

REQUEST FOR QUOTATION  
Stone & Aggregate, Delivery to Non-Established Locations

---

WVDOT, on consecutive random samples from a lot. A lot shall consist of a quantity of material represented by an average value (not to exceed 5 sub-lots). A sub-lot shall consist of the quantity of material represented by a single gradation test. In the case where only one sample is taken to represent the total quantity, the sub-lot and lot will be considered the same. Frequency of sampling and testing shall be per the Vendor's quality control plan outlined in MP 700.00.51, Guide for Quality Control and Acceptance Plans for Purchase Order Contracts for Stone and Aggregate, as amended. Vendor shall provide the gradation test results to the WVDOT within 72 hours.

Gradation test results shall be averaged per MP 300.00.51, Procedural Guidelines for Maintaining Control Charts for Aggregate Gradations, as amended. When the average falls outside the applicable limits, the entire lot of material represented thereby will be considered non-conforming to the extent that the last of its sub-lots is non-conforming. When a lot of material is nonconforming, then the last sub-lot contained therein shall have its degree of non-conformance determined as set forth below.

**3.2.5.2 Non-Conformance Price Adjustment:** When a sub-lot of material is to have its price adjusted, the percentage point difference between the non-conforming test value and the specification limit shall be determined for each sieve size determined to be non-conforming, and this value shall be multiplied by its appropriate multiplication factor as set forth in Table 1. The total measure of non-conformance of an individual sub-lot is the sum of all non-conformances on the various sieve sizes of that sub-lot. In no case, however, shall a sub-lot of material have its price adjusted more than once, and the first adjustment determined shall apply. When the total degree of non-conformance has been established and it is 12 or less, the material will be paid for at an adjusted contract price as specified in Table 2.

Table 1

| Non-Conforming<br>Sieve Size | Multiplication Factor                |
|------------------------------|--------------------------------------|
| Plus #40                     | 1                                    |
| #40                          | 1.5                                  |
| #50                          | 1.5                                  |
| #100                         | 2.0<br>(1.3 for Abrasives & Cinders) |
| #20                          | 2.5                                  |
| 1/2"                         | 1                                    |

REQUEST FOR QUOTATION  
Stone & Aggregate, Delivery to Non-Established Locations

---

|      |   |
|------|---|
| 3/8" | 1 |
|------|---|

Table 2

| Degree of Non-Conformance | Percent Of Contract Price to Be Reduced |
|---------------------------|-----------------------------------------|
| 1.0 TO 3.0                | 2                                       |
| 3.1 TO 5.0                | 4                                       |
| 5.1 TO 8.0                | 7                                       |
| 8.1 TO 12.0               | 11                                      |
| Greater than 12           | *                                       |

\*WVDOT will make a special evaluation of the material and determine action.

**3.2.5.3 Non-Conforming Sub-Lots:** If the Vendor delivers a specific quantity of material from a stockpile, and said quantity is less than the total quantity contained in the stockpile, and it has been determined from this certified test data that a non-conforming sub-lot(s) is contained in said stockpile, the price reduction shall be calculated for the specific quantity as follows:

The percent price reduction shall be determined as set forth above for the non-conforming sub-lot. The quantity represented by the non-conforming sub-lot shall then be calculated as a percent of the total (total material contained in the stockpile). To determine the price reduction on the specific quantity delivered, multiply the percent of non-conforming material contained in the stockpile by the quantity delivered, and reduce this quantity by the percent price reduction as determined.

EXAMPLE: If it has been determined that a stockpile of 100 tons contains 10 percent failing material, and said material is to have its price reduced by 4 percent, then the actual quantity delivered, say 15 tons, will be multiplied by 0.10 (10 percent failing material) which equals 1.5 tons. These 1.5 tons will thus have its price reduced by 4 percent. The remaining 13.5 tons will be paid for at full contract price.

$$TD \left( 1 - \frac{PQ_n}{100Q_t} \right) = AP \text{ (price to be paid after adjustment)}$$

WHERE: T = tonnage delivered

REQUEST FOR QUOTATION  
Stone & Aggregate, Delivery to Non-Established Locations

---

P = percent price reduction  
D = cost per ton  
Qn = quantity of non-conforming sub-lot(s)  
Qt = quantity of total stockpile  
AP = adjusted payment

Simplified Equation:

$$PF = \frac{Qn}{Qt}$$

$$TD - ((T \times PF \times D) \times (P)) = AP$$

WHERE: T = tonnage delivered  
P = percent price reduction  
D = cost per ton  
PF = percent failing material  
AP = adjusted payment

Example:

Step 1:

$$(15 \times 20) - ((15 \times 0.10 \times 20) \times (0.04)) = AP$$

Step 2:

$$(300) - ((30) \times (0.04)) = AP$$

Step 3:

$$(300) - (1.2) = AP = 298.8$$

When two or more sub-lots within a stockpile are non-conforming, calculate the adjusted payment (AP) for each sub-lot individually. To determine the final price, sum the adjusted payments for all non-conforming sub-lots and subtract the base price (TD) multiplied by the total number of non-conforming sub-lots minus one.

EXAMPLE:

$(AP1 + AP2 + AP3...) - (n-1)TD = \text{Final price to be paid after adjustments}$

REQUEST FOR QUOTATION  
Stone & Aggregate, Delivery to Non-Established Locations

---

WHERE:  $n$  = total number of nonconforming sublots  
AP = price to be paid after initial adjustment for one non-conforming sub-lot determined by the above equation.

- 3.2.6 Continuous Stockpile:** In the event material is delivered from a continuous stockpile, that is, a stockpile which is continuously being replenished while also having material removed for these applications, certification shall be based on the shipment samples.
- 3.2.7 Weighing Materials Delivered by Modes of Transportation Other Than Trucks:** Materials delivered to the designated site by barge, or other non-truck modes shall have their weight determined by a means acceptable to the Agency, and the weights of such materials shipped shall be certified, by Vendor or its authorized agent, to be correct. The minimum barge delivery requested will be approximately 6,500 tons per the order. When barge delivery is required, Contract Items will be ordered in 1,500-ton increments.
- 3.2.8 Emergency Requests:** Emergency requests as ordered by a WVDOT District Engineer, or their designee is work that shall be initiated within 24 hours from when the request is received by the vendor. The determination of emergency work will be in accordance with Section 2.8 of this Solicitation and prominently noted on an ADO. Designated emergency requests will be paid at 1.50 times the Vendors bid price.

#### 4. CONTRACT AWARD:

- 4.1 Contract Award:** The Contract is intended to provide Agencies with a purchase price on all Contract Items. This is a multiple vendor award contract. All qualified responsible Vendors shall be awarded a contract for those Contract Items bid which meet all mandatory requirements of this Contract.
- 4.1.1 Determining Low Bid Per Project:** To determine the low bid vendor for individual projects, the WVDOT District Engineer or their designee will calculate the lowest overall total cost of the Contract Items required for individual projects. A written ADO will be issued to the Vendor with the lowest overall total cost. If the low bid vendor is unavailable to accept the work, or the low bid vendor is already performing work for WVDOT and there is more work than one vendor alone can accomplish within the time frame required, another vendor may be offered work per the process established in Section 6.1.

WVDOT reserves the right to request any one or combination of Contract Items for which bids are awarded at the lowest overall total as set forth in this section.

REQUEST FOR QUOTATION  
Stone & Aggregate, Delivery to Non-Established Locations

---

- 4.2 Pricing Pages, Attachment A (ATT A):** Vendor shall complete the Pricing Pages by providing a bid price for each Contract Item listed which they offer. Vendor may bid on any or all Contract Items listed. Vendor shall factor into their bid prices any related overhead expenses, equipment, materials, and delivery to established location when calculating their bid price for each Contract Item. Vendor shall complete the Pricing Pages for each Contract Item bid in their entirety as failure to do so may result in Vendor's bids being disqualified. All bids or pricing submitted shall be held and honored by the Vendor for 90 days after the bid opening date.

The Pricing Pages contain a list of the Contract Items with no guarantee that any Contract Item will be purchased throughout the life of this contract. Estimated quantities are not available.

- 4.2.1** Vendor should type or electronically enter the information into the Pricing Pages spreadsheet to prevent errors in the evaluation. In most cases, the Pricing Pages are available in wvOASIS within the solicitation attachments, however, Vendors may request an electronic copy of the Pricing Pages spreadsheet for bid purposes by sending an email request to the following address: [DOTProcurement@wv.gov](mailto:DOTProcurement@wv.gov).

- 4.2.2** Changing a column or row description, Contract Item description or unit of measure on the **Pricing Pages, Attachment A (ATT A)**, will result in disqualification of the Contract Item bid on the altered line.

- 4.2.3** Submitting Pricing Pages other than those provided with this solicitation, as described in Section 4.2, may result in the disqualification of Vendor's bid in its entirety.

- 4.2.4** Vendor entries of bid prices or other notations made in wvOASIS commodity line descriptions will not be considered for bid evaluation or award.

- 4.2.5** Vendor shall supply its pricing with corresponding plant source and storage site information for all Items bid. **Failure to provide Source Plant locations will result in the disqualification of the entire bid.**

- 4.2.6** Vendor entries of bid prices or other notations made in wvOASIS commodity line descriptions will not be considered for bid evaluation or award.

- 4.3 Contract Award Transition:** Upon the award of this contract, WVDOT will announce the effective start date. Any order issued under the previous contract will

**REQUEST FOR QUOTATION**  
**Stone & Aggregate, Delivery to Non-Established Locations**

---

remain in effect and shall not be cancelled without mutual written agreement between the issuing agency and the vendor.

- 4.4 Price Adjustment of Fuel Oil #2 (Diesel Fuel):** Due to the uncertainty in estimating the cost of diesel fuel that will be used during the life of this contract, adjustment in compensation for applicable items shall be per Standard Spec 109.9, as amended, with the exception that Factor “C” in the Price Adjustment for Fuel formula is to be broken down by component, as shown in Figure 4.4A below. The Price Adjustment for Fuel formula to be utilized for this contract is:

$$Pa = [(Mbp \div Cbp) - 1.00] \times Cbp \times C \times Q$$

Where: Pa = Price Adjustment

Mbp = Monthly base price at time of placement

Cbp = Contract Base Price at time of bidding\*

C = Cost Adjustment Factors per Unit, as per Figure 4.4A

Q = ‘As Constructed’ Quantity

**FIGURE 4.4A**

| Description          | Factor | Unit      | Applicable Item        |
|----------------------|--------|-----------|------------------------|
| Aggregate Production | 0.49   | Tons      | Contract Items 1 - 47  |
| Aggregate Haul       | 0.020  | Ton Miles | Contract Items 49 – 52 |
| Aggregate Placement  | 0.03   | Tons      | Contract Item 48       |

The bidding index will be listed on the Contract Administration website for Fuel, Asphalt and Cement Prices Adjustments listed for June 2026. Contract Base Price at time of bid will be based on June 2026.

<https://transportation.wv.gov/highways/contractadmin/Lettings/Pages/FuelandAsphaltPrices.aspx>

**5. ORDERING, INVOICING AND PAYMENT:**

- 5.1 Ordering:** Vendor shall accept orders through regular mail, facsimile, email, or any other written forms of communication. Vendor shall maintain and keep current its phone numbers, fax number, email address, locations, and ordering/billing/payment addresses with WVDOT and in wvOASIS. Vendor may, but is not required to, accept online orders through a secure internet ordering portal/website. If Vendor can accept online orders, it shall include in its response a brief description of how Agencies may utilize the online ordering system. Vendor shall ensure that its online ordering system is properly secured prior to processing Agency orders online.
- 5.2 Agency Delivery Order (ADO):** District personnel must issue an ADO from wvOASIS for specific quantities of materials based on each project’s requirements

REQUEST FOR QUOTATION  
Stone & Aggregate, Delivery to Non-Established Locations

---

and detailing the need and location information of work to be completed per Contract Items, as well as the start and end dates, which will become the agreed upon official start and end dates. The ADO must be created in wvOASIS and approved to "Final", prior to placing the order with the Vendor. The District is responsible for creating the ADO in wvOASIS and is required to submit the approved order, in writing, directly to the vendor via mail, email or fax. **Verbal communication with the Vendor is not considered an official order.** In the event the Vendor denies an order or if there are changes to an ADO, the District must process a change order to the approved ADO issued from wvOASIS.

Emergencies shall be prominently noted on the ADO. Once complete, the ADO shall be sent to Vendor via fax, email, or mail.

**5.3 Invoicing:** Invoices submitted to WVDOT For payment should contain the following information:

- Vendor's name and payment remit-to address, as they appear in Vendor's wvOASIS account.
- The corresponding order's ADO number.
- The ordering Agency's delivery site
- The Contract Item description, unit price, quantity, and extended total.
- The date(s) Contract Items were delivered.

**5.4 Payment:** Upon completion of the work indicated on the ADO, Vendor shall accept payment in accordance with the payment procedures of the State of West Virginia. The State of West Virginia currently utilizes a Purchasing Card program, administered under contract by a banking institution, as well as Electronic Funds Transfer as methods to process payment for goods and services. The Vendor shall accept the State of West Virginia's Purchasing Card and Electronic Funds Transfer for payment of orders under this Contract. Electronic Funds Transfer for payment is available through the WV State Auditor's Office. The Vendor may visit the WV State Auditor's website ([wvsao.gov](http://wvsao.gov)) for all necessary forms and instructions. Payment method may be dictated at WVDOT's discretion.

**6. PROJECT ACCEPTANCE, DELIVERY AND RETURN:**

**6.1 Project Acceptance and Written Verification of Receipt:** Upon receipt of a WVDOT ADO, the Vendor shall advise the WVDOT in writing within three (3) calendar days of their acceptance or refusal of the ADO. As verification of receipt, Vendor must provide written acknowledgement of any ADO and any Revisions/Modifications thereto sent by WVDOT. Failure to provide the WVDOT with written acknowledgement of any ADOs/Revisions within three (3) days of the Order being sent shall be considered refusal of the ADO. In the event of refusal, the WVDOT at its own discretion shall cancel the ADO and may seek

REQUEST FOR QUOTATION  
Stone & Aggregate, Delivery to Non-Established Locations

---

to obtain the goods or services from the next low bid Vendor or proceed with an emergency purchase from the open market.

- 6.2 Negotiation of Dates:** The WVDOT shall have the option to negotiate with the Vendor, the project's tentative start and end dates. **Project work shall be continuous to completion unless otherwise approved in writing by the WVDOT District Engineer or their designee.**

- 6.3 Delivery Time:** Vendor shall promptly commence and complete standard orders within five (5) working days after orders are received. If for any reason the Vendor anticipates delay or failure for any reason to commence its delivery/provision of 100% of the ordered Contract Items, Vendor shall provide, *in writing*, to the ordering Agency the reason for its failure no later than three (3) business days prior to the Agency Delivery Order/Release Order date, and no later than 4:00pm.

Vendor shall deliver emergency orders within 24 hours of the order date, or per the agreed upon timeframe established by the Agency and the Vendor.

Vendor shall ship all orders in accordance with the above schedule and shall not hold orders until a minimum delivery quantity is met. No Vendor is authorized to ship project related goods or begin work/services, nor is the WVDOT authorized to receive materials, prior to the issuance of an ADO.

- 6.4 Late Delivery:** The Agency placing the order under this Contract must be notified in writing if orders will be delayed for any reason. Any delay in delivery that could cause harm to an Agency will be grounds for cancellation of the delayed order, and/or obtaining the items ordered from another awarded vendor or proceed with an Emergency Purchase from the open market.

The Agency placing the ADO under this Contract must be notified **in writing by the Vendor no later than five (5) business days prior to the scheduled delivery date noted on the Agency's order.** Any failure to notify, acknowledge receipt of WVDOT's written ADOs/ Revisions resulting in delivery delay, or failure to start or complete the project per the WVDOT scheduled due dates, or failure to provide Contract Items in compliance with the quality requirements of this contract, may be determined by the WVDOT at its sole discretion as harmful to the Agency and as such, shall result in WVDOT's cancellation of the ADO and application of Liquidated Damages.

Any Agency seeking to obtain items from the open market under this provision must first obtain approval of the WVDOT Procurement Division.

- 6.4.1 Liquidated Damages:** If the Vendor's work completion or corrections of deficient work exceeds the ADO completion due date or timeframe, the Vendor shall agree that no extension of contract time will be granted unless

REQUEST FOR QUOTATION  
Stone & Aggregate, Delivery to Non-Established Locations

---

Liquidated Damages are applied by the Vendor as an itemized invoice credit for the corresponding ADO. The WVDOT shall calculate Liquidated Damages per project beginning on day one (1) after the WVDOT's specified ADO due date and in accordance with this Section, the Contract's Terms and Conditions, Standard Specs Section 108.7, and the following Standard Specs Section Table 108.7.1 - Schedule of Liquidated Damages, as amended:

**Table 108.7.1**  
**Schedule of Liquidated Damages**

| Original Contract Amount |                  | Daily Charges Per<br>Calendar Day |
|--------------------------|------------------|-----------------------------------|
| For More Than            | To and Including |                                   |
| \$0                      | \$500,000        | \$350                             |
| \$500,000                | \$2,000,000      | \$650                             |
| \$2,000,000              | \$10,000,000     | \$1,600                           |
| \$10,000,000             | \$25,000,000     | \$3,100                           |
| \$25,000,000             |                  | \$4,200                           |

**6.4.2 Force Majeure:** It shall be further noted that the Vendor is not responsible for and shall not be penalized for delays in its delivery of goods and/or services when caused by factors or events outside Vendor's control, including but not limited to acts or omissions of the Agency or third parties, acts of civil or military authority, civil disturbance, war, terrorism, pandemics, explosions, fire, floods, tornadoes, or other natural disasters or acts of God.

**6.5 Delivery Payment/Risk of Loss:** Standard order delivery shall be F.O.B. destination to the Agency's location. Vendor shall include the cost/discount of standard order delivery charges in its bid pricing and is not permitted to charge the Agency separately for such delivery. The Agency will pay delivery charges on all emergency orders provided that Vendor invoices those delivery costs as a separate charge with the original freight bill attached to the invoice.

Deliveries made by the vendor shall be comprised only of Contract Items intended for delivery at that location and specified in the pricing pages, contract specifications or ADO. At no time shall property belonging to the West Virginia Department of Transportation be utilized as a lay-down or storage facility by the vendor, or items left with the intention of being distributed to an alternate location

**6.6 Return of Unacceptable Items:** The decision of the WVDOT District Engineer or their designee regarding materials, workmanship, quality etc., shall be final per the Standard Specs Section 105.1, as amended. If the Agency deems the Contract Items to be unacceptable, the Contract Items shall be returned to Vendor at Vendor's expense and with no restocking charge. Vendor shall either arrange for the return

REQUEST FOR QUOTATION  
**Stone & Aggregate, Delivery to Non-Established Locations**

---

within five (5) days of being notified that items are unacceptable or permit the Agency to arrange for the return and reimburse Agency for delivery expenses. All returns of unacceptable items shall be F.O.B. the Agency's location. The returned product shall either be replaced, or the Agency shall receive a full credit or refund for the purchase price, at the Agency's discretion.

- 6.7 Return Due to Agency Error:** Items ordered in error by the Agency will be returned for credit within 30 days of receipt, F.O.B. Vendor's location. Vendor shall not charge a restocking fee if returned products are in a resalable condition. Any restocking fee for items not in a resalable condition shall be the lower of the Vendor's customary restocking fee or 5% of the total invoiced value of the returned items.

**7. VENDOR DEFAULT:**

- 7.1** The following shall be considered a vendor default under this Contract.
- 7.1.1** Failure to provide Contract Items in accordance with the requirements contained herein.
  - 7.1.2** Failure to comply with other specifications and requirements contained herein.
  - 7.1.3** Failure to comply with any laws, rules, and ordinances applicable to the Contract Services provided under this Contract.
  - 7.1.4** Failure to remedy deficient performance upon request.
- 7.2** The following remedies shall be available to Agency upon default.
- 7.2.1** Immediate cancellation of the Contract.
  - 7.2.2** Immediate cancellation of one or more release orders issued under this Contract.
  - 7.2.3** Any other remedies available in law or equity.

**8. MISCELLANEOUS:**

- 8.1 No Substitutions:** Vendor shall supply only Contract Items submitted in response to the Solicitation unless a contract modification is approved in accordance with the provisions contained in this Contract.

REQUEST FOR QUOTATION  
Stone & Aggregate, Delivery to Non-Established Locations

---

- 8.2 Vendor Supply:** Vendor must carry sufficient inventory of the Contract Items being offered to fulfill its obligations under this Contract. By signing its bid, Vendor certifies that it can supply the Contract Items contained in its bid response.
- 8.3 Vendor Name Change:** It is the Vendor's responsibility to notify the WVDOT of name changes or acquisition by another company during the term of the contract. The WVDOT must be notified in writing of the change/acquisition and intention for the contract's ownership within 10 days of the change. **Failure to do so may result in payment delays.**
- 8.4 Reports:** Vendor shall provide the Agency with quarterly reports, annual summaries, and/or monthly reports as requested by the Agency and/or the West Virginia Purchasing Division showing quantities, total dollar value of the Contract Items purchased, ordered, shipped & invoiced with dates in spreadsheet format as defined by the Agency. Failure to supply such reports may be grounds for cancellation of this Contract.
- 8.5 Contract Manager:** During its performance of this Contract, Vendor must designate and maintain a primary Contract Manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract Manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract Manager and his or her contact information below.

**Contract Manager:** Brandon Henkes  
**Telephone Number:** 304-425-5329  
**Fax Number:** \_\_\_\_\_  
**Email Address:** aaapavingandsealing@hotmail.com

Vendor shall inform the Agency in writing of any changes to the information provided above within 10 calendar days of such changes. Failure to comply may be grounds for cancellation of this contract.

**WEST VIRGINIA DEPARTMENT OF TRANSPORTATION****DIVISION OF HIGHWAYS****SPECIAL PROVISION****FOR****STATE PROJECT NUMBER:** \_\_\_\_\_**FEDERAL PROJECT NUMBER:** \_\_\_\_\_**SECTION 315  
TRAIL SURFACE AGGREGATE (TSA)**

ADD THE FOLLOWING SECTION:

**315.1-DESCRIPTION:**

This work shall consist of furnishing, spreading, and compacting (TSA) on a prepared surface in accordance with these Specifications and in reasonably close conformity with the lines, grades, thicknesses, and typical cross sections shown on the Plans or established by the Engineer.

**315.2-MATERIALS:**

TSA Shall be crushed limestone or sandstone or any combination of these materials uniformly blended to conform to the quality requirements of Table 315.2A, gradation requirements of Table 315.2B. Test Methods for quality requirements on Table 315.2C.

**Table 315.2A Quality Requirements**

| <b>Deleterious Material, Percent max</b> | <b>Los Angeles Abrasion, Percent Max.</b> | <b>Liquid Limit Max,</b> | <b>Plastic Limit Max</b> | <b>pH Between</b> |
|------------------------------------------|-------------------------------------------|--------------------------|--------------------------|-------------------|
| 5%                                       | 40%                                       | 12 Max                   | 6 Max                    | 6 to 12           |

**Table 315.2B Gradation Requirements**

| <b>Sieve Size</b> | <b>Percent Passing</b> |
|-------------------|------------------------|
| 1/2"              | 100%                   |
| 3/8"              | 96-100                 |
| #4                | 75-90                  |
| #8                | 55-75                  |
| #16               | 35-50                  |
| #200              | 12-20                  |

**TABLE 315.2C Test Methods**

|                       |                                                     |
|-----------------------|-----------------------------------------------------|
| Deleterious Materials | ASTM C295, MP 703.01.20, MP 702.01.20, MP 703.00.27 |
| Gradation             | AASHTO T 11 and T 27                                |
| Liquid Limit          | AASHTO T 89                                         |
| Los Angeles Abrasion  | AASHTO T 96, ASTM C535                              |
| Plasticity Index      | AASHTO T 90                                         |
| pH                    | EPA 9045C                                           |

**315.2.1-Quality Control Testing:** Quality control of the TSA material is the responsibility of the Contractor as specified in section 106.1.

The Contractor shall maintain necessary equipment and qualified personnel to perform all sampling and testing necessary to determine the magnitude of the various properties of the material governed by the Specifications and shall maintain these properties within the limits of the Specifications.

The Contractor shall submit a quality control plan detailing the methods by which the quality control program will be conducted. This plan, prepared in accordance with the guidelines set forth in the appropriate portions of MP 307.00.50 and MP 717.04.21, shall be submitted to the Engineer at the preconstruction conference. The work shall not begin until the plan is reviewed for conformance with the contract documents.

**315.2.2-Acceptance Testing:** Acceptance sampling and testing of TSA materials base course is the responsibility of the Division, except for furnishing the necessary materials. Quality control sampling and testing performed by the Contractor may be used by the Division for acceptance.

**315.2.3-Sampling and Testing:** Frequency of sampling and testing shall be in accordance with the Contractor's quality control plan. The minimum frequencies shall be as indicated in applicable portions of MP 307.00.50. Crushed aggregate shall be sampled in accordance with MP 700.00.06, Aggregate Sampling Procedures.

**315.2.4-Acceptance Procedure:** Material conforming to the specification requirements will be accepted at full contract price. Material failing to comply with the quality requirements of Table 315.2A shall not be incorporated into the work.

Acceptance of TSA material for compaction and for gradation shall be in accordance with appropriate portions of subsection 307.2.4.1.

**315.2.4.1-Acceptance Plan:**

**315.2.4.1.1-Compaction:** The contractor shall use a vibratory roller with a minimum weight of three (3) tons. The initial pass of the TSA material shall be in the static mode.

The Contractor shall notify the Engineer prior to construction of the test strips as set forth in MP 700.00.24. The Contractor shall perform quality control compaction tests and record the data on the forms as set forth in the Materials Procedures (MPs). The test data shall be available to the Engineer at the time of testing or as indicated in the Contractor's quality control plan.

Maximum density, quality control density and acceptance density for crushed aggregate base course and aggregate subbase shall be determined in accordance with MP 700.00.24.

The TSA material shall be compacted to the target percentage of dry density of 95%. The maximum required dry density shall be determined in accordance with MP 700.00.24 Part I on a control test strip having a compacted thickness of six (6) inches or less. The in-place dry density of each base course layer shall be determined in accordance with MP 700.00.24 Part II. The maximum layer thickness, other than the test strip(s), shall not exceed six (6) inch or as specified in the project documents. The density of layers with thickness that differ from the thickness of the control test strip(s) shall be subject to the density requirements determined by the control test strip

**315.2.4.1.2-For Gradation:** The material shall be sampled and tested in accordance with Section 307.2.3. Acceptance for gradation shall be based on test results of consecutive random samples from a lot. A subplot is the quantity of material represented by a single gradation test as defined in MP 700.00.06. A lot shall be considered the quantity of material represented by an average test value, not to exceed five sublots. In the case where only one sample is needed for the total plan quantity, the subplot shall be considered the lot.

The average shall start on the second sample result. The average is continued for the third through fifth sample result, averaging all previous sample results. Thereafter, only the last consecutive five sample results will be averaged, i.e., second test value through sixth test value, third test value through seventh test value, and so forth as defined in MP 300.00.51.

When the test value of a lot and the test value of the last subplot, or when the last three consecutive individual test values of a lot fall outside the gradation limits of Table 704.6.2A, the lot of material represented will be considered nonconforming to the extent that the last of its sublots are nonconforming. When this occurs, the last subplot shall have its price adjusted in accordance with Table 307.9.1.

**315.2.4.2-Degree of Nonconformance:** When a subplot of material is to have its price adjusted, the percentage point difference between the nonconforming test value and the specification limit shall be determined for each sieve size determined to be nonconforming, and this value shall be multiplied by its appropriate multiplication factor as set forth in Table 307.2.4.2 to determine the degree of nonconformance on that sieve.

**Table 307.2.4.2**

| <b>Nonconforming Sieve Size</b> | <b>Multiplication Factor</b> |
|---------------------------------|------------------------------|
| 1/2"                            | 1.0                          |
| 3/8"                            | 1.0                          |
| #4                              | 1.0                          |
| #8                              | 1.5                          |
| #16                             | 2.0                          |
| #200                            | 2.5                          |

The total measure of nonconformance of an individual subplot is the sum of all nonconformances on the various sieve sizes of that subplot.

When the total degree of nonconformance has been established and it is 12.0 or less, the material will be paid for at an adjusted contract price as specified in Table 307.9.1.

When the degree of nonconformance is greater than 12.0, the nonconforming subplot shall be resolved on an individual basis, requiring a special investigation by the Engineer to determine the appropriate course of action to be followed. Pending resolution of the matter, additional lifts of base or pavement shall not be placed over the nonconforming material.

**315.2.4.4-TSA Base Material:** The TSA base material shall be Class 1 or Class 10 material placed and compacted in accordance with Section 307 of the West Virginia Specifications. When a crown or cross slopes are in the plans the crown shall be established in the base layer and reflected in the TSA layer.

## **CONSTRUCTION METHODS**

### **315.3-EQUIPMENT:**

A small paver or a combination of machines, or equipment which will handle the material without segregation and produce the completed TSA meeting these Specifications for handling, spreading, moistening, mixing and compacting may be used when approved by the Engineer.

**315.3.1-PLACEMENT:** Material shall be placed starting from the furthest point from the source working backward to the source. The TSA material shall be placed by means of a paver. If the working site does not permit the use of a paver the Engineer may permit the contractor to dump and spread the TSA material. At no time shall the TSA material be overworked to the point of segregation. The moisture content of the TSA material prior to and during compaction shall be uniformly distributed throughout each layer. TSA materials shall have placement moisture content less than or equal to the optimum moisture content. Backfill material with a placement moisture content in excess of the optimum moisture content shall be removed and reworked until the moisture content is uniformly acceptable throughout the entire lift. The moisture content of the TSA shall be maintained at a level sufficient to facilitate compaction.

### **315.3.2-TOLERANCE:**

**315.3.2.1 Surface Tolerance:** The completed surface shall not vary more than 3/8 inch above or below Plan grade, nor more than 3/8 inch from a straightedge ten (10) feet long applied parallel to the centerline of the pavement. Deviations shall be corrected by scarifying, adding additional approved aggregate if necessary, reshaping, and recompacting.

Shoulder surfaces on resurfacing projects adjacent to concrete or asphalt pavement do not need to be checked with a straightedge.

**315.3.2.2-Thickness Tolerance:** The base course shall be checked for proper thickness after final compaction. The Contractor shall refill all test holes with approved base course material and adequately recompact the material.

Any deficiency in total thickness of the base course in excess of ½ inch shall be corrected.

**315.3.2.3-Maintenance:** The surface of the completed base shall be protected against the loss of fine material by the addition of moisture when necessary, and it shall be maintained in a satisfactory and smooth condition until such time that it is accepted.

**315.4-METHOD OF MEASUREMENT:**

**315.4.1-Cubic Yard Measurement:** The quantity of work done will be the number of cubic yards measured in place. Any additional work beyond the scope of the original Plans but authorized by the Engineer will be measured in cubic yards in place and paid for at the unit bid price for this item, subject to the provisions of 104.2 and 109.2.

TSA constructed outside the lines, dimensions, and cross sections shown on the Plans or designated will not be measured for payment.

**315.4.2-Ton Measurement:** The quantity of work done will be the number of tons of material complete in place and accepted.

The number of tons shall be determined by the total of the weights shown on receipted railroad freight bills when materials are shipped by rail; by actual measured displacement of barges certified by the producer when water shipments are made, providing materials delivered by the methods are not stockpiled or stored; or determined by the Contractor from the total of weigh slips for each vehicle load weighed on an approved standard scale or from digital printout slips from an automatic batching plant, and certified by the Contractor to be correct.

Truck scales shall be provided by the producer or Contractor, except that truck scales are not required where the material is weighed at properly calibrated automatic batching plant facilities which are equipped with digital print-out equipment. The scales shall be of sufficient size and capacity to weigh the heaviest loaded trucks that are used for delivery of the material.

All truck scales shall be mounted on solid foundations, which will insure their remaining plumb and level. All truck scales shall be inspected and sealed by the West Virginia Division of Labor, Bureau of Weights and Measures, or other appropriate agencies of the State or its political subdivisions. The Division may, at its option, accept inspection and sealing by out of state agencies when the material is weighed outside West Virginia.

The producer shall provide a weigh person. The weigh person shall certify that the weight of the material, as determined from the digital printout of the weights, is correct.

Each truck shall be weighed empty prior to each load, except at automatic batch plants approved to operate without truck scales. A digital recorder shall be required on all truck scales. The digital recorder shall produce a printed record of the gross, tare and net weights, and the time, date, truck identification and project number. Provision shall be made for constant zero compensation and further provision shall be made so that the scales may not be manually manipulated during the printing process. The system shall be interlocked so as to allow printing only when the scale has come to rest.

In case of a breakdown of the automatic equipment, the Engineer may permit manual operation for a reasonable time, normally not to exceed 48 hours, while the equipment is being repaired.

**Stone Aggregate Delivery to Non-Established Locations  
Attachment A (ATT A) Pricing Pages**

**VENDOR INSTRUCTIONS:** Vendor shall provide their Source Plant address and bid pricing for the Contract Item listed below. **Failure to provide Source Plant locations will result in the disqualification of the entire bid.** If Vendor needs additional space to list their plants, please use the Supplemental to ATT A. This is a multiple vendor award contract. Vendor may bid any or all Contract Items. All qualifying vendors meeting the contract specifications will be awarded with a contract. The low bid vendor per project will be determined at the time of need, as per Section 4 of the Contract Specifications. No future use of this Contract is guaranteed or implied. Estimated quantities are not available.

**VENDOR NAME:** East River Aggregates, Inc.

**Source Plant Names & Addresses:**

(Please provide a negative (-) with the longitudes.)

**NOTE: Use Supplemental attachment if additional space is needed.**

|                                                           |                             |
|-----------------------------------------------------------|-----------------------------|
| Name: <b>East River Aggregates, Inc.</b>                  | Latitude: <b>37.31091</b>   |
| Address: <b>388 Blake Hollow Road Princeton, Wv 24739</b> | Longitude: <b>-81.05666</b> |
| Name: _____                                               | Latitude: _____             |
| Address: _____                                            | Longitude: _____            |
| Name: _____                                               | Latitude: _____             |
| Address: _____                                            | Longitude: _____            |
| Name: _____                                               | Latitude: _____             |
| Address: _____                                            | Longitude: _____            |
| Name: _____                                               | Latitude: _____             |
| Address: _____                                            | Longitude: _____            |
| Name: _____                                               | Latitude: _____             |
| Address: _____                                            | Longitude: _____            |

| Contract Item | Description           | Composition*   | Unit of Measure | Bid Price |
|---------------|-----------------------|----------------|-----------------|-----------|
| 1             | Class 1 Aggregate     | Limestone Only | Tons            | \$11.44   |
| 2             | Class 1 Aggregate     | LSGS           | Tons            | No Bid    |
| 3             | Class 1 Aggregate     | Slag           | Tons            | No Bid    |
| 4             | Class 2 Aggregate     | Limestone Only | Tons            | \$11.44   |
| 5             | Class 2 Aggregate     | LSGS           | Tons            | No Bid    |
| 6             | Class 2 Aggregate     | Slag           | Tons            | No Bid    |
| 7             | Class 10 Aggregate    | LSGS           | Tons            | \$11.44   |
| 8             | AASHTO #1 Aggregate   | Limestone Only | Tons            | \$16.20   |
| 9             | AASHTO #1 Aggregate   | LSGS           | Tons            | No Bid    |
| 10            | AASHTO #3 Aggregate   | Limestone Only | Tons            | \$16.20   |
| 11            | AASHTO #3 Aggregate   | LSGS           | Tons            | No Bid    |
| 12            | AASHTO #4 Aggregate   | LSGS           | Tons            | No Bid    |
| 13            | AASHTO #467 Aggregate | LSGS           | Tons            | \$16.20   |
| 14            | AASHTO #57 Aggregate  | Limestone Only | Tons            | \$16.20   |
| 15            | AASHTO #57 Aggregate  | LSGS           | Tons            | No Bid    |
| 16            | AASHTO #67 Aggregate  | Limestone Only | Tons            | No Bid    |
| 17            | AASHTO #67 Aggregate  | LSGS           | Tons            | No Bid    |
| 18            | AASHTO #7 Aggregate   | Limestone Only | Tons            | No Bid    |
| 19            | AASHTO #7 Aggregate   | LSGS           | Tons            | No Bid    |
| 20            | AASHTO #8 Aggregate   | Limestone Only | Tons            | \$19.00   |
| 21            | AASHTO #8 Aggregate   | LSGS           | Tons            | No Bid    |
| 22            | AASHTO #8 MODIFIED    | Limestone Only | Tons            | No Bid    |

**Stone Aggregate Delivery to Non-Established Locations  
Attachment A (ATT A) Pricing Pages**

**VENDOR NAME:** East River Aggregates, Inc.

**Source Plant Names & Addresses:**

(Please provide a negative (-) with the longitudes.)

**NOTE: Use Supplemental attachment if additional space is needed.**

|                                                           |                             |
|-----------------------------------------------------------|-----------------------------|
| Name: <u>East River Aggregates, Inc.</u>                  | Latitude: <u>37.31091</u>   |
| Address: <u>388 Blake Hollow Road Princeton, Wv 24739</u> | Longitude: <u>-81.05666</u> |
| Name: _____                                               | Latitude: _____             |
| Address: _____                                            | Longitude: _____            |
| Name: _____                                               | Latitude: _____             |
| Address: _____                                            | Longitude: _____            |
| Name: _____                                               | Latitude: _____             |
| Address: _____                                            | Longitude: _____            |
| Name: _____                                               | Latitude: _____             |
| Address: _____                                            | Longitude: _____            |
| Name: _____                                               | Latitude: _____             |
| Address: _____                                            | Longitude: _____            |

| Contract Item | Description                                     | Composition*   | Unit of Measure | Bid Price |
|---------------|-------------------------------------------------|----------------|-----------------|-----------|
| 23            | AASHTO #8 MODIFIED                              | LSGS           | Tons            | No Bid    |
| 24            | AASHTO #9 Aggregate                             | Limestone Only | Tons            | No Bid    |
| 25            | AASHTO #9 Aggregate                             | LSGS           | Tons            | No Bid    |
| 26            | AASHTO #9 MODIFIED                              | Limestone Only | Tons            | No Bid    |
| 27            | AASHTO #9 MODIFIED                              | LSGS           | Tons            | No Bid    |
| 28            | AASHTO #10 Aggregate                            | Limestone Only | Tons            | \$16.95   |
| 29            | Stone for Gabions                               | Limestone Only | Tons            | \$16.45   |
| 30            | Stone for Gabions                               | LSGS           | Tons            | No Bid    |
| 31            | Fine Aggregate (PCC or Mortar Sand)             | LSGS           | Tons            | No Bid    |
| 32            | Trail Surface Aggregate                         | LSGS           | Tons            | No Bid    |
| 33            | Limestone Standard Abrasives                    | Limestone Only | Tons            | No Bid    |
| 34            | Limestone Standard Abrasives                    | LSGS           | Tons            | No Bid    |
| 35            | Sandstone Standard Abrasives                    | LSGS           | Tons            | No Bid    |
| 36            | Steel Slag for SRIC                             | Slag           | Tons            | No Bid    |
| 37            | Limestone MODIFIED Abrasives                    | Limestone Only | Tons            | No Bid    |
| 38            | Limestone MODIFIED Abrasives                    | LSGS           | Tons            | No Bid    |
| 39            | Sandstone MODIFIED Abrasives                    | LSGS           | Tons            | No Bid    |
| 40            | Cinders                                         | Cinders        | Tons            | No Bid    |
| 41            | Pea Gravel                                      | LSGS           | Tons            | No Bid    |
| 42            | #11 Limestone Abrasives                         | LSGS           | Tons            | No Bid    |
| 43            | Quarry Waste                                    | LSGS           | Tons            | \$12.00   |
| 44            | Rip Rap                                         | LSGS           | Tons            | \$16.20   |
| 45            | Shot Rock                                       | Limestone Only | Tons            | \$16.20   |
| 46            | Shot Rock                                       | LSGS           | Tons            | \$16.20   |
| 47            | Imbricated Stone                                | LSGS           | Tons            | No Bid    |
| 48            | Spreading Surcharge/Tailgating                  |                | Tons            | \$0.15    |
| 49            | Haul, First Ton-Mile (Contract Items 1-43)      |                | Mile            | \$1.50    |
| 50            | Haul, Additional Ton-Mile (Contract Items 1-43) |                | Mile            | \$0.35    |
| 51            | Haul, First Ton-Mile (Contract Items 44-47)     |                | Mile            | \$2.00    |

**Stone Aggregate Delivery to Non-Established Locations  
Attachment A (ATT A) Pricing Pages**

**VENDOR NAME:** East River Aggregates, Inc.

**Source Plant Names & Addresses:**

(Please provide a negative (-) with the longitudes.)

**NOTE: Use Supplemental attachment if additional space is needed.**

|          |                                                  |            |                  |
|----------|--------------------------------------------------|------------|------------------|
| Name:    | <b>East River Aggregates, Inc.</b>               | Latitude:  | <b>37.31091</b>  |
| Address: | <b>388 Blake Hollow Road Princeton, Wv 24739</b> | Longitude: | <b>-81.05666</b> |
| Name:    |                                                  | Latitude:  |                  |
| Address: |                                                  | Longitude: |                  |
| Name:    |                                                  | Latitude:  |                  |
| Address: |                                                  | Longitude: |                  |
| Name:    |                                                  | Latitude:  |                  |
| Address: |                                                  | Longitude: |                  |
| Name:    |                                                  | Latitude:  |                  |
| Address: |                                                  | Longitude: |                  |
| Name:    |                                                  | Latitude:  |                  |
| Address: |                                                  | Longitude: |                  |
| Name:    |                                                  | Latitude:  |                  |
| Address: |                                                  | Longitude: |                  |

| Contract Item                               | Description                                      | Composition* | Unit of Measure | Bid Price |
|---------------------------------------------|--------------------------------------------------|--------------|-----------------|-----------|
| 52                                          | Haul, Additional Ton-Mile (Contract Items 44-47) |              | Mile            | \$0.37    |
| *LSGS: Limestone, Sandstone, Gravel or Sand |                                                  |              |                 |           |



# CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

6/18/2026

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

**IMPORTANT:** If the certificate holder is an **ADDITIONAL INSURED**, the policy(ies) must be endorsed. If **SUBROGATION IS WAIVED**, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

|                                                                                                          |  |                                                                                                                                                                                                                                                                    |  |
|----------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>PRODUCER</b><br>THORNBURG INSURANCE AGENCY INC<br>2519 3rd Ave<br>P O Box 2966<br>Huntington WV 25728 |  | <b>CONTACT NAME:</b> Joanna Conley<br><b>PHONE (A/C, No, Ext):</b> (304) 697-7650<br><b>FAX (A/C, No):</b> (304) 697-7699<br><b>E-MAIL ADDRESS:</b> jconley@thornburgagency.com                                                                                    |  |
| <b>INSURED</b><br>East River Aggregates, Inc.<br>PO Box 975<br>Princeton WV 24740                        |  | <b>INSURER(S) AFFORDING COVERAGE</b><br><b>INSURER A:</b> Travelers Property Casualty Company <b>NAIC #</b> 36161<br><b>INSURER B:</b> Evanston Insurance Company <b>35378</b><br><b>INSURER C:</b><br><b>INSURER D:</b><br><b>INSURER E:</b><br><b>INSURER F:</b> |  |

**COVERAGES****CERTIFICATE NUMBER:** 2026-2027**REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

| INSR LTR | TYPE OF INSURANCE                                                                                         | ADDL INSD                                 | SUBR WVD | POLICY NUMBER         | POLICY EFF (MM/DD/YYYY) | POLICY EXP (MM/DD/YYYY) | LIMITS                                    |              |
|----------|-----------------------------------------------------------------------------------------------------------|-------------------------------------------|----------|-----------------------|-------------------------|-------------------------|-------------------------------------------|--------------|
| A        | <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY                                          |                                           |          | DT-CO-7R794504-PHX-26 | 2/24/2026               | 2/24/2027               | EACH OCCURRENCE                           | \$ 1,000,000 |
|          | <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR                            |                                           |          |                       |                         |                         | DAMAGE TO RENTED PREMISES (Ea occurrence) | \$ 300,000   |
|          | <input checked="" type="checkbox"/> Contractual Liability                                                 |                                           |          |                       |                         |                         | MED EXP (Any one person)                  | \$ 5,000     |
|          | GEN'L AGGREGATE LIMIT APPLIES PER:                                                                        |                                           |          |                       |                         |                         | PERSONAL & ADV INJURY                     | \$ 1,000,000 |
| B        | <input type="checkbox"/> POLICY <input checked="" type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC |                                           |          | CPIMO139383           | 5/25/2026               | 5/25/2027               | GENERAL AGGREGATE                         | \$ 2,000,000 |
|          | <input checked="" type="checkbox"/> OTHER: Pollution Liability                                            |                                           |          |                       |                         |                         | PRODUCTS - COMP/OP AGG                    | \$ 2,000,000 |
| A        | <b>AUTOMOBILE LIABILITY</b>                                                                               |                                           |          | 810-7R747816-26-G     | 2/24/2026               | 2/24/2027               | Each Pollution Incident/Aggregate         | \$ \$1M/\$1M |
|          | <input checked="" type="checkbox"/> ANY AUTO                                                              |                                           |          |                       |                         |                         | COMBINED SINGLE LIMIT (Ea accident)       | \$ 1,000,000 |
|          | <input type="checkbox"/> ALL OWNED AUTOS                                                                  | <input type="checkbox"/> SCHEDULED AUTOS  |          |                       |                         |                         | BODILY INJURY (Per person)                | \$           |
|          | <input type="checkbox"/> HIRED AUTOS                                                                      | <input type="checkbox"/> NON-OWNED AUTOS  |          |                       |                         |                         | BODILY INJURY (Per accident)              | \$           |
| A        | <input checked="" type="checkbox"/> UMBRELLA LIAB                                                         | <input checked="" type="checkbox"/> OCCUR |          | CUP-7R79496A-26       | 2/24/2026               | 2/24/2027               | PROPERTY DAMAGE (Per accident)            | \$           |
|          | <input type="checkbox"/> EXCESS LIAB                                                                      | <input type="checkbox"/> CLAIMS-MADE      |          |                       |                         |                         | Uninsured motorist combined single        | \$ 1,000,000 |
|          | DED <input checked="" type="checkbox"/> RETENTION \$ 10,000                                               |                                           |          |                       |                         |                         | EACH OCCURRENCE                           | \$ 4,000,000 |
| A        | <b>WORKERS COMPENSATION AND EMPLOYERS' LIABILITY</b>                                                      |                                           |          | UB-9P999405-26        | 2/24/2026               | 2/24/2027               | AGGREGATE                                 | \$ 4,000,000 |
|          | ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH)                               | Y/N                                       |          |                       |                         |                         |                                           |              |
|          | If yes, describe under DESCRIPTION OF OPERATIONS below                                                    |                                           | N/A      |                       |                         |                         |                                           |              |
|          | <input type="checkbox"/>                                                                                  |                                           |          |                       |                         |                         | E.L. EACH ACCIDENT                        | \$ 1,000,000 |
| A        | Contractors Equipment Floater                                                                             |                                           |          | 630-7R656838-TIL-26   | 2/24/2026               | 2/24/2027               | E.L. DISEASE - EA EMPLOYEE                | \$ 1,000,000 |
|          |                                                                                                           |                                           |          |                       |                         |                         | E.L. DISEASE - POLICY LIMIT               | \$ 1,000,000 |
|          |                                                                                                           |                                           |          |                       |                         |                         | Leased and Rented Each Unit               | \$750,000    |

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)  
Subject to policy terms, conditions, limitations and exclusions

**CERTIFICATE HOLDER****CANCELLATION**

For Evidence of Insurance

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

Ryan Wingrove/JC

© 1988-2014 ACORD CORPORATION. All rights reserved.